DAILY RAINFALL 1911 1920

MONTGOMERYSHIRE

BERRIEW RHIEWPORT GARDENS	1912	1917
CARREGHOFA SCHOOL LLANYMYNECH	1914	1916
CASTLE CAERINION SYLFAEN GARDENS	1911	1913
DOLFOR		1911
LAKE VYRNWY	1911	1920
" " BANK CYNON ISAF	1911	1920
LLANERFYL C.E. SCHOOL	1913	1914
LLANDINAM PLAS DINAM	1912-15, 18-	1919
LLANDYSILLIO RECTORY	1914	1920
LLANIDLOES COUNTY SCHOOL	1913	1914
LLANGURIG DERNOL	1911	1920
MACHYNLLETH THE PLAS	1911	1920
MEIFOD COED-Y-MAEN	1911, 13 —	1914
NEWTOWN		1911
" GREGYNOG	1911	1913
" PENARTH WEIR	1911	1920
WELSHPOOL COUNTY SCHOOL	1911-16, 19-	1920
" EDDERTON HALL	1917	1920
" FRON LLWYD	1911-16,	1918
" LLWYNDERW	1911	1916
" THE COTTAGE	1911	1912

FORM A2.
BRITISH RAINFALL.

19 FEB 1913

BERRTEW
RHIEWPORT GDNS
MONTGOMERY
1912 - 1917

Kept at Rhiewp… …ella

in the County of —

by Head Gar… …d 1 ft. — in.
…evel 370 ft.

… Welshpool
…nce 5 mls Direction NE

IMPORTANT … result entered to the previous day. If a… … rule, he is earnestly requested to add the reading at … in the space provided for it at the end of this paragraph. Full instructions for … of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·14		·01	·61	·08	·02	·01			·31	1
2			·27		·02	·34	·16				·10	·02	2
3	·03		·12		·12	·25	·01	·90	·06			·01	3
4	·28		·66		·18	·02		·06	·05		·01	·04	4
5	·20	·10	·16		·04	·16		·15	·04		·02		5
6	·28	·08	·01	·02	·10	·34		·46					6
7	·10	·13	·06		·04	·29		·08				·02	7
8	·36	·10	·16	·12	·05	·04	·11	·06	·04				8
9	·03	·06	·15	·16		·15		·24	·05		·04	·05	9
10	·31	·01		·04		·10	·09	·19			·46	·02	10
11							·01				·38	·53	11
12		·21	·13				·06	·03				·08	12
13		·01	·01				·04	·02	·01	·20		·49	13
14	·03	·15	·59			·06		·04				·33	14
15	·02	·16	·05		·15	·47		·05				·08	15
16	·19	·04	·14		·04			·03	·01	·13		·02	16
17	·75	·03	·04			·30		·35		·01	·14	·84	17
18		·04	·22			·01		·41		·07	·02	·08	18
19	·03	·11				·03	·34	·22		·26	·01		19
20	·02	·02			·11		·08			·45	·01		20
21		·01	·34		·47			·37		·30			21
22	·18	·20	·02		·62		·34	·45				·11	22
23	·05	·01	·48			·02	·39	·38			·22	·09	23
24	·09		·05			·09	·03	·03			·04	·10	24
25			·08			·10		·25			·41	·52	25
26		·11	·13				·17	·75		1·10	·35	·11	26
27		·03	·16			·43	1·08			·72		·41	27
28		·07	·02			·03	·52	·01	·23	·20	·03	·08	28
29			·12			·02	·15	·40	·66	·10	·62		29
30			·08			·09	·09	·01		·23	·10	·01	30
31			·24		·14		·58			·12		·03	31
Total	2·95	1·68	4·63	·34	2·09	3·95	4·33	5·96	1·16	3·89	2·96	4·38	TOTAL for year
No. of Rain Days.	17	21	27	4	14	22	19	26	10	13	17	24	38·32 / 214

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

19 FEB 1913

Kept at Rhiewport Gardens, Berriew

in the County of Montgomery 5

by Head Gardener, per. W.E.W.

RAIN GAUGE { Pattern B a - Casella
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 370 ft.

Time of Observation 9 a

Nearest Railway Station { Name Welshpool
Distance 5 mles Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·14		·01	·61	·08	·02	·01			·31	1
2			·27		·02	·34	·16				·10	·02	2
3	·03		·12		·12	·25	·01	·90	·06			·01	3
4	·28		·66		·18	·02		·06	·05		·01	·04	4
5	·20	·10	·16		·04	·16		·15	·04		·02		5
6	·28	·08	·01	·02	·10	·34		·46					6
7	·10	·13	·06		·04	·29		·08				·02	7
8	·36	·10	·16	·12	·05	·04	·11	·06	·04				8
9	·03	·06	·15	·16		·15		·24	·05		·04	·05	9
10	·31	·01		·04		·10	·09	·19			·46	·02	10
11							·01				·38	·53	11
12		·21	·13				·06	·03				·08	12
13		·01	·01				·04	·02	·01	·20		·49	13
14	·03	·15	·59			·06		·04				·33	14
15	·02	·16	·05		·15	·47		·05				·08	15
16	·19	·04	·14		·04			·03	·01	·13		·02	16
17	·75	·03	·04			·30		·35		·01	·14	·84	17
18		·04	·22			·01		·41		·07	·02	·08	18
19	·03	·11				·03	·34	·22		·26	·01		19
20	·02	·02			·11		·08			·45	·01		20
21		·01	34		·47			·37		·30			21
22	·18	·20	·02		·62		·34	·45				·11	22
23	·05	·01	·48			·02	·39	·38			·22	·09	23
24	·09		·05			·09	·03	·03			·04	·10	24
25			·08			·10		·25			·41	·52	25
26		·11	·13				·17	·75		1·10	·35	·11	26
27		·03	·16			·43	1·08			·72		·41	27
28		·07	·02			·03	·52	·01	·23	·20	·03	·08	28
29			·12			·02	·15	·40	·66	·10	·62		29
30			·08			·09	·09	·01		·23	·10	·01	30
31			·24		·14		·58			·12		·03	31
Total	2·95	1·68	4·63	·34	2·09	3·95	4·33	5·96	1·16	3·89	2·96	4·38	TOTAL for year
No. of Rain Days.	17	21	27	4	14	22	19	26	10	13	17	24	38·32 / 214

W. 8,000, X. '11.

corr^d with 29.IV.14

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

12 FEB 1914

Kept at Rhiewport Gardens.

in the County of Montgomery.

by Edward Jones.

Lat. 52° 36' 10" N. Long. 3° 13' 0" W.

Time of Observation 9. A.M.

Nearest Railway Station Montgomery

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05.	·10.	·14.	·04.	–	–	–	–	–	–	·03.	–	1
2	–	·30.	·08.	·01.	·04.	–	–	–	·03.	–	·27.	·03.	2
3	·02.	·01.	·30.	–	·36.	–	–	–	·02.	·05.	–	·19.	3
4	·79.	–	–	–	·04.	–	·04.	–	·01.	–	–	·45.	4
5	·43.	·09.	·17.	–	·27.	·19.	·01.	·01.	–	2·20.	–	–	5
6	·07.	·10.	·23.	–	·06.	·08.	·29.	–	–	·09.	–	·38.	6
7	–	·28.	·03.	–	·20.	·39.	·01.	–	–	·47.	·23.	–	7
8	–	·40.	–	·01.	·30.	·02.	·03.	–	–	·10.	–	–	8
9	–	·15.	·14.	·04.	·10.	·96.	·02.	·74.	·25.	–	–	·04.	9
10	·22.	–	·03.	·03.	·28.	–	·01.	·17.	·03.	–	·12.	–	10
11	·41.	–	–	·43.	·02.	·02.	·02.	–	–	·19.	·05.	·01.	11
12	–	–	–	–	·04.	·01.	–	·01.	·02.	–	·36.	·04.	12
13	·03.	–	·24.	–	–	–	·06.	·03.	·42.	–	·36.	–	13
14	·10.	–	·52.	·11.	–	–	·01.	·03.	·03.	–	·24.	–	14
15	·11.	·02.	·47.	·65.	–	–	–	·27.	·31.	–	·11	–	15
16	·01.	–	·57.	·07.	–	–	–	·04.	–	–	·16.	–	16
17	·09.	–	·07.	·23.	–	–	·07.	–	–	–	·18.	–	17
18	·20.	–	·33.	·18.	–	·01.	·04.	–	–	–	·06.	–	18
19	–	–	·14.	·08.	–	·06.	–	–	·07.	·36.	·08.	–	19
20	–	–	·34.	·17.	–	·04.	–	–	–	·23.	·73.	–	20
21	–	–	·24.	·16.	·24.	–	·29.	1·11.	–	–	·01.	–	21
22	·63.	–	1·05.	–	–	·19.	–	–	·57.	–	–	–	22
23	·02.	–	·03.	–	–	·08.	–	·04.	·33.	–	·15.	–	23
24	·24.	–	–	·01.	–	·03.	–	–	–	–	·08.	–	24
25	–	–	–	·12.	–	–	–	–	·24.	–	·09.	–	25
26	–	·28.	–	1·25.	·43.	–	–	–	·03.	·08.	–	·56.	26
27	·01.	·03.	·06.	·18.	–	–	–	–	–	·68.	–	–	27
28	·28.	–	·09.	·49.	–	–	–	–	–	·12.	–	–	28
29	–		·35.	·40	·17.	–	–	–	–	·43.	–	·40.	29
30	·28.		–	·01.	–	–	–	–	–	·16.	·22.	–	30
31	·36.		·38.		·56.		–	–		–		–	31
Total	4·35.	1·76.	~~5·80.~~ 6·00	4·67.	3·11.	2·08.	·90.	2·45.	2·36.	5·16.	3·53.	2·10.	YEAR'S TOTAL 38·47. 38·47
Rain Days.	20.	11.	23.	·21.	15.	13.	13.	10.	14.	13.	19.	9.	181.

W.7,000, XI. 13

Ex. reg.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

19 MAY 1915

Kept at Rhiewport Gardens.

in the County of Montgomery. 5

by Edward Jones.

Lat. 52° 36' 10" Long. 3° 13' 0"

Time of Observation 9. A.M.

Nearest Railway Station Montgomery.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 370. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·01.	·03.	-	-	·09.	1·10.	·82.	-	-	·03.	·26.	1
2	-	·01.	·05.	-	-	-	1·11.	-	-	-	·19.	·29.	2
3	-	·02.	·10.	-	·27.	-	·13.	-	-	-	-	·92.	3
4	·45.	-	·15.	·10.	·12.	-	·12.	·23.	-	-	·53.	·50.	4
5	·20.	-	·30.	·33.	·24.	-	·14.	-	-	-	·20.	-	5
6	-	·06.	-	·11.	·13.	-	·23.	·07.	-	-	·09.	·39.	6
7	-	·10.	·50.	·13.	·05.	·13.	·29.	·22.	-	-	-	·32.	7
8	·30.	-	-	-	·09.	·40.	·26.	·25.	·08.	-	-	·06.	8
9	·20.	·03.	-	·07.	·05.	·75.	-	·41.	·17.	-	·08.	-	9
10	-	·06.	-	·18.	·06.	·13.	-	·02.	·14.	-	-	-	10
11	-	·21.	·25.	·05.	·11.	·07.	·15.	-	·07.	-	·66.	·41.	11
12	-	·69.	·18.	-	-	·01.	·06.	-	·40.	-	·30.	·11.	12
13	-	·17.	·28.	·02.	-	-	-	-	·09.	·23.	·56.	·21.	13
14	-	·73.	·04.	-	-	-	-	·03.	·01.	·13.	·20.	-	14
15	-	-	·47.	-	-	-	-	-	·06.	-	·08.	·01.	15
16	-	-	·13.	-	-	-	·02.	-	·19.	-	-	·02.	16
17	-	·32.	·24.	-	-	·01.	·03.	-	·25.	-	-	·68.	17
18	-	-	·06.	-	-	-	-	-	·05.	-	-	·13.	18
19	-	-	·07.	-	-	-	1·15.	-	·04.	-	·12.	·30.	19
20	-	·29.	·17.	-	-	·23.	·08.	-	-	-	-	·21.	20
21	-	·16.	-	-	-	·21.	-	·15.	-	·04.	-	-	21
22	-	·43.	·04.	-	·05.	·26.	-	·25.	-	·20.	-	-	22
23	-	-	·11.	-	-	·01.	·02.	-	-	·03.	-	-	23
24	-	-	·53.	-	-	-	·14.	·31.	-	·09.	·12.	-	24
25	·10.	·04.	·01.	·03.	-	-	·09.	·70.	-	·55.	-	·28.	25
26	·03.	-	·04.	-	-	-	-	·10.	-	·11.	·35.	·42.	26
27	·02.	-	-	-	·03.	-	·03.	-	-	·03.	·33.	1·51.	27
28	·20.	·16.	·07.	-	·17.	-	-	-	-	·18.	·04.	·58.	28
29	·10.		-	-	·01.	-	-	-	-	·22.	·15.	-	29
30	·02.	X	·08.	·01.	-	-	-	·02.	-	·09.	·29.	·35.	30
31	·20.	X	·01.	X	-	X	·20.	·01.	X	·10.	X	·10.	31
Total	1·82.	3·49.	3·91.	1·03.	1·38.	2·30.	5·35.	3·59.	1·55.	2·00.	4·32.	8·06.	YEAR'S TOTAL 38·80.
Rain Days.	·11.	17.	24.	10.	13.	12.	·19.	15.	·12.	·13.	·18.	22.	186

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915.

4234

FORM A. BRITISH RAINFALL.

31 JAN 1916

Kept at Rhiewport Gardens.

in the County of Montgomery.

by Edward Jones.

Lat. 52° 36' 10" Long. 3° 13'

Time of Observation 9. A.M.

Nearest Railway Station Montgomery.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 370. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47.	·19.	·03.	-	·67.	-	-	·06.	·30.	·30.	-	·20.	1
2	-	·23.	·28.	·15.	-	·05.	-	2·63.	-	·03.	-	·14.	2
3	·30.	·21.	·03.	·01.	-	-	·46.	·54.	-	-	-	·49.	3
4	·03.	·35.	-	-	·23.	-	·17.	·01.	-	-	-	·91	4
5	·04.	·19.	·03.	-	-	-	-	·07.	-	-	-	·28.	5
6	·16.	·06.	-	·25.	-	-	1·42.	·10.	-	-	-	·33.	6
7	·23.	·56.	-	·04.	-	-	-	·21.	-	-	-	·23.	7
8	·16.	·13.	-	·34.	-	-	-	·22.	-	-	·29.	-	8
9	·53.	·14.	-	·21.	-	-	-	·01.	-	-	·11.	·86.	9
10	·50.	·02.	-	·14.	-	-	-	-	-	-	1·14.	·10.	10
11	·06.	-	·18.	-	-	-	·20.	·30.	-	-	1·36.	·08.	11
12	·05.	·04.	-	·04.	·33.	-	-	·04.	-	·27.	·07.	-	12
13	-	·45.	-	·03.	·30.	-	·04.	1·40.	·16.	-	·04.	·10.	13
14	·03.	-	-	·01.	-	-	-	·14.	-	-	·11.	·28.	14
15	·65.	-	-	-	·20.	-	·27.	·33.	-	-	-	·05.	15
16	·10	·20.	-	-	·42.	-	·81.	·10.	-	-	-	·02.	16
17	·09.	·64.	-	-	·63.	-	-	·18.	-	-	-	·11.	17
18	-	·69.	·04.	-	-	-	-	·43.	-	-	-	-	18
19	-	·05.	-	·10.	·07.	-	·23.	-	-	-	-	-	19
20	·24.	·02.	-	-	·03.	-	-	-	-	-	-	·01.	20
21	·10.	-	-	-	-	-	·15.	·02.	-	·08.	-	-	21
22	-	-	·14.	·15.	-	-	·25.	-	-	·09.	-	·15.	22
23	-	·11.	·18.	·07.	-	-	·05.	-	-	·97.	-	·43.	23
24	-	-	·07.	·06.	-	-	·13.	-	·19.	·50.	-	·40.	24
25	-	-	-	-	-	·18.	·08.	-	-	·01.	·04.	·22.	25
26	-	·10.	-	-	-	·10.	·33.	-	-	-	-	·64.	26
27	-	·35.	-	-	-	·24.	·43.	-	-	·39.	-	·61.	27
28	-	·47.	-	-	-	-	·09.	·09.	·08.	·05.	-	·05.	28
29	-		-	-	-	·01.	-	-	·06.	-	·14.	·06.	29
30	·18.	X	-	·15.	-	·08.	·02.	-	-	-	·03.	·22.	30
31	·02.	X	-	X	-	X	·26.	·04.	X	·14.	X	·28.	31
Total	3·94	5·20.	·98.	1·75	2·88.	·66.	5·39.	6·92.	·79.	2·83.	3·33.	7·25	YEAR'S TOTAL 41.92.
Rain Days.	·19.	·21.	9.	15.	9.	6.	·18.	20.	5.	11.	10.	·26.	169.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

4165

FORM A. BRITISH RAINFALL.

13 FEB 1917

Kept at Rhiewport Gardens.

in the County of Montgomery.

by Edward Jones. Hd Gardener & Bailiff

Lat. 52° 36' 10" Long. 3° 13' 0"

Time of Observation 9. A.M.

Nearest Railway Station Montgomery.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26.	.02.	.19.	-	.01.	.10.	.10.	-	-	-	.23.	-	1
2	.65.	.16.	-	-	-	-	.40.	-	.39.	.99.	.12.	-	2
3	.01.	.56.	.42.	-	-	.11.	.42.	-	.48.	.34.	.14.	.11.	3
4	.25.	.16.	-	-	.47.	.37.	-	-	.02.	.17.	.24.	-	4
5	.07.	.05.	.12.	-	.30.	.11.	-	-	-	.29.	.11.	-	5
6	.15.	.30.	.18.	-	.25.	-	.44.	-	.01.	.19.	.17.	.02.	6
7	.16.	.02.	.15.	-	.07.	.01.	.06.	-	-	.17.	.16.	.15.	7
8	-	.03.	.21.	-	.24.	.01.	-	-	-	.34.	.10.	.08.	8
9	-	-	-	-	.19.	.48.	.02.	-	-	.01.	.15.	-	9
10	.06.	.42.	.04.	.08.	.03.	.03.	.03.	-	-	-	.01	.08.	10
11	-	.11.	.11.	.16.	.12.	.03.	.01.	-	-	.04.	-	-	11
12	.08.	-	.05.	.06.	.31.	-	.14.	.15.	-	.03.	-	-	12
13	-	.18.	.18.	.17.	.02.	-	-	.20.	-	.23.	-	-	13
14	-	.56.	.05.	.10.	.05.	-	-	.48.	-	.04.	-	-	14
15	-	.93.	.26.	.15.	.01.	-	.04.	.15.	-	.07.	-	.06.	15
16	-	.12.	-	.10.	.01.	-	-	-	.31.	.05.	-	-	16
17	-	.18.	-	.18.	-	-	-	.11.	-	.25.	-	-	17
18	.10.	.15.	.11.	.14.	-	-	-	.02.	.23.	.06.	.29.	-	18
19	.11.	-	.51.	.26.	-	-	-	-	.08.	-	.18.	-	19
20	.20.	-	.39.	-	-	-	-	-	-	-	.05.	.27.	20
21	-	.01.	.18.	.05.	-	.17.	.14.	-	-	-	.12.	.04.	21
22	-	-	-	.04.	-	.03	-	-	-	.23.	-	.19.	22
23	.18.	.02.	.05.	.05.	-	.05.	-	.19.	-	.09.	.10.	-	23
24	-	.58.	-	.01.	1.35.	.04.	-	.10.	-	.21.	-	.42.	24
25	-	.09.	.28.	-	.08.	-	-	.08.	-	.02.	.45.	.02.	25
26	.05.	.27.	.04.	-	-	.33.	-	.24.	.01.	.25.	-	-	26
27	.02.	-	.13.	-	.04.	.01.	-	.11.	.58.	1.10.	-	-	27
28	-	.40.	.01.	-	.29.	-	-	-	-	.28.	.01.	.58.	28
29	-	.17.	.03	-	-	.62.	-	.11.	-	.13.	-	.16.	29
30	-	X	-	-	-	.14.	-	-	-	.22.	-	-	30
31	-	X	-	X	-	X	-	-	X	.67.	X	.07.	31
Total	2.35.	5.49.	3.69.	1.55.	3.84.	2.64.	1.80.	1.94.	2.11.	6.47.	2.63.	2.25.	YEAR'S TOTAL 36.76.
Rain Days.	15.	23.	22.	14.	18.	17.	11.	12.	9.	26.	17.	14.	198.

W. 8,000, VIII, 16

REGISTER OF RAINFALL IN 1917.

3990
FORM A.
BRITISH RAINFALL.
12 JAN 18

Kept at Rhiewport Gardens.

in the County of Montgomery.

by Edward Jones.

Lat. 52° 36' 10" Long. 3° 13' 0"
Time of Observation 9 A.M.
Nearest Railway Station Montgomery.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	·17.	-	·17.	·48.	-	·03.	-	1
2	·03.	-	·04.	·43.	-	-	-	·02.	-	-	-	-	2
3	-	-	-	·04.	-	-	-	-	-	-	·10.	-	3
4	-	-	·29.	-	-	-	-	·12.	-	·53.	·20.	-	4
5	·18.	-	-	-	-	·13.	-	-	·03.	·37.	·30.	-	5
6	-	-	-	-	-	-	-	·10.	-	·21.	·10.	-	6
7	·55.	-	-	-	-	-	-	-	-	·33.	·20.	·23.	7
8	·34.	-	-	·38.	-	-	-	·50.	-	·28.	·10.	-	8
9	-	-	-	·08.	·16.	-	-	-	-	·55.	·25.	-	9
10	·19.	-	·80.	·38.	·15.	-	-	·18.	-	·20.	-	·09.	10
11	·13.	-	-	·15.	1·00.	-	-	·25.	-	·03.	-	-	11
12	-	-	-	·05.	-	-	-	·20.	·07.	·30.	·07.	-	12
13	-	-	-	·06.	-	·03.	-	·79.	·13.	·33.	-	-	13
14	-	-	-	-	-	-	-	·16.	-	-	-	-	14
15	-	-	-	-	-	-	·80.	-	-	·20.	-	·37.	15
16	-	-	-	·23.	-	·28.	-	·02.	-	-	-	-	16
17	-	·10	-	-	·28.	·62.	·08.	·60.	-	·04.	-	-	17
18	·18.	-	-	·03.	·12.	·41.	1·00.	-	·65.	·05.	-	-	18
19	-	·30.	·37.	-	-	·72.	-	·03.	-	-	-	·17.	19
20	-	·20.	·03.	-	·42.	-	-	-	·09.	-	-	-	20
21	-	-	-	-	-	·05.	-	·03.	-	-	-	-	21
22	-	-	-	-	·19.	·02.	-	·15.	-	·05.	·06.	·10.	22
23	-	·10.	-	-	-	-	-	·37.	-	·04.	-	-	23
24	-	-	-	-	-	·08.	-	·06.	-	·10.	-	·07.	24
25	-	·10.	-	-	-	-	-	·08.	-	·60.	·30.	-	25
26	-	-	·22.	-	-	·11.	-	·38.	-	·05.	-	-	26
27	-	-	-	-	1·05.	·33.	·28.	·45.	-	·11.	·03.	-	27
28	-	-	·15.	-	·39.	·01.	-	·25.	-	-	-	-	28
29	-	-	·12.	-	-	-	-	·01.	-	-	-	·34.	29
30	-	X	·06.	-	-	-	·19.	·27.	-	·40.	·07.	-	30
31	-	X	·03.	X	·28.	X	-	·40.	X	·17.	X	-	31
Total	1·60.	·80.	2·11.	1·83.	4·04	2·96.	2·35.	5·59.	1·45.	4·94.	1·81.	1·37.	YEAR'S TOTAL 30·85.
Rain Days.	7.	5.	10.	10.	10.	13.	5.	24.	6.	21.	13.	7.	131.

W. 8,000, IX. 17.

CARREGHOFA SCHOOL

LLANYMYNECH

MONTGOMERY

1914-16

FORM A.
BRITISH RAINFALL.

19 MAY 1915

RE

Llanym

Kept at Carreghofa

in the County of Mon

by W. H. Brooke

10"

in.

ad ft. in.

Level ft.

IMPORTANT N

previous day. If an

requested to add the re

for it at the end of t

esult entered to the

rule, he is earnestly

the space provided

of rain,

Jan. 1, following.

the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·18				-	·02	.30 ·03	1
2						-				-	·32	·29	2
3						-				-	·01	.80 ·08	3
4						-				-	·63	·39	4
5						-				-	.10 AV	·01	5
6						-				-	·15	·31	6
7						·15				-	-	·29	7
8						.30 ·03				-	-	·02	8
9						·46				-	·01	-	9
10						·01				-	-	-	10
11						·16				-	·49	·31	11
12						·04				-	·19	·28	12
13						-				·16	·29	·14	13
14						-				·22	·28	-	14
15						-				-	·06	·03	15
16						-				-	-	-	16
17						·01				-	-	-	17
18						-				-	-	.70 ·07	18
19						-				-	-	·31	19
20						.10 ·01				-	-	·12	20
21						·65				·11	-	·08	21
22						·08				·08	-	-	22
23						·05				·05	-	-	23
24						-				·03	·07	-	24
25						-				·49	·03	-	25
26						-				·14	·15	·43	26
27						-				-	.20 ·02	1·25	27
28						-				·02	·09	·45	28
29						-				·18	·19	·31	29
30		X				-				·05	·31	.30 ·03	30
31		X		X		X			X	·04	X	·07	31
Total				·83	1·35	2·19 ✓				1·57	3·59 ✓	7·19 ✓	YEAR'S TOTAL
Rain Days.						12				12	19	22	

W. 8,000. X. 14.

FORM A. BRITISH RAINFALL.

19 MAY 1915

REGISTER OF [illegible]

Kept at Llanymynech Council School

in the County of Montgomery

by ~~W. H. Brooks~~ Montgom. Co. Times

Lat. 52° 46' 45" Long. 3° 5' 10"

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·18				-	·02	·30 ·03	1
2						-				-	·32	·29	2
3						-				-	·01	·80 ·08	3
4						-				-	·63	·39	4
5						-				-	·10 ·01	·01	5
6						-				-	·15	·31	6
7						·15				-	-	·29	7
8						·30 ·03				-	-	·02	8
9						·46				-	·01	-	9
10						·01				-	-	-	10
11						·16				-	·49	·31	11
12						·04				-	·19	·28	12
13						-				·16	·29	·14	13
14						-				·22	·28	-	14
15						-				-	·06	·03	15
16						-				-	-	-	16
17						·01				-	-	-	17
18						-				-	-	·70 ·07	18
19						-				-	-	·31	19
20						·10 ·01				-	-	·12	20
21						·65				·11	-	·08	21
22						·08				·08	-	-	22
23						·05				·05	-	-	23
24						-				·03	·07	-	24
25						-				·49	·03	-	25
26						-				·14	·15	·43	26
27						-				-	·20 ·02	1·25	27
28						-				·02	·09	·45	28
29						-				·18	·19	·31	29
30		X				-				·05	·31	·30 ·03	30
31		X	X		X			X		·04	X	·07	31
Total				·83	1·35	2·19 ✓				1·57	3·59 ✓	7·19 ✓	YEAR'S TOTAL
Rain Days.						12				12	19	22	

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

Form A. BRITISH RAINFALL. 30 JAN 1916

Kept at The Council School Llanymynech

in the County of Montgomeryshire

by R. T. Pritchard

N. Lat. 52° 46' 45" Long. 3° 5' 10" W. Greenwich

Time of Observation 9. a.m.

Nearest Railway Station Llanymynech

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 286½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·29	·14	·06	—	·48		·05	·07	·03	·15		·17	1
2	—	·13	·28	·19	—	·01	·04		·11	·05		·07	2
3	·29	·13	·01	·04	—		·32	·26				·24	3
4	·02	·21	~~·11~~	~~·~~	·34	·02	·19	·05	·01			·87	4
5	·07	·10	~~·12~~ ·01	—	—	·04	—	·10				·18	5
6	·11	·05	~~·04~~	·06	—	~~·05~~	·58	·21				·29	6
7	·115	·38	~~·14~~	·08	—	~~·03~~	·06	·22				·19	7
8	·29	·08	~~·18~~	·04	—	~~·01~~		·11			·15		8
9	·10	·08	~~·12~~	·11	—					·02	·18	·77	9
10	·45	—	·02	·21	—					·04	·02	·07	10
11	·02	—	—	·01	·04		·18	~~·12~~			·86	·04 (·04)	11
12	·05	—	—		·25			~~·10~~		·24	2·20		12
13	·01	·18	—	·06	·39			·15		·01	·06	·05	13
14	·03	—	—	—	—			·15	·08			·31	14
15	·53	—	—	·01	·10		·08	·19			·30	·04 (·04)	15
16	·28	·29	—	—	·59		·99	·24	·01			·03	16
17	·01	·64	—	—	·73			·13				·03	17
18	~~·05~~	·62	·01	—	—								18
19	~~·12~~	·01	—	—	·15		·18						19
20	~~·02~~ ·05	—	—	·04	—							·01	20
21	~~·08~~ ·12	—	—	—	—		·23			·01		·01	21
22	·02	·04	·14	·11	—		·16					·14	22
23	—	·12	·10	—	—	·04	·12		·02	·08		·35	23
24	—	—	·12	·13	—	·05	·11		·12	1·05	·02	·23	24
25	—	—	—	·01	—	·28	·01					·11	25
26	—	·16	—	—	—	·01	·20		·03			·55	26
27	—	·20	—	—	—		·56			·27		·95	27
28	—	·14	—	—	—		·01	·11		·06		·02	28
29	—	—	—	—	—	·64	·01	·02	·05		·10	·33 (·13)	29
30	·08		—	·10	—	·68	2·1		·02	·11	·03	·19	30
31	·02		—		—		2·0			·05		·33	31
Total	~~2·96~~ 2·94 ins	3·70 ins	·78 ins	1·23	3·05	1·77	4·29	2·33	·48	2·17	3·82	6·36	YEAR'S TOTAL 32·94
Rain Days.	24	19	9	15	9	9	21	15	10	13	10	24	176

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Carreghofa Bl. School, Llanymynech

in the County of Montgomery

by R. T. Pritchard

Lat. 52°46'45"N. Long. 3°5'10"W.

Time of Observation 9 a.m.

Nearest Railway Station Llanymynech

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 285. ft.

28 JUL 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·31	·02	·42	—	—	·12	·13	—	—	·12	·21	—	1
2	·58	·16	·33	—	—	·02	·03	—	·15	·83	·22	—	2
3	—	·34	·01	—	·01	·02	·09	—	·35	·34	·17	·02	3
4	·11	·11	—	·06	·48	·33	·88	—	·02	·20	·21	—	4
5	—	·19	—	—	·33	·02	·10	—	—	·74	·05	—	5
6	·09	·20	·05	—	·34	·04	·38	—	—	·12	·35	·05	6
7	—	·03	·05	—	·66	·03	·07	—	—	·10	·08	·26	7
8	·06	·05	·15	—	·09	·20	—	—	—	·06	·03	—	8
9	·05	·01	·01	—	—	[illegible]	—	—	·05	—	·06	—	9
10	·02	·43	·05	·02	—	03	·02	—	02	·06	·01	—	10
11	—	·08	·17	·05	·13	·01	—	—	—	—	—	—	11
12	·03	·03	·06	·05	·30	—	·18	·01	—	·05	—	02	12
13	·01	·31	·22	·10	·03	—	·08	·32	—	·13	01	—	13
14	—	·22	·03	·07	·02	—	—	·24	·01	·10	—	—	14
15	—	·51	·41	·04	·01	—	—	—	—	·02	—	—	15
16	—	·13	01	·19	—	—	01	—	—	·06	—	—	16
17	·06	·08	—	·22	—	—	—	·22	·21	22	—	—	17
18	·01	·15	·12	·12	—	—	—	·03	·~~21~~ 21	·02	·55	—	18
19	·14	—	·28	·05	—	—	—	·03	—	—	·30	·20	19
20	·13	—	·46	·07	—	—	—	—	—	—	—	—	20
21	·21	—	·20	·14	—	·01	—	—	—	—	·03	—	21
22	—	—	—	·02	—	·03	—	—	—	·22	·03	·18	22
23	·03	—	·04	·08	—	·10	—	·15	—	—	·13	·16	23
24	·02	·18	·29	·02	1·02	·04	—	·18	—	·25	—	·10	24
25	·01	·02	·12	—	—	·04	—	·10	—	—	·32	—	25
26	·02	·07	—	—	—	·11	—	·03	—	·22	·03	—	26
27	·62	·12	·02	—	·02	—	·05	—	·39	·35	—	—	27
28	—	·34	·01	—	·03	·02	—	—	—	·12	—	·40	28
29	—	·19	·02	—	—	·40	—	—	—	·06	—	—	29
30	—	[illegible]	—	—	—	·13	—	—	·01	·23	—	20	30
31	—	[illegible]	—	[illegible]	·01	[illegible]	—	—	[illegible]	·58	[illegible]	—	31
Total	1·91	3·97	3·51	1·30	3·48 3·48	1·73	2·02	1·34	1·42	5·20	2·79	1·59	YEAR'S TOTAL ~~29·96~~ 30·26
Rain Days.	19	24	24	16	15	19	17	10	10	24	18	10	204

W. 8,000, VIII. 16

CASTLE CAERINION

SYLFAEN ~~CASTLE~~

MONTGOMERY

1911 - 1913

Form A2. British Rainfall. 1911-1912

Kept at Sylfaen *in the County of* [illegible] *by* John Ed[illegible]

9 11

[illegible]twards

[illegible]p Five in.

[illegible]bove Ground One ft. three in.

„ Sea Level 605 ft.

Sylfaen

[illegible]on { Name Welshpool / Distance 4 1/8 miles Direction W. E.

IMPORTANT [illegible] and the result entered to the previous day. If an Observer [illegible] universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·00	·19	·10	·04	·43	·13	·00	·00	·00	·12	·08	1
2	·00	·00	·19	·00	·01	·00	( )	·01	·00	·06	·02	·15	2
3	·00	·00	·00	·02	·15	·00	(·03)	·03	·05	·00	·16	·10	3
4	·00	·00	·04	·02	·65	·00	·03	·17	·02	·00	·65	·22	4
5	·00	·00	·00	·01	·02	·00	·02	·13	·00	·25	·13	·03	5
6	·11	·00	·09	·01	·00	·00	·00	·38	·00	·12	·35	·13	6
7	·12	·00	·03	·00	·00	·00	·00	·17	·00	·00	·43	·00	7
8	( )	·00	·01	·00	·00	·00	·00	·00	·00	·00	·29	·20	8
9	(·21)	·00	·08	·00	·00	·00	·00	·00	·00	·00	·33	·13	9
10	·04	·00	·02	·00	·00	·00	·00	·00	·02	·00	·02	·61	10
11	·08	·13	·09	·00	·02	·00	·00	·00	·12	·00	·55	·20	11
12	·10	·00	·00	·00	·00	·00	·00	·00	1·35	·03	·72	·01	12
13	·01	·02	·37	·00	·03	·00	·00	·14	·01	·00	·09	·16	13
14	·00	·00	·01	·00	·00	·00	·00	·00	·00	·00	·03	·16	14
15	·00	·08	·01	·00	·00	·00	·00	·00	·00	·03	·08	·27	15
16	·02	·16	·02	·00	·00	·02	·00	·00	·00	·00	·20	·07	16
17	·00	·05	·01	·02	·00	·22	·00	·00	·00	·00	·31	·31	17
18	·00	·09	·01	·00	·06	·86	·00	·00	·00	·04	·00	·31	18
19	·00	( )	·00	·09	·00	·46	·00	·00	·33	·22	·03	·49	19
20	·01	(·46)	·01	·10	·00	·47	·00	·49	·09	·06	·00	·24	20
21	·00	·05	·00	·25	·00	·02	·00	·01	·06	·46	·00	·06	21
22	·00	·63	·02	·02	·00	( )	·05	·01	·01	·25	·02	·45	22
23	·01	·08	·01	·04	·00	(·17)	·00	·02	·27	·39	·02	·40	23
24	·01	·28	·20	·01	·12	·14	·02	·11	·00	·49	·00	·46	24
25	·04	·09	·01	·03	·01	( )	·00	·00	·15	·15	·00	·13	25
26	·02	( )	·00	·05	·00	(·30)	·04	( )	·01	·32	·09	·14	26
27	·00	(·42)	·00	·32	·01	·01	·03	(·86)	·28	·01	·10	·13	27
28	·00	·24	·19	·18	·00	·00	·00	·15	·02	·00	·03	·07	28
29	·00		·01	·16	·00	·05	·00	·02	·29	·77	·01	·02	29
30	·00		·00	·01	·00	·14	·60	·00	·00	·35	·02	·00	30
31	·00		·01		·00		·02	·00		·14		·00	31
Total	0·82.	2·78	1·63.	1·44	1·12	3·29	0·97	2·70	3·08	4·14	4·80	5·73	TOTAL 32·80
No. of Rain Days.	15.	16	23	18	14	15	11	16	16	18	25	28	212

W. 8,000, X. '11.

N.B. Figures in Brackets denote two days fall. J.E.

FORM A2.
BRITISH RAINFALL.

REGISTER ... 11

Kept at Sylfaen, Castle Caereinion

in the County of Montgomery 5

by John Edwards.

Pattern Edwards

RAIN GAUGE { Diameter of top Five in.
Height of top above Ground one ft. three in.
" " " Sea Level 605 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Welshpool
Distance 4 1/8 Miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·00	·19	·10	·04	·43	·13	·00	·00	·00	·12	·08	1
2	·00	·00	·19	·00	·01	·00	( )	·01	·00	·06	·02	·15	2
3	·00	·00	·00	·02	·15	·00	(·03)	·03	·05	·00	·16	·10	3
4	·00	·00	·04	·02	·65	·00	·03	·17	·02	·00	·65	·22	4
5	·00	·00	·00	·07	·02	·00	·02	·13	·00	·25	·13	·03	5
6	·11	·00	·09	·01	·00	·00	·00	·38	·00	·12	·35	·13	6
7	·12	·00	·03	·00	·00	·00	·00	·17	·00	·00	·43	·00	7
8	( )	·00	·01	·00	·00	·00	·00	·00	·00	·00	·29	·20	8
9	(·21)	·00	·08	·00	·00	·00	·00	·00	·00	·00	·33	·13	9
10	·04	·00	·02	·00	·00	·00	·00	·00	·02	·00	·02	·61	10
11	·08	·13	·09	·00	·02	·00	·00	·00	·12	·00	·55	·20	11
12	·10	·00	·00	·00	·00	·00	·00	·00	1·35	·03	·72	·01	12
13	·01	·02	·37	·00	·03	·00	·00	·14	·01	·00	·09	·16	13
14	·00	·00	·01	·00	·00	·00	·00	·00	·00	·00	·03	·16	14
15	·00	·08	·01	·00	·00	·00	·00	·00	·00	·03	·08	·27	15
16	·02	·16	·02	·00	·00	·02	·00	·00	·00	·00	·20	·07	16
17	·00	·05	·01	·02	·00	·22	·00	·00	·00	·00	·31	·31	17
18	·00	·09	·01	·00	·06	·86	·00	·00	·00	·04	·00	·31	18
19	·00	( )	·00	·09	·00	·46	·00	·00	·33	·22	·03	·49	19
20	·01	(·46)	·01	·10	·00	·47	·00	·49	·09	·06	·00	·24	20
21	·00	·05	·00	·25	·00	·02	·00	·01	·06	·46	·00	·06	21
22	·00	·63	·02	·02	·00	( )	·05	·01	·01	·25	·02	·45	22
23	·01	·08	·01	·04	·00	(·14)	·00	·02	·27	·39	·02	·40	23
24	·01	·28	·20	·01	·12	·14	·02	·11	·00	·49	·00	·46	24
25	·04	·09	·01	·03	·01	( )	·00	·00	·15	·15	·00	·13	25
26	·02	( )	·00	·05	·00	(·30)	·04	( )	·01	·32	·09	·14	26
27	·00	(·42)	·00	·32	·01	·01	·03	(·86)	·28	·01	·10	·13	27
28	·00	·24	·19	·18	·00	·00	·00	·15	·02	·00	·03	·07	28
29	·00		·01	·16	·00	·05	·00	·02	·29	·77	·01	·02	29
30	·00		·00	·01	·00	·14	·60	·00	·00	·35	·02	·00	30
31	·00		·01		·00		·02	·00		·14		·00	31
Total	0·82	2·78	1·63	1·44	1·12	3·29	0·97	2·70	3·08	4·14	4·80	5·73	TOTAL 32·50
No. of Rain Days.	15	16	23	18	14	15	11	16	16	18	25	28	212

W. 8,000, X. '11.

N.B. Figures in Brackets denote two days fall. J.E.

Ex 912

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. JAN 1913

Kept at Sylfaen Gardens, Castle Caereinion, Welshpool

in the County of Montgomery

by John Edwards.

RAIN GAUGE: Pattern Howard's; Diameter of top 5 in.; Height of top above Ground 1 ft. 3 in.; " " " Sea Level 605 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Welshpool; Distance 4/8 Miles, Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·21	0·01	0·02	0·57	0·04	0·11	0·03	—	0·01	0·30	1
2	—	0·04	0·27	—	—	0·36	0·14	0·01	—	—	—	0·01	2
3	0·02	—	0·08	—	0·06	0·30	0·02	0·96	0·08	—	—	0·04	3
4	0·29	—	0·82	0·04	0·19	0·02	—	0·09	0·04	—	0·09	0·01	4
5	0·29	0·07	0·09	—	0·04	0·18	—	0·19	0·04	—	0·01	0·01	5
6	0·37	0·11	0·01	—	0·08	0·08	—	0·46	—	—	0·01	0·01	6
7	0·03	0·07	0·08	—	0·04	0·23	0·08	0·04	0·02	—	—	0·02	7
8	0·44	0·11	0·20	0·08	0·04	0·05	—	0·01	0·03	—	—	—	8
9	0·04	0·07	0·27	0·14	0·01	0·22	0·01	0·15	0·02	0·01	0·02	0·09	9
10	0·29	—	—	0·02	—	0·11	0·04	0·47	—	0·01	0·37	0·01	10
11	0·03	0·01	—	—	—	—	0·03	0·01	—	—	0·30	0·41	11
12	0·03	0·28	0·12	0·04	0·01	0·02	0·05	0·01	—	—	—	0·26	12
13	0·07	—	—	—	—	0·01	—	0·02	0·01	0·20	—	0·63	13
14	0·12	0·02	0·53	—	—	0·06	—	0·11	—	0·01	—	[. .	14
15	0·03	0·09	0·04	—	0·11	0·29	—	0·01	—	—	—	0·59]	15
16	0·23	0·02	0·24	—	0·02	0·01	—	0·05	—	0·16	—	0·05	16
17	1·01	0·04	0·12	—	—	0·22	—	0·34	—	—	0·14	0·75	17
18	0·15	0·04	0·12	—	—	0·01	—	0·07	—	—	0·04	0·16	18
19	0·03	0·08	0·04	—	0·01	0·09	0·14	0·36	0·01	0·14	0·01	0·02	19
20	—	—	0·18	—	0·24	0·01	0·14	0·05	—	0·26	0·02	0·04	20
21	0·03	0·01	0·10	—	0·44	—	0·02	0·23	—	0·46	—	—	21
22	0·17	0·24	—	—	0·66	—	0·35	0·39	—	—	—	0·09	22
23	0·08	0·08	0·48	—	0·01	0·01	0·45	0·25	—	—	0·25	0·10	23
24	0·10	0·05	0·07	—	—	0·20	0·04	0·03	—	0·02	0·05	0·17	24
25	—	—	0·07	—	—	0·09	0·01	0·21	—	—	0·45	0·60	25
26	—	0·12	0·11	—	—	0·01	0·22	0·84	—	1·23	0·53	0·17	26
27	—	0·05	0·14	—	—	0·44	0·76	—	—	0·64	0·04	0·43	27
28	—	0·11	0·01	—	—	0·07	0·54	0·32	0·12	0·19	0·84	—	28
29	0·01	0·03	0·11	—	—	0·10	0·10	0·10	0·71	0·07	—	0·11	29
30	—	—	0·08	—	—	0·18	0·02	—	—	0·25	—	0·01	30
31	0·01	—	0·25	—	0·51	—	0·46	0·06	—	0·12	—	0·02	31
Total	3·87	1·74	4·84	0·33	2·49	3·94	3·66	5·95	1·11	3·77	3·18	5·03	TOTAL for year ✓
No. of Rain Days.	23	22	27	6	14	27	21	29	11	15	14	28	39·91 ✓

W. 8,000, X. '11.

243

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL

Kept at Sylfaen Gardens, Castle Caereinion
in the County of Montgomery.
by John Edwards.

Lat. 52° 39' Long. 3° 14' W. JAN 1913
Time of Observation 9 a.m.
Nearest Railway Station Welshpool 4 Miles
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 605 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·16	·23	·07	·01	—	—	—	·07	·01	·10	—	1
2	—	·29	·16	·01	·07	·03	—	—	·01	·01	·21	·10	2
3	·02	·01	·27	—	·29	—	—	·02	·03	·01	·01	·34	3
4	·72	·09	·07	—	·01	—	—	—	·02	·46	·07	·47	4
5	·55	·12	·09	—	·22	·26	—	·01	·02	1·86	·05	·01	5
6	·04	·10	·27	—	·26	·12	·09	—	—	·07	·10	·36	6
7	—	·32	·02	—	·20	·32	·07	—	—	·44	·21	·02	7
8	—	·16	—	·02	·25	·07	·02	·08	—	·14	·01	—	8
9	—	·36	·18	·06	·16	·93	·02	·33	·26	—	·16	·02	9
10	·11	—	·03	·03	·17	—	·03	·15	·01	·09	·07	—	10
11	·45	—	—	·27	·03	·03	·02	—	—	·14	·44	·06	11
12	·01	—	·01	—	·10	·02	—	·01	·10	·01	·24	·01	12
13	·01	—	·12	—	—	·01	·15	·02	·35	·01	·28	—	13
14	·13	·01	·55	·22	—	—	—	·03	·04	·12	·17	—	14
15	·11	·01	·42	·84	—	—	—	·22	·32	·01	·14	·01	15
16	—	—	·46	·12	—	—	·01	·26	·01	—	·04	—	16
17	·10	—	·06	·29	—	—	·04	—	—	—	·20	—	17
18	·02	—	·35	·22	·01	·01	·05	—	—	—	·10	·02	18
19	·08	—	·06	·16	—	·10	·05	—	·03	·13	·13	·03	19
20	·10	—	·26	·14	·01	·01	·01	—	02	·22	·62	—	20
21	·01	—	·25	·27	·17	—	·30	·12	—	·01	·03	—	21
22	·58	—	·99	—	·01	·21	·01	1·24	·46	—	—	—	22
23	·01	—	·04	—	—	·10	—	·12	·26	—	·17	·02	23
24	·28	—	—	·02	—	·01	—	—	—	—	·10	·02	24
25	—	—	—	·14	—	—	—	—	·25	·11	·06	·06	25
26	—	·06	—	1·40	·88	—	—	·01	·05	—	—	·40	26
27	·08	·02	·02	·23	—	—	—	—	—	·70	—	·08	27
28	·25	—	·14	·56	·01	—	—	—	·01	·06	—	·51	28
29	—		·44	·58	·20	—	—	·01	—	·34	—	—	29
30	·44		—	·01	—	—	—	·06	—	·17	·16	—	30
31	·30		·38		·69		—	—		·02		—	31
Total	4·47	1·61	5·87	5·66	3·75	2·23	0·87	2·69	2·32	5·73	3·87	2·54	YEAR'S TOTAL 41·01
Rain Days.	23	13	25	21	20	15	14	16	19	23	25	18	232

232

W. 7,500, XI. 12

DOLFOR

MONTGOMERY

1911

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

R

Kept at Dolfor

in the County of Mont

by S Jones Jan 25

5 in.

Ground 2 ft. 6 in.

Sea Level 1027 ft.

a.m.

Name Newtown

Distance Direction

IMPORTANT NO the result entered to the previous day. If an Observer prefers not to ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.17	0.02	—	0.01	—	—	—	—	0.08	0.12	1
2	—	—	—	—	0.24	—	—	0.11	—	0.02	0.02	0.21	2
3	—	—	0.02	0.02	0.85	—	—	0.13	0.03	—	—	0.19	3
4	0.01	—	—	—	0.05	—	0.03	0.22	—	—	0.18	0.52	4
5	0.28	—	0.14	0.05	—	—	—	0.16	—	0.25	0.40	0.01	5
6	0.08	—	0.05	—	—	—	—	0.40	—	—	0.28	0.74	6
7	—	—	—	—	—	—	—	—	—	—	0.32	—	7
8	0.25	—	0.14	—	—	—	—	—	—	—	0.39	0.49	8
9	—	—	—	—	—	—	—	—	—	—	0.23	0.45	9
10	0.11	0.17	0.28	—	—	—	—	—	—	—	—	0.60	10
11	0.07	—	0.03	—	0.02	—	—	—	0.13	—	0.48	0.18	11
12	—	0.02	0.17	—	0.08	—	—	—	1.40	—	0.64	0.10	12
13	—	—	—	—	—	—	—	—	—	—	0.18	0.19	13
14	—	0.07	—	—	—	—	—	—	—	—	0.03	0.52	14
15	0.03	0.09	0.03	—	—	—	0.06	—	—	—	0.15	0.13	15
16	—	0.02	—	—	—	0.17	—	—	—	—	0.13	0.09	16
17	—	0.16	0.04	—	—	0.94	—	—	—	—	0.36	0.59	17
18	—	0.22	—	0.44	—	0.79	—	—	—	0.13	—	0.56	18
19	—	0.01	0.08	0.24	—	—	—	—	0.55	0.36	0.02	0.65	19
20	—	0.07	—	—	—	—	—	0.24	0.26	0.28	—	0.15	20
21	—	0.24	0.38	0.01	—	—	—	0.20	—	0.24	—	—	21
22	—	0.04	0.05	—	—	0.10	0.05	—	—	0.40	—	0.29	22
23	0.03	0.07	—	—	—	0.84	—	0.18	0.34	0.18	—	0.13	23
24	0.02	0.03	—	—	—	—	0.02	—	—	0.31	—	0.38	24
25	—	—	—	0.08	—	0.06	—	—	0.11	0.03	0.15	0.10	25
26	—	0.38	0.11	0.32	—	—	0.07	—	—	0.48	0.08	—	26
27	—	0.08	—	0.14	—	0.17	—	0.92	0.23	—	—	0.14	27
28	—	0.31	—	—	—	0.04	—	—	—	0.14	0.02	—	28
29	—	—	—	—	—	0.34	0.42	—	0.20	0.58	—	—	29
30	—	—	0.16	—	—	0.13	0.06	—	—	0.05	—	—	30
31	—	—	—	—	—	—	—	—	—	0.06	—	—	31
Total	0.88	1.98	1.85	1.35	1.24	3.59	0.71	2.56	3.25	3.45	4.14	7.53	TOTAL for year
No. of Rain Days.	9	16	15	9	5	11	4	9	9	15	19	24	32.53 148

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

R [redacted]

Kept at Dolfur

in the County of Montgomeryshire 4

by S Jones Jas W. B. Supt Engs

RAIN GAUGE { Pattern ; Diameter of top 5 in. ; Height of top above Ground 2 ft. 6 in. ; " " " Sea Level 1027 ft.

Time of Observation 8 am

Nearest Railway Station { Name Newtown ; Distance ; Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.17	0.02	—	0.01	—	—	—	—	0.08	0.12	1
2	—	—	—	—	0.24	—	—	0.11	—	0.02	0.02	0.21	2
3	—	—	0.02	0.02	0.85	—	—	0.13	0.03	—	—	0.19	3
4	0.01	—	—	—	0.05	—	0.03	0.22	—	—	0.18	0.52	4
5	0.28	—	0.14	0.05	—	—	—	0.16	—	0.25	0.40	0.01	5
6	0.08	—	0.05	—	—	—	—	0.40	—	—	0.28	0.74	6
7	—	—	—	—	—	—	—	—	—	—	0.32	—	7
8	0.25	—	0.14	—	—	—	—	—	—	—	0.39	0.49	8
9	—	—	—	—	—	—	—	—	—	—	0.23	0.45	9
10	0.11	0.17	0.28	—	—	—	—	—	—	—	—	0.60	10
11	0.07	—	0.03	—	0.02	—	—	—	0.13	—	0.48	0.18	11
12	—	0.02	0.17	—	0.08	—	—	—	1.40	—	0.64	0.10	12
13	—	—	—	—	—	—	—	—	—	—	0.18	0.19	13
14	—	0.07	—	—	—	—	—	—	—	—	0.03	0.52	14
15	0.03	0.09	0.03	—	—	—	0.06	—	—	—	0.15	0.13	15
16	—	0.02	—	—	—	0.17	—	—	—	—	0.13	0.09	16
17	—	0.16	0.04	—	—	0.94	—	—	—	—	0.36	0.59	17
18	—	0.22	—	0.47	—	0.79	—	—	—	0.13	—	0.56	18
19	—	0.01	0.08	0.24	—	—	—	—	0.55	0.36	0.02	0.65	19
20	—	0.07	—	—	—	—	—	0.24	0.26	0.28	—	0.15	20
21	—	0.24	0.38	0.01	—	—	—	0.20	—	0.24	—	—	21
22	—	0.04	0.05	—	—	0.10	0.05	—	—	0.40	—	0.29	22
23	0.03	0.07	—	—	—	0.84	—	0.18	0.34	0.18	—	0.13	23
24	0.02	0.03	—	—	—	—	0.02	—	—	0.31	—	0.38	24
25	—	—	—	0.08	—	0.06	—	—	0.11	0.03	0.15	0.10	25
26	—	0.38	0.11	0.32	—	—	0.07	—	—	0.48	0.08	—	26
27	—	0.08	—	0.14	—	0.17	—	0.92	0.23	—	—	0.14	27
28	—	0.31	—	—	—	0.04	—	—	—	0.14	0.02	—	28
29	—	—	—	—	—	0.34	0.42	—	0.20	0.58	—	—	29
30	—	—	0.16	—	—	0.13	0.06	—	—	0.05	—	—	30
31	—	—	—	—	—	—	—	—	—	0.06	—	—	31
Total	0.88	1.98	1.85	1.35	1.24	3.59	0.71	2.56	3.25	3.45	4.14	7.53	TOTAL for year
No. of Rain Days.	9	16	15	9	5	11	7	9	9	15	19	24	32.53

W. 8,000, X. '11.

D2/

REG… 1911

LAKE VYRNWY.

1911 - 1920

8 20 JAN 1912

FORM A 2. BRITISH RAINFALL.

Kept at Lake Vyr…

in the County of Montgo…

by E. D. Marten…

…ter of top…in.

…t of top above Ground…ft.…in. 4256

…„ „ Sea Level…ft.

…ation…

…ay Station { Name… Distance… Direction…

IMPORTANT NOTE.—Rain should be measured daily … a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.75	—	.04	—	—	.01	—	—	.28	.15	1
2	—	—	.02	—	.24	—	—	.06	—	.06	.05	.32	2
3	—	—	.11	—	.89	—	.14	.02	.01	—	.39	.13	3
4	—	—	.08	—	.08	—	—	.75	—	—	1.02	.28	4
5	.67	—	.07	.05	—	—	—	.78	—	.16	.16	—	5
6	.29	—	.08	—	—	—	—	.40	—	.02	.62	.18	6
7	.09	—	—	—	—	—	—	.01	—	—	.57	—	7
8	.34	—	.21	—	—	—	—	—	—	—	.48	.20	8
9	—	—	.06	—	—	—	—	—	—	—	.37	.30	9
10	.37	—	.29	—	—	—	—	—	—	—	.04	.72	10
11	—	—	—	—	—	—	—	—	.01	—	.27	.24	11
12	.49	—	.41	—	.06	—	—	—	2.05	—	1.35	.15	12
13	—	—	.01	—	—	—	—	.08	—	.02	.41	.02	13
14	.01	—	.06	—	.01	—	—	—	—	—	.30	.19	14
15	—	.68	.02	—	—	.01	—	—	—	.06	.35	.30	15
16	—	.46	—	.06	—	.31	—	—	—	.03	.15	.33	16
17	—	.25	—	—	—	1.15	—	—	—	—	.64	.30	17
18	—	.84	.01	.10	—	.42	—	—	—	.03	.02	.31	18
19	—	.07	—	.23	—	.04	.16	—	.34	.11	.12	.55	19
20	—	.09	—	.63	—	.06	—	.75	.09	.24	—	.18	20
21	.01	.87	.01	.05	—	.22	.11	—	—	.32	—	.05	21
22	.01	.37	—	.29	—	.02	—	—	—	.65	—	.50	22
23	.02	.35	.17	.01	.27	.07	.02	—	.34	.63	.02	.45	23
24	.22	.18	.01	.01	.04	.55	—	.30	.02	.46	—	.24	24
25	.20	.37	—	.28	—	.01	—	.01	.49	.12	—	.64	25
26	—	.25	—	.60	—	.04	—	.37	—	.55	.02	.25	26
27	—	.86	.17	.72	—	—	.04	.76	.70	—	.11	.12	27
28	—	.55	—	.12	—	.62	—	.10	—	—	—	.20	28
29	—		—	.10	—	.30	.45	.02	.52	1.55	—	.14	29
30	—		.03	—	—	—	.02	—	.01	.49	.05	—	30
31	—		.05		.23		—			.17		—	31
99 Total	2.72	6.19	2.62	3.25	1.86	3.82	.94	4.42 4.42	4.58	5.67	7.79	7.44	TOTAL for year 51.30
No. of Rain Days	12	14	20	14	9	14	7	15	11	18	23	27	184

9,000, IX. '10.

D2/

REGISTER OF RAINFALL IN 1911

8 20 JAN 1912

FORM A2. BRITISH RAINFALL. 4256

Kept at Lake Vyrnwy

in the County of Montgomery 5

by E D Marlett D Jones

RAIN GAUGE { Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. „ „ „ Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.75	—	.04	—	—	.201	—	—	.028	.15	1
2	—	—	.02	—	.24	—	—	.06	—	.06	.05	.32	2
3	—	—	.11	—	.89	—	.14	.02	.01	—	.39	.13	3
4	—	—	.08	—	.08	—	—	.75	—	—	1.02	.28	4
5	.67	—	.07	.05	—	—	—	.78	—	.16	.16	—	5
6	.29	—	.08	—	—	—	—	.40	—	.02	.62	.18	6
7	.09	—	—	—	—	—	—	.01	—	—	.57	—	7
8	.34	—	.21	—	—	—	—	—	—	—	.48	.20	8
9	—	—	.06	—	—	—	—	—	—	—	.37	.30	9
10	.37	—	.29	—	—	—	—	—	—	—	.04	.72	10
11	—	—	—	—	—	—	—	—	.01	—	.27	.24	11
12	.49	—	.41	—	.06	—	—	—	2.05	—	1.35	.15	12
13	—	—	.01	—	—	—	—	.08	—	.02	.41	.02	13
14	.01	—	.06	—	.01	—	—	—	—	—	.30	.19	14
15	—	.68	.02	—	—	.01	—	—	—	.06	.35	.30	15
16	—	.46	—	.06	—	.31	—	—	—	.03	.15	.33	16
17	—	.25	—	—	—	1.15	—	—	—	—	.64	.30	17
18	—	.84	.01	.10	—	.42	—	—	—	.03	.02	.31	18
19	—	.07	—	.23	—	.04	.16	—	.34	.11	.12	.55	19
20	—	.09	—	.63	—	.06	—	.75	.09	.24	—	.18	20
21	.01	.87	.01	.05	—	.22	.11	—	—	.32	—	.05	21
22	.01	.37	—	.29	—	.02	—	—	—	.65	—	.50	22
23	.02	.35	.17	.01	.27	.07	.02	—	.34	.63	.02	.45	23
24	.22	.18	.01	.01	.04	.55	—	.30	.02	.46	—	.24	24
25	.20	.37	—	.28	—	.01	—	.01	.49	.12	—	.64	25
26	—	.25	—	.60	—	.04	—	.37	—	.55	.02	.25	26
27	—	.86	.17	.72	—	—	.04	.76	.70	—	.11	.12	27
28	—	.55	—	.12	—	.62	—	.10	—	—	—	.20	28
29	—		—	.10	—	.30	.45	.02	.52	1.55	—	.14	29
30	—		.03	—	—	—	.02	—	.01	.49	.05	—	30
31	—		.05		.23		—			.17		—	31
99 Total	2.72	6.19	2.62	3.25	1.86	3.82	0.94	4.42 4.49	4.58	5.67	7.79	7.44	TOTAL for year 51.30
No. of Rain Days	12	14	20	14	9	14	7	15	11	18	23	27	184

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 25 JAN 1913

Kept at Lake Vyrnwy

in the County of Montgomery 5

by D. Jones

RAIN GAUGE: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. " " " Sea Level ____ ft. 4236

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
17 1	in. —	in. —	in. .28	in. —	in. —	in. .27	in. .07	in. .06	in. .03	in. —	in. —	in. .62	1
2	—	—	.43	—	—	.13	—	—	—	—	—	.13	2
3	.20	—	.05	—	—	.24	—	.84	.32	—	—	.30	3
4	.59	—	1.33	.09	—	.01	—	.86	.02	—	.25	—	4
5	.45	—	.15	—	.25	.09	—	.14	.08	.01	—	—	5
6	.56	.15	—	—	.26	.02	—	.25	.06	—	.01	—	6
7	—	.23	.03	—	.26	.30	—	.11	.04	—	—	.20	7
8	1.00	.22	.30	.17	.05	.02	.07	.02	.03	—	—	.08	8
9	.23	.15	.10	.29	—	.43	—	.06	—	—	.07	.25	9
10	.35	—	—	—	—	.12	.15	.30	—	—	.72	.09	10
11	.06	—	—	—	—	—	.12	—	—	—	.37	.70	11
12	.08	.11	.23	.02	—	.03	.05	—	—	—	.01	.15	12
13	.20	.04	.02	—	—	—	—	.05	—	.42	.06	1.48	13
14	.35	.29	.36	—	—	.09	—	.06	—	.03	—	.38	14
15	.01	.59	.09	—	.13	.46	—	.01	—	—	—	.72	15
16	.19	.34	.40	—	.06	—	—	.45	—	.31	.03	.22	16
17	—	.09	.03	—	—	1.05	—	.30	—	—	.15	.79	17
18	—	.04	.23	—	—	.12	—	.06	—	.21	.10	.21	18
19	.73	.15	.23	—	—	.19	.03	.12	—	.23	.06	.05	19
20	.02	—	.09	—	.05	.06	—	.12	—	.50	.01	.05	20
21	—	.05	.51	—	.27	—	.03	.08	—	.44	—	.18	21
22	.08	.35	—	—	.38	—	.15	.60	—	.01	.01	.10	22
23	.06	—	.63	—	—	.20	.12	.65	—	—	.44	.13	23
24	—	.03	.10	—	—	.21	.06	.21	—	—	.08	.16	24
25	—	.02	.17	—	—	.20	.01	.07	—	—	.85	.48	25
26	—	.37	.18	—	—	.02	.26	.48	—	2.10	.78	.21	26
27	—	.16	.32	—	—	.37	1.30	—	—	.52	—	.61	27
28	—	.18	.01	—	—	.17	1.11	.39	.60	.92	.85	—	28
29	—	.03	.10	—	—	.01	.60	.24	—	.24	—	.17	29
30	—	X	.67	—	.05	.10	.17	—	—	.25	—	.01	30
31	—	X	.10	X	.35	X	.77	—	X	.10	X	.18	31
99 Total	5.16	3.59	7.17 7.17	.57	2.11	4.91	5.07	6.53	1.18	6.29 6.29	4.85	8.65	TOTAL for year 56.08
No. of Rain Days	17	20	27	4	11	25	17	25	8	15	18	27	214

9,000, IX. '12.

REGISTER OF RAINFALL IN 1913

Corr. for arith. 20.10.14.

28 JAN 1914

FORM A. BRITISH RAINFALL. 2/53

4256

Kept at Lake Vyrnwy

in the County of Montgomery

by D. Jones

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ____ ft. 7 in.

" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.30	.22	.02	.03	—	—	—	.05	—	.22	—	1
2	—	.55	.33	.04	.12	.10	—	—	—	—	.28	.08	2
3	.01	.06	.46	—	.37	—	—	—	.04	—	—	.48	3
4	.45	.28	.24	—	.03	—	—	—	—	.06	.16	.72	4
5	.22	.08	.02	—	.17	.31	.04	—	.02	1.60	.09	.01	5
6	.23	.34	.48	—	.18	.22	.06	—	—	.13	—	.39	6
7	.02	.55	.08	—	.08	.63	.02	—	—	.71	.19	.02	7
8	—	.46	.02	—	.30	.03	.03	.03	—	.07	—	.06	8
9	—	.30	.21	.07	.06	1.70	.09	.27	.11	—	.15	.10	9
10	.37	—	.12	.03	.17	—	.01	.22	—	.13	.33	—	10
11	.21	—	—	.41	.04	.11	—	—	—	.13	.20	.10	11
12	—	—	—	—	.22	.06	—	—	.36	—	.50	.42	12
13	—	—	.36	.02	—	—	—	.03	.34	.02	.57	—	13
14	.54	—	.50	.36	—	—	—	.02	.02	.23	.23	—	14
15	.34	—	.87	1.10	—	—	—	.12	.16	—	.42	.07	15
16	.01	—	.16	.20	—	—	.01	.08	—	—	.15	—	16
17	.33	—	—	.08	—	—	.03	—	—	—	.34	—	17
18	.04	—	.56	.60	.07	—	.05	—	—	—	.16	—	18
19	.16	—	.07	.16	.01	.05	.01	—	.14	—	.18	—	19
20	.36	—	.19	.12	.05	—	—	—	—	.34	1.78	—	20
21	—	—	.24	.21	.37	—	.20	.47	—	.04	.04	—	21
22	.92	—	.63	—	.06	.35	—	1.01	.52	—	—	—	22
23	.17	—	.03	—	—	.13	—	.45	.43	—	.09	.02	23
24	.36	.10	—	.12	—	—	—	—	—	—	.10	.04	24
25	—	—	—	.28	—	—	—	—	—	.05	.09	.10	25
26	—	—	—	.86	—	—	—	—	.42	.03	—	.63	26
27	.02	—	—	.23	—	—	—	—	—	.43	—	.03	27
28	.53	—	.23	.20	.01	—	—	—	—	.25	—	.09	28
29	—		.29	.47	.25	—	—	—	—	.37	.08	—	29
30	.93		—	.03	.02	—	—	—	—	.20	.16	—	30
31	.28		.15		.10		—	—		.08		—	31
99 Total	6.52	3.02	6.46	5.61	2.71 ~~2.72~~	3.69 ~~2.69~~	.55	2.70	2.61	4.87	6.51	3.36	YEAR'S TOTAL 48.61
Rain Days.	22	10	23	21	21	11	11	10	12	18	23	17	199

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 23 JAN 1915 4256

Kept at Lake Vyrnwy

in the County of Montgomery

by D. Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ..... ft. 7 in.

" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.01	.16	.10	—	.08	1.12	.70	—	—	.01	.63	1
2	.10	.05	.12	.01	—	—	.98	.25	—	—	.34	.35	2
3	.12	—	.05	.08	.58	—	—	.02	—	—	—	1.15	3
4	.98	—	.12	.10	.65	—	.16	—	—	—	.34	.60	4
5	.13	—	.28	1.14	.17	—	—	—	—	—	.31	.05	5
6	.07	.05	.41	.10	.37	—	.22	.07	—	—	.32	.62	6
7	.15	—	—	.09	.37	.05	—	.17	—	—	.03	.32	7
8	.58	.06	.55	.04	.45	.15	—	1.28	.30	—	.05	.25	8
9	.36	.18	—	.30	.06	.37	—	.18	.22	—	.16	—	9
10	—	.10	—	.08	.02	.11	—	—	—	—	.08	—	10
11	—	.19	.05	—	.06	.08	.30	—	.09	—	.70	.50	11
12	—	.68	.60	—	—	—	—	—	.37	.30	.76	.29	12
13	—	.65	.16	—	—	—	.07	—	.42	—	.29	.12	13
14	—	1.10	.24	.01	—	—	—	—	.03	—	.16	—	14
15	—	.02	.45	—	—	—	—	—	.17	.08	.10	.04	15
16	—	—	.76	—	—	—	.04	—	.43	—	.32	.12	16
17	—	.52	.07	—	—	.29	.02	—	.32	—	—	1.02	17
18	—	.01	.16	—	—	—	.01	—	.04	—	—	.12	18
19	—	—	.10	—	—	—	.83	—	.11	—	—	.18	19
20	—	.27	.25	—	—	.71	.09	—	—	—	—	.31	20
21	—	.03	.21	—	—	.17	—	.04	—	.05	—	.09	21
22	—	.80	.02	—	.28	.15	—	.30	—	.03	—	—	22
23	—	.14	—	.01	—	—	—	—	—	—	—	—	23
24	.16	—	.17	.02	—	—	.15	.10	—	.04	.04	—	24
25	.30	—	.44	—	—	—	.17	.55	—	.99	.01	.62	25
26	.09	—	.02	—	—	—	.03	.18	—	.30	.26	.17	26
27	.11	.05	—	—	—	—	—	—	—	.15	.38	.45	27
28	.63	.16	.08	—	.12	—	—	—	—	.01	.20	.50	28
29	.67	X	.05	—	.06	—	—	.01	—	.08	.20	—	29
30	.11	X	.42	—	—	—	—	.05	—	.04	.65	.96	30
31	1.05	X	.14	X	—	X	.62	.02	X	.09	X	.05	31
Total	5.69	5.07	6.08	2.08	3.19	2.16	4.61	3.92	2.50	2.16	5.71	9.51	YEAR'S TOTAL 52.68
Rain Days.	17	19	26	13	12	10	15	15	11	12	22	24	196

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

Kept at Lake Vyrnwy

in the County of Montgomery

by D Jones

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

FORM A. BRITISH RAINFALL. 1 APR 1916 4256

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.34	.07	—	.60	—	—	.25	.09	.28	—	.20	1
2	.11	.30	.67	.18	—	.03	.24	1.09	—	—	—	.08	2
3	—	.01	.12	.13	—	—	.16	.25	—	—	—	.38	3
4	—	.31	—	—	.12	.03	—	—	.04	—	—	.93	4
5	.06	.08	.01	.02	—	.03	.01	.20	—	.02	—	.57	5
6	.55	.03	—	.10	—	—	.42	—	—	—	—	.65	6
7	—	.36	—	.20	—	—	.10	.44	—	—	—	.28	7
8	.60	.34	—	.30	—	—	—	.14	—	—	.85	—	8
9	.45	.44	—	.20	—	—	.02	—	—	—	.16	1.08	9
10	.94	.07	—	.12	—	—	.09	.40	—	.10	.08	.42	10
11	.11	—	—	—	—	—	.19	.08	—	—	1.19	.15	11
12	.03	—	—	.01	.08	—	—	.05	—	.23	1.29	.06	12
13	.01	.66	—	—	.20	—	—	.23	.04	—	—	.98	13
14	.11	—	—	—	—	—	—	.10	.15	—	—	.64	14
15	.80	—	—	—	—	—	.09	.13	.22	—	—	.44	15
16	.10	.52	—	—	.50	—	.60	.19	.01	—	—	.06	16
17	.06	.31	.02	—	.60	—	—	—	—	—	—	.01	17
18	—	.94	—	—	—	—	.07	—	—	—	.21	—	18
19	—	.02	.14	.21	.45	—	.36	—	—	—	—	—	19
20	.45	—	—	—	—	—	—	—	—	.08	—	.08	20
21	.16	—	—	—	—	—	.29	—	—	.10	—	.03	21
22	.12	—	.04	.09	—	.02	.16	—	—	.65	.10	.51	22
23	—	—	.03	.02	—	.02	.02	—	.25	.61	—	.54	23
24	—	—	—	.01	—	.01	.03	—	.09	.10	—	.56	24
25	—	—	—	—	—	.16	.33	—	—	—	—	.13	25
26	—	.38	—	—	—	—	.24	—	—	—	—	1.18	26
27	—	.33	—	—	—	.59	.37	—	—	.76	—	2.02	27
28	—	.60	—	—	—	.01	.02	—	—	.15	—	.03	28
29	—	—	—	—	—	—	—	—	—	—	.17	.06	29
30	.01	X	—	.10	—	.30	—	—	—	.33	.02	.25	30
31	.01	X	—	X	—	X	.18	.11	X	.10	X	1.15	31
99 Total	5.02	6.04	1.10	1.69	2.55	1.20	3.99	3.66 3.71	.89	3.51	4.07	13.47	YEAR'S TOTAL 47.19 47.24
Rain Days.	19	18	8	14	7	10	21	18	8	13	9	28 29	169

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A
BRITISH RAINFALL
10 JAN 1917

Kept at Lake Vyrnwy

in the County of Montgomery

by D Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in. 4·256

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·68	·10	·09	-	-	·40	·55	-	-	·05	·30	-	1
2	1·66	·44	-	-	-	·04	·01	-	·61	·90	·68	-	2
3	·03	·20	-	-	-	·03	·30	-	·81	·55	·33	-	3
4	·63	·08	-	-	·44	·98	·53	-	·10	·96	·35	-	4
5	·17	·37	·70	·01	·18	·05	-	-	-	1·70	·35	-	5
6	·62	·71	-	-	·53	·07	·60	-	-	·80	·78	·32	6
7	·19	·08	-	-	·15	·06	·03	-	-	·67	·25	·18	7
8	·01	·06	·10	-	·12	-	·01	-	-	·08	·25	·10	8
9	-	·16	-	-	·22	·20	·03	-	·03	·03	·15	·14	9
10	-	·41	-	-	·06	-	·04	-	·01	·26	·03	-	10
11	·10	·10	·25	·56	·08	·01	·01	-	-	·02	-	·04	11
12	·09	·17	·05	·21	·49	-	·22	·19	-	·34	-	-	12
13	-	·33	·13	-	-	-	-	·26	-	·94	-	-	13
14	-	·37	·05	·60	·13	-	-	·96	·60	·44	-	-	14
15	·03	1·67	·20	·09	-	-	-	·34	·04	·16	-	-	15
16	·04	·22	-	·43	-	-	-	·11	-	·07	-	-	16
17	-	·30	-	1·09	-	-	-	-	·60	-	-	-	17
18	·25	·46	·09	·30	-	-	-	-	·61	·37	·36	-	18
19	·84	-	·56	·19	-	-	-	·11	·08	-	·30	-	19
20	·48	-	·21	·01	-	-	-	-	-	-	·10	·64	20
21	1·13	-	·24	-	-	·03	·23	-	-	-	·10	·10	21
22	-	-	-	·10	-	·24	-	-	-	·25	·25	·13	22
23	·13	-	·05	·15	-	-	-	·21	-	·10	·42	·25	23
24	-	-	·04	·48	1·44	·11	-	·38	-	·34	·13	·18	24
25	·07	-	·37	-	·16	·25	-	·26	-	·01	·52	·05	25
26	·20	-	·15	-	·15	·03	-	·36	·08	1·21	-	-	26
27	·02	·31	-	-	·09	-	-	·08	·64	·41	·15	-	27
28	-	-	-	-	·45	·05	-	-	-	·15	·10	1·10	28
29	-	·36	-	-	·13	·37	-	·04	-	·15	·15	·76	29
30	-	X	·03	-	-	·25	-	-	-	·87	·01	·18	30
31	-	X	-	X	·07	X		·14	X	1·05	X	·15	31
Total	7·57	6·90	3·31	4·22	4·89	3·17	2·56	3·44	4·21	12·88 +3·08	6·06	4·32	YEARS TOTAL 63·73
Rain Days.	20	20	18	13	17	17	12	13	12	27	22	15	205

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

Kept at Lake Vyrnwy

in the County of Montgomery

by D. Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in. 4256

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	-	.04	-	-	.20	-	.06	.59	-	.05	.27	1
2	.12	-	-	.32	-	.12	-	-	-	1.14	.24	.03	2
3	.17	-	-	-	-	.23	-	-	-	-	.04	-	3
4		-	.09	.01	-	-	-	.02	-	.40	.01	.08	4
5	.22	-	.52	.19	-	-	-	-	.11	.24	.60	-	5
6	.03	-	-	-	-	-	-	-	-	.65	.48	.26	6
7	.57	-	-	-	-	-	-	-	-	.17	.10	.22	7
8	.76	-	-	.25	-	.07	-	.39	-	1.02	.56	.10	8
9	-	-	-	.37	.12	-	-	.12	-	.22	.83	.07	9
10	.20	-	1.51	.32	.06	-	-	.20	-	.03	-	-	10
11	.19	-	.23	-	-	-	-	.70	-	.49	.11	-	11
12	.08	-	.05	.17	.87	-	-	.33	.02	.13	-	-	12
13	-	-	.03	.27	-	.05	-	1.05	.62	.07	-	.05	13
14	-	-	-	.03	-	-	-	-	-	-	-	.13	14
15	-	-	-	.04	-	-	.21	.09	.10	.33	-	.15	15
16	-	.06	-	.38	-	-	-	.28	.03	.11	.03	.33	16
17	-	.09	.12	.10	.28	-	.90	1.31	.08	.10	-	-	17
18	.04	-	.16	.03	.19	-	.83	.22	.39	-	-	.35	18
19	-	.58	.62	-	-	.27	-	.03	.01	-	.08	-	19
20	-	.21	.01	-	.19	1.01	-	.01	.60	-	.15	-	20
21	-	-	-	-	.01	-	-	.05	-	.17	-	-	21
22	-	.01	-	-	-	.03	-	.55	.10	.13	.04	-	22
23	-	.22	.11	-	.35	.15	-	.44	-	.14	.01	.04	23
24	-	.03	.07	-	-	.09	.13	.47	-	1.28	.42	-	24
25	-	.05	.16	-	-	-	-	.03	.15	.30	.07	-	25
26	-	-	-	-	-	.05	.36	.60	.20	.27	.26	.10	26
27	-	-	.01	-	.86	.45	.30	.62	-	.04	.13	-	27
28	-	-	.31	-	-	.01	.30	1.01	.02	.09	.16	-	28
29	-	X	.08	-	-	-	.05	.10	-	.66	.05	-	29
30	-	X	.09	-	-	-	-	.37	-	.35	.25	.28	30
31	-	X	.14	X	.15	X	.01	.74	X	.01	X	.07	31
Total	2.42	1.25	4.35	2.48	3.08	2.73	3.09	9.79	3.02	8.34	4.67	2.53	47.95
Rain Days.	11	8	19	13	10	13	9	25	14	25	22	16	185

YEAR'S TOTAL

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Lake Vyrnwy

in the County of Montgomery

by D Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.20	-	.08	.03	-	-	.23	.20	.01	.52	.01	1
2	-	.08	-	-	-	-	-	.07	.07	.10	.13	.73	2
3	-	.01	-	-	.74	-	-	-	1.02	.26	.01	.02	3
4	-	.09	-	-	-	-	-	.03	.64	.75	.87	.47	4
5	-	.02	.02	.22	.25	-	-	.16	.33	1.51	.09	.02	5
6	-	1.37	-	.48	-	.06	-	-	.30	.80	-	.05	6
7	-	.54	.02	.06	.21	-	-	.01	.45	.25	.15	.10	7
8	-	1.13	-	-	-	.10	.35	-	.60	.20	.20	-	8
9	.60	2.46	-	.26	-	1.00	.20	-	1.08	.67	.23	.24	9
10	.19	.43	.04	-	-	-	.50	-	.44	.16	.78	.32	10
11	.13	.23	.04	.08	.01	-	.26	-	.60	.16	-	.47	11
12	-	.30	-	-	.34	-	.06	-	.17	-	-	.27	12
13	-	-	-	-	.05	.11	-	-	.43	.11	-	.29	13
14	.98	-	-	-	.03	.10	.58	-	.58	.10	.02	.54	14
15	-	-	-	-	-	.03	.94	-	1.59	.01	-	.63	15
16	-	-	-	.06	-	.01	.15	.10	.46	.03	-	.60	16
17	.98	-	-	-	-	.04	.13	.10	.12	.01	-	.39	17
18	.97	-	.18	-	-	.45	.25	-	.29	.02	-	.57	18
19	.15	.09	-	.05	-	-	.35	.01	.30	.02	-	.36	19
20	.30	.36	-	.24	.08	.06	.01	-	.62	-	-	-	20
21	.08	1.08	-	.57	-	.02	.17	-	1.20	-	-	.12	21
22	.14	.03	-	-	1.05	.05	.53	-	.36	-	-	1.00	22
23	.48	-	-	-	1.16	-	.35	-	.07	-	.02	.13	23
24	.05	.26	-	-	-	-	.23	.37	-	-	.26	.27	24
25	-	.01	-	.14	.13	-	.86	.94	.36	-	.03	-	25
26	.22	.02	-	-	-	-	.26	.04	.65	-	.07	.68	26
27	.01	.24	.60	-	-	.01	.01	.30	.48	.05	.22	1.16	27
28	-	.11	.41	-	-	-	-	-	.03	.02	.07	.88	28
29	-	X	.25	-	-	-	-	-	.42	.01	-	.26	29
30	-	X	.26	-	-	-	-	.13	.01	-	.10	.45	30
31	-	X	.31	X	-	X	-	-	X	.13	X	.02	31
Total	5.28	9.06	2.13	2.24	4.08	2.04	6.19	2.49	13.88	5.38	3.77	11.05	YEAR'S TOTAL 67.59
Rain Days.	14	21	10	11	12	13	19	13	30	22	17	28	210

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1911

FORM A. BRITISH RAINFALL.

Kept at Lake Vyrnwy

in the County of Montgomery

by D. Jones

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge 4.256 in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1911 1	.70	–	.10	.17	.61	–	.37	–	.20	.04	–	.82	1
2	.24	–	.20	–	.02	.17	.02	–	.18	.20	–	.35	2
3	.01	–	–	–	.18	–	.02	–	–	.18	.08	.48	3
4	–	.09	.23	–	–	–	.16	.15	.45	.45	–	.33	4
5	.03	–	–	.01	–	–	.01	–	.04	.04	.03	1.02	5
6	.07	–	1.03	–	.03	–	–	–	–	–	–	.40	6
7	.19	–	.18	.10	–	–	–	–	–	–	–	.42	7
8	.38	–	.07	.01	–	.21	–	–	–	–	–	–	8
9	1.10	–	.23	–	–	–	–	–	–	–	.10	–	9
10	.30	–	.70	.19	–	–	–	–	–	–	–	.48	10
11	.08	–	1.02	.24	.12	–	.12	–	–	.16	–	.06	11
12	–	–	.18	.07	.08	.94	–	–	.05	–	–	–	12
13	.77	–	.01	.32	–	–	–	–	.03	.41	–	.26	13
14	.58	.11	–	.56	–	–	.11	–	.02	.06	–	.04	14
15	.42	.09	–	.58	.24	–	–	–	–	.36	–	.03	15
16	.28	.44	–	.03	.01	.09	–	–	–	–	.27	.03	16
17	.08	.68	–	–	–	.09	–	.43	–	–	1.55	.08	17
18	.57	–	.93	–	–	–	–	1.11	.13	–	.12	.31	18
19	.36	.90	.70	–	–	.29	–	.23	.24	–	.45	–	19
20	–	.06	.35	–	–	.04	–	–	.30	–	.40	.52	20
21	.12	.65	–	–	–	–	.21	.02	.17	–	–	.17	21
22	1.00	.13	–	–	–	.09	–	–	1.26	–	.11	1.13	22
23	.13	–	–	–	–	.16	–	–	–	1.02	.39	.25	23
24	.27	–	–	–	.09	.01	–	–	.30	.52	.42	.31	24
25	.22	–	–	.23	–	–	–	.62	.18	.01	–	.05	25
26	.09	.02	1.12	.45	–	.05	–	–	.11	.05	.23	1.14	26
27	–	–	–	.26	–	–	–	.16	.66	–	–	.01	27
28	–	–	.29	.19	–	–	–	.85	.18	.05	–	1.15	28
29	.44	X	–	.11	–	.05	–	.11	.11	.39	–	.50	29
30	–	X	.07	.05	–	.10	–	–	–	–	.40	.48	30
31	–	X	.02	X	–	X	.10	.04	X	–	X	–	31
99 Total	8.43 ~~8.83~~	3.17	7.43	3.57	1.38	2.29	1.12	3.72 ~~2.72~~	4.11 ~~2.70~~	3.94	4.55 ~~3.55~~	10.82 ~~10.82~~	YEAR'S TOTAL 54.55 ~~51.02~~
Rain Days.	24	10	18	17	9	13	9	10	18	15	13	26	180

W, 6,500, VII. 18. w w c

Section **A** for the entry of Daily Observations

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

6/ Station No. 4256

FORM 1090

REGISTER OF RAINFALL IN 1920

Kept at Lake Vyrnwy

in the County of Montgomeryshire

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.17	.04	.23	.55	-	.72	.04	.08	.39	-	.06		1
2	.05	.53	-	.13	.05	-	.10	.05	-	.37	-	.96		2
3	.05	.20	-	.36	.28	-	.58	.08	.07	1.48	-	.21		3
4	-	-	-	-	.08	-	.02	1.43	.04	.13	-	-		4
5	-	-	.21	-	.75	-	.19	.10	.20	.27	-	-		5
6	-	-	.41	.17	.10	-	.04	-	-	.05	.05	.05		6
7	.44	.60	.05	.07	.09	-	.12	-	-	-	.08	-		7
8	.74	.15	.04	.60	.42	-	.15	.22	-	-	-	-		8
9	1.25	2.22	.02	.78	-	-	.29	.02	-	-	-	.02		9
10	2.34	1.57	.18	-	-	.25	.28	-	-	-	-	.05		10
11	.27	.17	.18	.38	.43	.06	.07	-	-	-	.18	-		11
12	.92	.40	.16	.38	.04	.56	.22	.08	-	-	.31	-		12
13	-	.25	.40	.67	.02	.45	-	-	-	-	.50	-		13
14	.43	.03	.35	.60	-	.22	.28	-	.63	.57	2.28	-		14
15	.05	.22	.38	1.18	.48	.54	-	-	-	-	.28	-		15
16	-	-	.16	.10	.24	.12	.67	-	.59	.64	-	-		16
17	.40	-	-	-	.41	.36	-	.37	.43	-	-	-		17
18	.61	.03	-	.28	1.19	.03	-	-	.09	-	-	-		18
19	.14	.90	-	.20	.38	.17	.04	.09	-	-	-	-		19
20	.09	.03	-	.50	-	-	.14	-	.05	.05	-	.49		20
21	-	-	-	.06	-	-	.25	.05	-	-	-	.50		21
22	.34	-	-	.18	-	-	1.32	.17	-	-	-	.19		22
23	.03	-	.05	-	-	-	.21	-	-	-	-	.76		23
24	.20	-	.69	.21	-	-	.35	-	-	-	-	.48		24
25	-	.05	.30	.27	-	.14	1.20	-	-	-	-	.07		25
26	.22	.19	.67	.25	.48	-	.15	-	-	-	.25	.04		26
27	.36	.03	.63	.20	.10	.68	.07	-	-	-	.05	.30		27
28	.22	.03	.53	.04	.04	.21	.06	-	-	-	-	.55		28
29	.48	-	.24	.33	.10	.10	.59	-	-	-	.61	1.65		29
30	.36	X	.40	.47	.03	.25	-	-	.43	-	.45	1.00		30
31	.44	X	.03	X	.04	X	.05	-	X	.73	X	.18		31
TOTAL 99	10.43	7.77	6.12	8.64	6.30	4.14	8.16	2.70	2.61	4.68	5.04	7.56		Year's Total 74.15
*Days with .01 in. or more.														
†Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

2/575 WD 3697

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 4256

REGISTER OF RAINFALL IN 1920.

2 APR 1921

Kept at Lake Vyrnwy

in the County of Montgomery

by E. J. Bradley

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .18 Dec 6 Rain 19 21

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.44		.03	.47	.04	.25	.05		.43	.73	.45	1
2		.17	.04	.23	.55		.72	.04	.08	.39		.06	2
3	.05	.53		.13	.05		.10	.05		.37		.96	3
4	.05	.20		.36	.28		.58	.08	.07	1.48		.21	4
5					.08		.02	1.43	.04	.13			5
6			.21		.75		.19	.10	.20	.27			6
7			.41	.17	.10		.04			.05	.05	.05	7
8	.44	.60	.05	.07	.09		.12				.08		8
9	.74	.15	.04	.60	.42		.15	.22					9
10	1.25	2.22	.02	.78			.29	.02				.02	10
11	2.34	1.57	.18			.25	.28					.05	11
12	.27	.17	.18	.38	.43	.06	.07				.18		12
13	.92	.40	.16	.38	.04	.56	.22	.08			.31		13
14		.25	.40	.67	.02	.45					.50		14
15	.43	.03	.35	.60		.22	.28		.63	.57	2.28		15
16	.05	.22	.38	1.18	.48	.54					.28		16
17			.16	.10	.24	.12	.67		.59	.64			17
18	.40				.41	.36		.37	.43				18
19	.61	.03		.28	1.19	.03			.09				19
20	.14	.90		.20	.38	.17	.04	.09					20
21	.09	.03		.50			.14		.05	.05		.49	21
22				.06			.25	.05				.50	22
23	.34			.18			1.32	.17				.19	23
24	.03		.05				.21					.76	24
25	.20		.69	.21			.35					.48	25
26		.05	.30	.27		.14	1.20					.07	26
27	.22	.19	.67	.25	.48		.15				.25	.04	27
28	.36	.03	.63	.20	.10	.68	.07				.05	.30	28
29	.22	.03	.53	.04	.04	.21	.06					.55	29
30	.48		.24	.33	.10	.10	.59				.61	1.65	30
31	.36		.40		.03							1.08	31
TOTAL	10.43	7.71	6.12	8.64	6.30	4.14	8.16	2.70	2.61	4.68	5.04	7.66	74.157
Days with .01 in. or more	23	19	22	25	22	15	26	12	10	10	11	18	213

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LAKE VYRNWY
BANK CYNON ISAF
MONTGOMERY
1911 – 1920

R … IN 1911

FORM A2.
BRITISH RAINFALL.
13 MAR 1912

Kept at Lake Vy…

in the County of Mo…

by the Water Commi…

Pattern …

Diameter of top … in.

Height of top above Ground … ft. … in.

" " " Sea Level 750 ft.

Observation 8 am

Railway Station { Name Llanfyllin
Distance 7-8 miles Direction …

IMPORTANT NO… t 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.83	.00	.07	.00	.00	.00	.00	.00	.28	.23	1
2	.00	.00	.00	.00	.26	.00	.00	.07	.00	.08	.05	.33	2
3	.00	.00	.11	.02	1.04	.00	.07	.05	.01	.00	.50	.10	3
4	.00	.00	.10	.02	.07	.00	.00	.59	.01	.00	1.19	.30	4
5	.34	.00	.06	.03	.00	.00	.00	.94	.00	.16	.16	.10	5
6	.39	.00	.06	.00	.00	.00	.00	.36	.00	.02	.65	.20	6
7	.34	.00	.00	.00	.00	.00	.00	.01	.00	.00	.52	.00	7
8	.31	.00	.26	.00	.00	.00	.00	.00	.00	.00	.52	.56	8
9	.02	.00	.03	.00	.00	.00	.00	.00	.00	.00	.44	.26	9
10	.36	.13	.30	.00	.00	.00	.00	.00	.00	.00	.00	.81	10
11	.46	.00	.00	.00	.03	.00	.00	.00	.00	.00	.47	.18	11
12	.06	.00	.42	.00	.05	.00	.00	.00	2.10	.03	1.43	.08	12
13	.00	.00	.02	.00	.00	.00	.00	.01	.00	.00	.31	.10	13
14	.00	.30	.03	.00	.00	.00	.00	.00	.00	.00	.39	.21	14
15	.00	.33	.05	.00	.00	.02	.00	.00	.00	.03 .00	.41	.31	15
16	.00	.42	.00	.05	.00	.30	.00	.00	.00	.00	.11	.30	16
17	.00	.26	.00	.00	.00	1.15	.00	.00	.00	.00	.67	.26	17
18	.00	.88	.00	.15	.00	.39	.00	.00	.00	.01	.02	.52	18
19	.00	.06	.00	.23	.00	.06	.16	.00	.30	.03	.10	.20	19
20	.00	.06	.00	.57	.00	.06	.01	.18	.13	.30	.00	.54	20
21	.00	1.14	.00	.14	.00	.26	.11	.00	.02	.22	.00	.10	21
22	.00	.16	.08	.28	.00	.02	.00	.00	.00	.58	.02	.54	22
23	.06	.80	.07	.00	.28	.06	.00	.00	.31	.62	.00	.47	23
24	.20	.18	.00	.05	.03	.54	.00	.34	.01	.49	.00	.44	24
25	.20	.41	.00	.26	.00	.00	.00	.00	.49	.13	.00	.44	25
26	.00	.20	.00	.46	.00	.00	.00	.34	.11	.54	.03	.30	26
27	.03	.86	.21	.86	.00	.00	.03	.75	.62	.00	.08	.10	27
28	.00	.65	.00	.11	.00	.60	.00	.13	.02	.00	.00	.23	28
29	.00	-	.00	.00	.00	.31	.42	.01	.51	1.76	.00	.11	29
30	.00	-	.00	.01	.00	.10	.03	.00	.00	.57	.03	.00	30
31	.00	-	.10	-	.22		.00	.00		.20		.00	31
Total	2.77	6.84	2.73	3.24	2.05	3.87	.83	4.44	4.64	5.83	8.38	8.22	TOTAL for year 53.84
No. of Rain Days.	12	16	16	15	9	13	7	13	13	17	22	27	180

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 13 MAR 1912

Kept at Lake Vyrnwy (Bank Cymyn Isaf)

in the County of Montgomery 5

by the Water Committee of the Liverpool Corporation

RAIN GAUGE { Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. ,, ,, Sea Level 750 ft.

Time of Observation 8 am

Nearest Railway Station { Name Llanwddyn Distance 7-8 miles Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.83	.00	.01	.00	.00	.00	.00	.00	.28	.23	1
2	.00	.00	.00	.00	.26	.00	.00	.07	.00	.08	.05	.33	2
3	.00	.00	.11	.02	1.04	.00	.07	.05	.01	.00	.50	.10	3
4	.00	.00	.10	.02	.07	.00	.00	.59	.01	.00	1.19	.30	4
5	.34	.00	.06	.03	.00	.00	.00	.94	.00	.16	.16	.00	5
6	.39	.00	.06	.00	.00	.00	.00	.36	.00	.02	.65	.20	6
7	.34	.00	.00	.00	.00	.00	.00	.01	.00	.00	.52	.00	7
8	.31	.00	.26	.00	.00	.00	.00	.00	.00	.00	.52	.56	8
9	.02	.00	.03	.00	.00	.00	.00	.00	.00	.00	.44	.26	9
10	.36	.13	.30	.00	.00	.00	.00	.00	.00	.00	.00	.81	10
11	.46	.00	.00	.00	.03	.00	.00	.00	.00	.00	.47	.18	11
12	.06	.00	.42	.00	.05	.00	.00	.00	2.10	.03	1.43	.08	12
13	.00	.00	.02	.00	.00	.00	.00	.01	.00	.00	.31	.10	13
14	.00	.30	.03	.00	.00	.00	.00	.00	.00	.00	.39	.21	14
15	.00	.33	.05	.00	.00	.02	.00	.00	.00	.03 ~~.00~~	.41	.31	15
16	.00	.42	.00	.05	.00	.30	.00	.00	.00	.00	.11	.30	16
17	.00	.26	.00	.00	.00	1.15	.00	.00	.00	.00	.67	.26	17
18	.00	.88	.00	.15	.00	.39	.00	.00	.00	.01	.03	.52	18
19	.00	.06	.00	.23	.00	.06	.16	.00	.30	.03	.10	.20	19
20	.00	.06	.00	.57	.00	.06	.01	.78	.13	.30	.00	.54	20
21	.00	1.14	.00	.14	.00	.26	.11	.00	.02	.22	.00	.10	21
22	.00	.16	.08	.28	.00	.02	.00	.00	.00	.58	.02	.54	22
23	.06	.80	.07	.00	.28	.06	.00	.00	.31	.62	.00	.47	23
24	.20	.18	.00	.05	.03	.54	.00	.34	.01	.49	.00	.44	24
25	.20	.41	.00	.26	.00	.00	.00	.00	.49	.13	.00	.44	25
26	.00	.20	.00	.46	.00	.00	.00	.34	.11	.54	.03	.30	26
27	.03	.86	.21	.86	.00	.00	.03	.75	.62	.00	.08	.10	27
28	.00	.65	.00	.11	.00	.60	.00	.13	.02	.00	.00	.23	28
29	.00	-	.00	.00	.00	.31	.42	.01	.51	1.76	.00	.11	29
30	.00	-	.00	.01	.00	.10	.03	.00	.00	.57	.03	.00	30
31	.00	-	.10	-	.22		.00	.00		.20		.00	31
Total	2.71	6.84	2.73	3.24	2.05	3.87	.83	4.44	4.64	5.83 ✓	8.38	8.22	TOTAL for year 53.84
No. of Rain Days.	12	16	16	15	9	13	7	13	13	17 ✓	22	24	180 ✓

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

19 FEB 1913

Kept at Bank Cynon-Isaf

in the County of Montgomery

by Liverpool Corporation Waterworks

Lat. ____ Long. ____

Time of Observation 8.0 a.m.

Nearest Railway Station ____

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·41	·00	·00	·24	·13	·08	·03	·00	·00	·50	1
2	·05	·00	·49	·03	·00	·12	·00	·00	·00	·00	·00	·08	2
3	·18	·00	·08	·00	·00	·21	·00	·77	·39	·00	·00	·31	3
4	·65	·00	1·50	·13	·07	·05	·00	·98	·00	·00	·31	·05	4
5	·40	·00	·20	·00	·23	·08	·00	·14	·05	·00	·00	·07	5
6	·56	·24	·00	·00	·26	·10	·00	·21	·00	·00	·00	·15	6
7	·00	·13	·03	·00	·14	·31	·08	·09	·05	·00	·00	·00	7
8	·95	·28	·34	·23	·05	·02	·00	·01	·05	·00	·00	·13	8
9	·24	·18	·13	·31	·00	·31	·00	·09	·00	·00	·05	·34	9
10	·34	·00	·00	·02	·00	·28	·18	·31	·00	·00	·78	·08	10
11	·13	·00	·01	·00	·03	·00	·14	·00	·00	·00	·49	·86	11
12	·06	·24	·32	·02	·00	·05	·03	·00	·00	·00	·00	·15	12
13	·27	·00	·03	·00	·00	·00	·00	·01	·00	·54	·10	1·98	13
14	·50	·00	·41	·00	·00	·10	·00	·05	·00	·05	·07	·50	14
15	·03	·39	·11	·00	·13	·52	·00	·01	·00	·00	·00	·83	15
16	·24	·63	·55	·00	·03	·00	·00	·42	·00	·32	·05	·29	16
17	·13	·41	·08	·00	·00	1·04	·00	·36	·00	·00	·08	·75	17
18	·03	·06	·11	·00	·00	·13	·00	·05	·00	·26	·03	·23	18
19	·53	·16	·29	·00	·00	·20	·05	·13	·00	·22	·03	·01	19
20	·02	·00	·16	·00	·10	·07	·00	·10	·00	·57	·00	·21	20
21	·00	·09	·42	·00	·31	·00	·03	·07	·00	·47	·00	·16	21
22	·02	·39	·00	·00	·41	·00	·16	·37	·00	·00	·01	·07	22
23	·18	·16	·65	·00	·00	·23	·13	·86	·00	·00	·47	·23	23
24	·05	·01	·16	·00	·00	·22	·07	·24	·00	·00	·03	·23	24
25	·00	·01	·23	·00	·00	·24	·00	·01	·00	·00	1·06	·42	25
26	·00	·49	·23	·00	·00	·01	·26	·55	·00	2·15	1·09	·42	26
27	·00	·18	·36	·00	·00	·42	1·33	·00	·00	·59	·01	·86	27
28	·00	·21	·05	·00	·00	·06	1·14	·42	·08	·57	·71	·03	28
29	·00	·13	·09	·00	·00	·15	·78	·22	·71	·70	·00	·19	29
30	·00		·68	·00	·05	·08	·14	·00	·00	·26	·07	·05	30
31	·02		·23		·37		·90	·13		·14		·31	31
Total	5·58	4·39	8·35	·74	2·18	5·24	5·55	6·66	1·36	6·84	5·44	10·49	YEAR'S TOTAL 62·82
Rain Days.	22	19	28	6	13	25	16	26	7	13	18	30	223

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

7 MAR 1914

Kept at Bank Lynon Isaf

in the County of Montgomery.

by Liverpool Corporation Waterworks

Lat. ..... Long. .....

Time of Observation 8.0 am.

Nearest Railway Station Llanfyllin

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·16	·41	·06	·07	·00	·00	·00	·00	·00	·26	·00	1
2	·00	·68	·50	·07	·09	·16	·00	·00	·00	·01	·31	·29	2
3	·01	·13	·85	·00	·54	·00	·00	·00	·13	·00	·00	·54	3
4	·47	·32	·59	·00	·01	·00	·00	·00	·00	·00	·18	·73	4
5	·36	·13	·36	·00	·14	·36	·05	·00	·00	1·71	·07	·03	5
6	·22	·37	·39	·00	·29	·32	·07	·00	·00	·18	·01	·41	6
7	·03	·72	·08	·00	.11	·68	·05	·00	·00	·86	·23	·03	7
8	·00	·68	·01	·00	·41	·07	·02	·07	·00	·07	·01	·08	8
9	·00	·35	·36	·07	·08	2·05	·08	·24	·13	·00	·18	·11	9
10	·46	·00	·24	·05	·16	·00	·00	·23	·00	·03	·41	·00	10
11	·75	·00	·00	·44	·07	·12	·00	·00	·00	·16	·32	·09	11
12	·00	·00	·00	·00	·32	·05	·00	·00	·44	·00	·36	·05	12
13	·00	·00	·52	·03	·00	·00	·05	·00	·31	·00	·49	·00	13
14	·16	·00	·63	·39	·00	·00	·00	·03	·09	·28	·29	·00	14
15	·23	·00	1·01	1·76	·00	·00	·00	·13	·16	·00	·59	·11	15
16	·00	·00	·36	·13	·00	·00	·01	·07	·00	·00	·23	·00	16
17	·32	·00	·03	·22	·00	·00	·03	·00	·00	·00	·52	·00	17
18	·09	·00	·61	·65	·09	·00	·02	·00	·00	·00	·26	·00	18
19	·26	·00	·05	·13	·00	·05	·01	·00	·15	·13	·26	·00	19
20	·46	·00	·29	·16	·03	·00	·00	·00	·00	·23	2·05	·00	20
21	·01	·00	·28	·28	·42	·00	·23	·49	·00	·07	·00	·00	21
22	1·01	·00	·81	·00	·03	·44	·00	1·10	·57	·00	·00	·00	22
23	·27	·00	·01	·00	·00	·19	·00	·26	·55	·00	·19	·01	23
24	·55	·14	·00	·07	·00	·00	·00	·00	·00	·00	·13	·02	24
25	·00	·01	·00	·37	·00	·00	·00	·00	·23	·01	·19	·28	25
26	·00	·00	·00	1·20	·00	·00	·00	·00	·21	·01	·00	1·37	26
27	·00	·00	·00	·26	·00	·00	·00	·00	·00	·41	·00	·03	27
28	·60	·00	·24	·26	·07	·00	·00	·00	·00	·23	·00	·14	28
29	·00	·00	·34	·55	·22	·00	·00	·00	·00	·42	·16	·08	29
30	1·20		·00	·00	·00	·00	·00	·00	·00	·15	·16	·00	30
31	·32		·20		·14		·00	·00		·15		·00	31
Total	7·85	3·69	9·17	7·15	3·29	4·49	·62	2·62	2·97	5·11	7·86	4·40	YEAR'S TOTAL 59·22
Rain Days.	21	11	24	20	19	11	11	9	11	18	24	18	197

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

10 FEB 1915

Kept at Bank Cynon-Isaf

in the County of Montgomery

by Liverpool Corporation Waterworks

Lat. ..... Long. .....

Time of Observation 8.0 am.

Nearest Railway Station .....

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·05	·13	·00	·00	·10	1·22	·78	·00	·00	·00	·72	1
2	·00	·16	·12	·01	·07	·00	·86	·13	·00	·00	·42	·46	2
3	·10	·00	·21	·12	·65	·00	·03	·14	·00	·00	·00	1·43	3
4	1·30	·00	·36	·39	·68	·00	·23	·00	·00	·00	·39	·76	4
5	·23	·00	·72	1·24	·24	·00	·32	·00	·00	·00	·36	·05	5
6	·08	·09	·03	·16	·44	·00	·00	·05	·00	·00	·42	·89	6
7	·07	·07	·59	·13	·10	·08	·19	·12	·00	·00	·01	·33	7
8	·72	·05	·00	·07	·59	·14	·16	1·60	·01	·00	·03	·34	8
9	·44	·18	·00	·32	·07	·39	·00	·21	·29	·00	·21	·00	9
10	·01	·16	·07	·13	·00	·16	·00	·00	·24	·00	·07	·00	10
11	·00	·26	·73	·03	·09	·08	·23	·00	·18	·00	1·11	·84	11
12	·00	·81	·21	·00	·00	·00	·00	·00	·41	·00	·59	·46	12
13	·00	·78	·39	·00	·00	·00	·12	·00	·21	·23	1·08	·16	13
14	·00	1·48	·23	·00	·00	·00	·00	·00	·11	·13	·16	·00	14
15	·00	·07	·75	·00	·00	·00	·00	·00	·16	·00	·42	·10	15
16	·00	·00	·19	·00	·00	·00	·03	·00	·52	·00	·00	·16	16
17	·00	·68	·23	·00	·00	·34	·01	·00	·36	·00	·00	1·22	17
18	·00	·00	·07	·00	·00	·01	·03	·00	·05	·00	·00	·25	18
19	·00	·01	·31	·00	·00	·00	·93	·00	·15	·00	·03	·25	19
20	·00	·34	·26	·00	·00	·78	·10	·00	·00	·00	·00	·45	20
21	·00	·03	·00	·00	·00	·21	·00	·05	·00	·07	·00	·00	21
22	·00	·96	·05	·00	·39	·13	·00	·36	·00	·01	·00	·00	22
23	·00	·19	·19	·00	·01	·00	·01	·03	·00	·00	·00	·00	23
24	·15	·00	·50	·03	·00	·00	·13	·10	·00	·05	·19	·00	24
25	·52	·00	·01	·00	·00	·00	·18	·65	·00	1·25	·10	·92	25
26	·13	·00	·00	·00	·00	·00	·05	·19	·00	·21	·29	·51	26
27	·13	·12	·00	·00	·00	·00	·00	·00	·00	·23	·54	·74	27
28	1·34	·18	·13	·00	·08	·00	·00	·00	·00	·00	·26	·88	28
29	·45		·09	·00	·10	·00	·00	·01	·00	·05	·70	·00	29
30	·39	X	·52	·00	·00	·00	·00	·07	·00	·07	·75	·62	30
31	1·33	X	·23	X	·00	X	·74	·00	X	·16	X	·06	31
Total	7·72	6·70	7·32	2·66	3·51	2·42	5·60	4·49	2·69	2·46	8·13	12·60	YEAR'S TOTAL 66·30
Rain Days.	16	20	26	11	13	11	19	15	12	11	21	23	198

W. 8,000. X. 14.

Used F.W.

REGISTER OF RAINFALL IN 1916

91

4242

FORM A. BRITISH RAINFALL.

2-FEB 1916

Kept at Bank Cyrnon-Isaf

in the County of Montgomery

by Liverpool Corporation Waterworks

Lat. ..... Long. .....

Time of Observation 8.0 am

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.60	.39	.11	.00	.48	.00	.00	.28	.10	.29	.00	.21	1
2	.11	.52	.69	.28	.00	.05	.29	1.22	.00	.05	.00	.07	2
3	.00	.04	.25	.18	.00	.00	.19	.29	.00	.00	.00	.38	3
4	.00	.34	.01	.00	.13	.00	.00	.00	.03	.00	.00	.96	4
5	.10	.28	.04	.00	.00	.07	.00	.18	.00	.00	.00	.54	5
6	.68	.03	.02	.45	.00	.00	.42	.01	.00	.00	.00	.69	6
7	.29	.68	.00	.26	.00	.00	.10	.49	.00	.00	.00	.26	7
8	.64	.46	.00	.16	.00	.00	.00	.15	.00	.00	.65	.03	8
9	.54	.55	.00	.28	.00	.00	.00	.01	.00	.00	.29	.98	9
10	1.39	.00	.01	.14	.00	.00	.03	.42	.00	.13	.04	.42	10
11	.16	.00	.03	.00	.00	.00	.21	.04	.00	.00	1.04	.20	11
12	.04	.00	.00	.01	.13	.00	.00	.05	.00	.21	1.34	.04	12
13	.03	.48	.00	.00	.31	.00	.05	.24	.01	.03	.08	.10	13
14	.29	.00	.00	.00	.00	.00	.00	.08	.18	.00	.05	.94	14
15	1.53	.00	.00	.00	.08	.00	.04	.15	.54	.00	.16	.42	15
16	.04	.59	.00	.00	.49	.00	.68	.19	.01	.00	.00	.05	16
17	.03	.73	.04	.00	.82	.00	.00	.00	.00	.00	.00	.00	17
18	.00	1.06	.02	.00	.00	.00	.04	.00	.00	.00	.00	.00	18
19	.00	.13	.05	.31	.33	.00	.46	.00	.00	.00	.00	.00	19
20	.55	.00	.00	.03	.00	.00	.00	.00	.00	.00	.00	.08	20
21	.29	.03	.00	.00	.00	.00	.36	.00	.00	.10	.00	.04	21
22	.13	.04	.10	.08	.00	.03	.13	.00	.00	.10	.00	.49	22
23	.00	.13	.03	.04	.00	.01	.04	.00	.12	.62	.00	.42	23
24	.00	.00	.02	.02	.00	.03	.04	.00	.12	.62	.00	.68	24
25	.00	.00	.00	.00	.00	.16	.36	.00	.00	.00	.05	.10	25
26	.00	.49	.00	.00	.00	.00	.31	.00	.03	.00	.00	1.10	26
27	.00	.29	.00	.00	.00	.10	.35	.00	.00	.42	.00	2.18	27
28	.00	.68	.00	.00	.00	.00	.03	.03	.01	.19	.00	.01	28
29	.00	X	.00	.00	.00	.00	.01	.00	.31	.00	.13	.04	29
30	.05	X	.00	.13	.00	.38	.00	.00	.03	.29	.02	.11	30
31	.24	X	.00	X	.00	X	.14	.13	X	.13	X	1.24	31
Total	7.82	8.30	1.48	2.40	3.04	.83	4.40	3.99	1.52	3.48	3.91	12.90	YEAR'S TOTAL 54.10
Rain Days.	20	20	14	14	8	8	21	17	12	13	11	28	186

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

4174

FORM A. BRITISH RAINFALL. 9 FEB 1917

Kept at Lake Vyrnwy (Bank Cyrnwy-Isaf)

in the County of Montgomeryshire

by

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·94	·11	·52	·00	·00	·45	·57	·00	·00	·00	·57	·00	1
2	1.66	.38	·11	·00	·00	·03	·02	·00	·59	·94	·02	·00	2
3	·07	·19	·01	·05	·00	·00	·00	·00	·83	·49	·29	·36	3
4	.63	·16	·00	·01	·42	1.01	·52	·00	·09	·93	.32	.00	4
5	·18	·45	·00	·00	·20	·07	·00	·00	·00	1·73	·32	.00	5
6	·59	·78	·00	·00	·50	·03	·54	·00	·00	·81	·76	·00	6
7	·23	·11	·07	·00	·12	·00	·06	·00	·00	·67	·36	·10	7
8	·00	·07	·10	·00	·16	·00	·00	·00	·00	·05	·24	·12	8
9	·00	·11	·08	·00	·18	·19	·03	·00	·03	·03	·12	·12	9
10	·05	·38	·01	·10	·05	·00	·05	·00	·00	·23	·03	·00	10
11	·08	·15	·06	·42	·09	·00	·00	·00	·00	·00	·00	·00	11
12	·10	·21	·07	·23	·47	·00	·33	·16	·00	·34	·00	·00	12
13	·03	·32	·10	·36	·00	·00	·00	·16	·01	·93	·00	·00	13
14	·00	·45	·07	·30	·10	·00	·00	·90	·00	·46	·06	·00	14
15	·00	1.54	·30	·06	·00	·00	·00	·34	·01	·17	·00	·00	15
16	·00	·19	·00	·41	·03	·00	·00	·10	·00	·07	·00	·00	16
17	·29	·23	·00	1·08	·00	·00	·00	·00	·55	·31	·00	·00	17
18	·07	·54	·10	·29	·00	·00	·00	·00	·49	·01	·29	·00	18
19	·75	·00	·55	·30	·00	·00	·00	·10	·30	·00	·29	·06	19
20	·50	·00	·23	·00	·00	·00	·00	·00	·00	·00	·10	·59	20
21	1·17	·00	·23	·00	·00	·03	·24	·00	·00	·00	·39	·00	21
22	·00	·00	·00	·05	·00	·24	·00	·00	·00	·20	·03	·19	22
23	·00	·00	·03	·23	·00	·00	·00	·23	·00	·10	·36	·22	23
24	·00	·00	·03	·45	1·07	·09	·00	·26	·00	·32	·15	·30	24
25	·16	·18	·33	·00	·44	·05	·02	·39	·00	·00	·47	·00	25
26	·23	·07	·18	·00	·16	·24	·00	·03	·00	·15	·13	·00	26
27	·01	·00	·00	·00	·16	·00	·00	·10	·65	1·19	·00	·00	27
28	·00	·00	·00	·00	·34	·09	·00	·00	·00	·41	·13	·81	28
29	·00	·32	·03	·00	·10	·36	·00	·03	·00	·12	·12	1·01	29
30	·00	X	·00	·00	·00	·23	·00	·00	·00	·91	·02	·16	30
31	·00	X	·00	X	·00	X	·00	·13	X	1·06	X	·15	31
Total	7.74	6.94	3·11	4·14	4·59	3·11	2·38	2·93	3·45	12.63	5·37	4·09	YEAR'S TOTAL 60.48
Rain Days.	19	21	21	15	17	14	10	13	10	25	23	13	201

W. 8,000, VIII. 16

3997

REGISTER OF RAINFALL IN 1917.

9

FORM A. BRITISH RAINFALL. 15 FEB 1918

Kept at Bank Bypass-Draft, Lake Bypass

in the County of Montgomeryshire

by Water Engineer, Liverpool Corporation

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 3.07 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	-	·03	·05	-	·25	-	·06	·98	-	·08	·76	1
2	·13	-	·06	·10	-	·08	-	-	-	·05	·71	·03	2
3	·13	-	·03	-	-	·22	-	-	-	·83	·03	·03	3
4	-	·08	-	-	-	·02	-	·03	-	·68	-	·02	4
5	·20	·06	·46	·15	-	-	-	·03	·13	·27	·65	-	5
6	·03	-	-	-	-	·02	-	-	-	·12	·43	·25	6
7	·29	-	-	-	-	-	-	-	-	·68	·11	·22	7
8	·60	-	·53	·25	-	·03	-	·36	-	·99	·50	·13	8
9	-	-	·03	·20	·10	-	-	·10	-	·30	·83	·06	9
10	·20	-	1·04	·13	·10	-	-	·15	-	·05	-	-	10
11	·15	-	-	·20	-	-	-	·57	-	·47	·10	-	11
12	·39	-	-	·12	·84	-	-	·36	-	·16	-	-	12
13	-	-	-	·25	-	·06	-	·98	·57	·02	-	·02	13
14	·03	-	-	-	-	-	-	·06	-	·06	-	·13	14
15	-	-	-	-	-	-	·23	·03	·15	·29	-	·15	15
16	-	·05	-	·47	-	-	-	·18	·02	·06	·02	·41	16
17	-	-	·13	·08	·26	-	·32	1·47	·08	·15	·02	-	17
18	-	-	·10	·03	·23	-	1·37	·18	·39	·02	-	·11	18
19	·03	·46	·55	-	-	·27	-	·03	-	-	·06	-	19
20	-	·20	·10	-	·20	·99	-	-	·55	-	·16	-	20
21	-	-	·03	-	·02	-	-	·03	-	·15	-	-	21
22	-	-	-	-	·02	·03	-	·54	·13	·12	-	-	22
23	-	·24	-	-	·29	·14	·03	·34	-	·13	·03	·06	23
24	-	·02	·06	-	·03	·08	·10	·54	-	1·24	·42	·70	24
25	-	·03	·20	-	-	-	·15	·02	-	·30	·10	-	25
26	-	-	-	-	-	·02	·31	·50	·39	·27	·16	-	26
27	-	-	-	-	·84	·53	·27	·60	-	·02	·20	-	27
28	-	-	·39	-	-	-	·05	1·04	-	·08	·16	-	28
29	-		·06	-	-	-	-	·10	-	·47	·03	·30	29
30	-	X	·12	-	-	-	-	·30	-	·54	·23	-	30
31	-	X	-	X	·15	X	·02	·32	X	-	X	·03	31
Total	2·24	1·14	3·82	2·03	3·08	2·74	2·75	8·92	3·29	8·42	4·53	2·31	YEAR'S TOTAL 45·27
Rain Days.	12	8	17	12	12	14	10	26	10	27	21	17	186

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL

Kept at Bank Cyrus Dsaf, Lake Bypass

in the County of Montgomeryshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8.00 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.20	-	.06	.03	-	-	.22	.13	.02	.50	.01	1
2	-	.11	-	.03	-	-	-	.12	.06	.08	.18	.75	2
3	-	-	-	-	.77	-	-	-	1.07	.31	-	.03	3
4	.03	.06	-	-	-	-	-	.03	.52	.72	.88	.49	4
5	-	-	-	.30	.25	.03	-	.15	.31	1.53	.03	.01	5
6	.03	1.42	-	.40	-	.07	-	-	.33	.85	-	.06	6
7	.02	.34	-	.03	.70	-	-	.03	.47	.20	.16	.10	7
8	-	1.32	-	-	-	-	.33	-	.52	.23	.14	.05	8
9	.41	2.41	-	.33	-	1.10	.05	-	1.01	.70	.27	.30	9
10	.22	.47	.10	.03	-	-	.43	-	.44	.16	.97	.30	10
11	.13	.23	.03	.03	.03	-	.13	-	.57	.15	-	.49	11
12	-	.30	-	-	.34	-	.21	-	.16	-	-	.16	12
13	-	-	-	-	-	.08	-	-	.36	.08	-	.41	13
14	.96	-	-	-	.05	.13	.52	-	.59	.16	-	.44	14
15	-	-	-	-	-	.02	.91	-	1.60	-	-	.68	15
16	.26	-	-	.05	-	-	.16	.10	.46	.02	-	.59	16
17	.60	-	-	-	.03	.02	.05	.10	.05	-	-	.39	17
18	1.01	-	.16	-	-	.42	.27	-	.31	-	-	.44	18
19	.26	.11	.13	.03	-	-	.36	-	.30	.03	-	.36	19
20	.30	.33	-	.27	.03	.05	.03	-	.61	-	-	.18	20
21	.06	1.11	-	.50	-	.03	.08	-	1.17	-	-	.11	21
22	.16	.10	-	-	1.33	-	.52	-	.33	-	-	.94	22
23	.46	-	-	-	.86	-	.40	-	.10	-	.03	.46	23
24	.05	.28	-	-	-	-	.23	.42	.10	-	.10	.14	24
25	-	.02	-	.13	.12	.07	.73	.88	.05	-	.02	.08	25
26	.25	.03	-	-	-	-	.37	.03	.34	.03	.08	.65	26
27	-	.16	.41	-	-	-	-	.31	.68	-	.31	1.20	27
28	-	.13	.47	-	-	-	-	-	.08	.03	.05	.85	28
29	-	X	.03	-	-	-	-	-	.52	-	.03	.33	29
30	-	X	.44	-	-	.03	-	.12	.03	.07	.10	.52	30
31	-	X	.30	X	-	X	-	.06	X	.08	X	.03	31
Total	5.21	9.12	2.07	2.19	4.04	2.00	5.78	2.57	13.27	5.45	3.75	11.15	YEAR'S TOTAL 66.60
Rain Days.	17	19	9	13	12	12	18	13	30	19	16	31	209

W. 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at BANK CYNON-ISAF, LAKE VYRNWY

in the County of MONTGOMERY

by LIVERPOOL CORPORATION WATERWORKS

Lat. ..... Long. .....

Time of Observation 8. 0 am

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 950 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·93	·00	·08	·14	·58	·00	·34	·00	·28	·43	·00	·80	1
2	·24	·00	·24	·00	·08	·00	·00	·03	·18	·01	·00	·32	2
3	·02	·00	·00	·00	·13	·03	·01	·00	·00	·00	·05	·47	3
4	·00	·11	·34	·00	·01	·13	·16	·10	·22	·00	·03	·31	4
5	·05	·21	·00	·00	·00	·00	·00	·00	·03	·00	·01	·98	5
6	·05	·05	·42	·00	·00	·00	·00	·00	·00	·00	·00	·39	6
7	·20	·00	·33	·16	·00	·00	·00	·00	·00	·00	·00	·15	7
8	·39	·00	·05	·05	·00	·20	·00	·00	·00	·00	·03	·00	8
9	1·31	·00	·05	·03	·00	·00	·00	·00	·00	·00	·03	·00	9
10	·18	·00	·80	·08	·00	·00	·00	·00	·00	·01	·01	·46	10
11	·07	·00	1·07	·30	·13	·00	·11	·00	·00	·01	·03	·05	11
12	·04	·00	·33	·05	·08	·92	·00	·00	·05	·01	·07	·00	12
13	·59	·00	·00	·34	·00	·00	·00	·00	·01	·38	·00	·26	13
14	·60	·02	·00	·49	·00	·00	·10	·00	·01	·07	·00	·00	14
15	·54	·00	·00	·50	·24	·00	·00	·00	·00	·34	·00	·80	15
16	·24	·30	·00	·11	·00	·06	·00	·00	·00	·00	·16	·01	16
17	·11	·70	·00	·00	·00	·09	·00	·00	·00	·00	1·48	·08	17
18	·03	·20	·93	·00	·00	·00	·08	·41	·07	·00	·01	·31	18
19	·13	·60	·62	·00	·00	·24	·00	·63	·28	·00	·52	·00	19
20	·21	·08	·34	·00	·00	·03	·00	·03	·26	·00	·22	·40	20
21	·05	·61	·24	·00	·00	·00	·20	·01	·18	·00	·01	·22	21
22	·00	·14	·00	·00	·00	·08	·02	·00	1·20	·00	·08	1·07	22
23	·00	·00	·00	·00	·00	·13	·00	·01	·00	·89	·45	·24	23
24	·02	·00	·00	·00	·05	·05	·02	·00	·31	·50	·40	·24	24
25	·21	·00	·00	·21	·03	·00	·00	·54	·10	·01	·18	·05	25
26	·16	·02	·90	·18	·00	·05	·00	·42	·22	·03	·05	1·06	26
27	·14	·00	·10	·16	·00	·00	·00	·07	·01	·00	·00	·01	27
28	·05	·00	·08	·34	·00	·03	·00	·85	·00	·05	·00	·94	28
29	·06	X	·01	·11	·00	·01	·00	·20	·00	·30	·00	·46	29
30	·00	X	·07	·07	·00	·07	·00	·00	·43	·00	·36	·42	30
31	·00	X	·04	X	·00	X	·08	·00	X	·00	X	·05	31
TOTAL	6·48	3·04	4·34	3·35	1·33	2·12	1·15	3·63	3·84	3·04	4·18	10·58	YEAR'S TOTAL 50·11
Days with ·01 in. or more	26	12	20	14	9	15	10	12	14	14	20	26	198

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

9 JAN 1921

Kept at BANK CYNON - ISAF

in the County of MONTGOMERY

by LIVERPOOL CORPORATION WATERWORKS

Lat. ..... Long. .....

Time of Observation 8.0 am

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.11	.03	.16	.53	.00	.86	.01	.03	.47	.01	.46	1
2	.00	.54	.00	.16	.01	.00	.09	.04	.04	.26	.00	.44	2
3	.03	.18	.00	.34	.22	.00	.52	.08	.08	.48	.00	.22	3
4	.00	.00	.00	.00	.03	.00	.05	1.39	.01	.60	.00	.00	4
5	.00	.00	.23	.00	.44	.00	.14	.04	.14	.09	.00	.00	5
6	.00	.00	.32	.11	.09	.00	.04	.00	.01	.26	.01	.03	6
7	.30	.03	.01	.09	.08	.00	.08	.00	.00	.00	.04	.03	7
8	.81	.13	.01	.55	.39	.00	.08	.39	.00	.00	.01	.00	8
9	.93	1.89	.03	.41	.00	.00	.26	.03	.00	.00	.05	.03	9
10	1.45	1.43	.11	.00	.00	.13	.88	.00	.00	.00	.00	.05	10
11	.63	.16	.15	.29	.39	.16	.03	.00	.00	.00	.13	.00	11
12	.92	.32	.15	.31	.03	.51	.20	.01	.00	.00	.30	.00	12
13	.23	.30	.41	.65	.01	.41	.03	.00	.00	.00	.33	.00	13
14	.19	.00	.42	.54	.00	.20	.22	.00	.61	.51	2.29	.00	14
15	.03	.21	.31	1.08	.00	.51	.00	.00	.01	.03	.29	.00	15
16	.00	.00	.13	.15	.44	.13	.59	.00	.48	.56	.16	.00	16
17	.36	.00	.00	.00	.32	.39	.00	.34	.43	.03	.00	.00	17
18	.58	.00	.00	.23	.99	.01	.00	.00	.11	.00	.00	.00	18
19	.00	.92	.00	.18	.49	.09	.01	.04	.03	.00	.00	.00	19
20	.08	.06	.00	.44	.00	.03	.14	.00	.01	.00	.00	.52	20
21	.00	.00	.00	.05	.00	.00	.24	.03	.00	.00	.00	.34	21
22	.32	.00	.00	.15	.00	.08	1.23	.11	.00	.00	.00	.24	22
23	.03	.00	.04	.00	.00	.00	.23	.05	.00	.00	.00	.43	23
24	.01	.00	.62	.15	.00	.00	.31	.00	.00	.00	.01	.46	24
25	.14	.05	.26	.28	.00	.00	1.16	.00	.00	.00	.00	.08	25
26	.26	.11	.68	.16	.51	.00	.13	.00	.03	.00	.09	.05	26
27	.29	.03	.58	.23	.08	.55	.09	.00	.00	.00	.04	.28	27
28	.49	.01	.55	.01	.04	.18	.03	.00	.00	.00	.00	.54	28
29	.31	.00	.22	.31	.08	.09	.49	.00	.00	.00	.55	1.60	29
30	.32		.33	.39	.04	.08	.03	.00	.39	.00	.45	.84	30
31	.44		.03		.00		.07	.00		.42		.25	31
TOTAL	9.48	6.42	5.65	4.45	5.60	3.55	8.26	2.65	2.44	4.31	4.82	3.28	YEAR'S TOTAL 68.51
Days with .01 in. or more	23	16	22	25	20	16	28	13	15	11	16	19	224
Days with .04 in. or more	19	13	17	24	16	14	23	9	8	9	12	16	180

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

9 MAY 1914

LLANERFYL
C. E. SCHOOL
MONGOMERY
1913-14

REG

Kept at Llanerfyl.

in the County of M

by G. Vaughan

...ver
...anfair Caereinion

...5... in.

Ground ...1... ft. — in.

Sea Level ...530... ft.

IMPORTANT NO... the result entered to the previous day. If an O...rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3											·06.		3
4													4
5											·05	1·50	5
6											·60		6
7											~~1·06~~		7
8													8
9													9
10										1·30	·25		10
11										·38	·15		11
12											·65		12
13											·55		13
14											~~1·65~~		14
15													15
16													16
17											1·24		17
18											·24		18
19													19
20											·28		20
21											~~4·96~~		21
22													22
23													23
24											·27		24
25													25
26													26
27											·30		27
28											~~·01~~		28
29													29
30											·36		30
31										·56			31
Total										~~2·37~~ imp	6·05	imp	~~9·99~~
Rain Days.										3	16	~~1~~	~~20~~

YEAR'S TOTAL

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

9 MAY 1914

REG[redacted]

Kept at Llanerfyl. End. C.E. School.

in the County of Montgomery Exc. Mid.

by G. Vaughan Humphreys.

Lat. ..... Long. .....

Time of Observation 9. am

Nearest Railway Station Llanfair Caereinion

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3											·06		3
4													4
5											·05	1·50	5
6											·60		6
7											~~1·06~~		7
8													8
9													9
10										1·30	·25		10
11										·38	·15		11
12											·65		12
13											·35		13
14											~~1·65~~		14
15													15
16													16
17											1·24		17
18											·24		18
19													19
20											·28		20
21											~~4·96~~		21
22													22
23													23
24											·24		24
25													25
26													26
27											·30		27
28											~~·518~~		28
29													29
30											·36		30
31										·56			31
Total										~~2·24~~ imp	6·05	imp	YEAR'S TOTAL ~~9·79~~
Rain Days.										~~3~~ imp	16	~~1~~	~~20~~

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

19 MAY 1915

Kept at Llanerfyll School

in the County of Montgomery

by ~~W. H. Brooks~~ Montgomery Co. Times

Lat. ..... Long. .....

Nearest Railway Station .....

Time of Observation .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " Sea Level ..... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		-		-									1
2		-		-									2
3		-		-									3
4		-		-									4
5		-		-									5
6		-		1·22									6
7		-		·70									7
8		-		·08									8
9		-		·08									9
10		·23		-									10
11		-		-									11
12		·58		-									12
13		1·12		-						(·17)			13
14		-		-						·28			14
15		-		-									15
16		1·06		-									16
17		·15		-									17
18		·50		-									18
19		-		-									19
20		-		-						·01			20
21		-		-						·14			21
22		-		-						·05			22
23		1·34		-						·01			23
24		·05		-						·03			24
25		-		-						·54			25
26		-		-						·13			26
27		-		-						.			27
28		·34		-						·01			28
29		-		-						·13			29
30		-		-						·03			30
31		-								·04			31
Total		5·43 ~~5·44~~		2·08						1·54 ✓			TOTAL for year
No. of Rain Days		9		4						13			

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Llanerfyl End C.E. School

in the County of Montgomery

by B. J. Stott

Lat. 1.0 Long. 2.5.0

Time of Observation 9 a.m.

Nearest Railway Station Llanfair

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 606 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.38	.50	—	—	.13	.45	—	1
2						—	.14	—	.53	.95	.09	—	2
3						.41	.61	—	.53	.46	.31	—	3
4						.70	.19	—	.08	.31	.40	—	4
5						.17	—	—	—	1.10	.07	—	5
6						.10	.30	—	—	.50	.53	—	6
7						.01	.28	—	—	.37	.17	.70	7
8						—	.03	—	—	.17	.15	.26	8
9						.42	—	—	.05	—	.12	—	9
10						.03	.02	—	.05	.36	.07	—	10
11						—	—	—	.02	.01	.04	—	11
12						—	.32	.36	—	.34	.00	—	12
13						—	—	.46	—	.90	.02	—	13
14						—	—	.90	—	.27	.04	—	14
15					—	—	.01	.76	—	.09	—	—	15
16					—	—	—	.09	—	.05	—	—	16
17					—	—	—	—	.65	.32	—	—	17
18					—	—	—	.05	.45	.09	.29	—	18
19					—	—	—	.06	.05	.53	.28	—	19
20					—	—	—	—	—	—	.17	—	20
21					—	.03	.10	—	—	—	.22	—	21
22					—	.10	—	—	—	.16	.09	—	22
23					—	.02	—	.19	—	.19	.22	1.22	23
24					1.45	.03	—	.23	—	.40	.10	.17	24
25					.36	.04	.04	.26	—	.06	.32	—	25
26					.18	.22	—	.15	.22	.16	.12	—	26
27					.08	—	—	.37	.21	1.42	.06	—	27
28					—	—	—	—	—	.26	.01	1.40	28
29					.29	.55	—	.06	—	.27	—	.41	29
30	X				—	.21	.1	—	—	.10	.02	.29	30
31	X		X		.03	X	—	.10	X	.90	X	.10	31
Total					2.59 mp	3.49	2.57	3.98	2.94	11.36	4.42	4.54	YEAR'S TOTAL
Rain Days.						16	12	14	11	28	25	8	

W. 8,000. X. 15.

Plas Dinam REGIST[ER] 1912

LLANDINAM
PLAS-DINAM
1912 - 15, 18 - 1919

Kent at Llandinam

in the County of Montgome[ry]

by Mr David Bowen, Lla[ndinam]

Long. 3·26 W.

ation Llandinam

[Ob]n 9·0 am

Gauge 5 in.

Gauge above Ground 4 ft. — in.

Sea Level 504 ft.

FORM A. BRITISH RAINFALL. 14 JAN 1913

NOTE.—Rain should be measured daily a[t]
of rain and particulars as to the British Rain[fall]
to Dr. H. R. MILL, 62, Camden Square, Lond[on, N.W.]

day. Full instructions for the measurement
ll Observers," sent post-free on application

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.27			.38	.06	.08				.35	1
2	.03		.31			.39	.05					~~.35~~	2
3	.10		.12		.08	.21	.02	.91	.12			.05	3
4	.27		.95		.14	~~.21~~		.74		1[illegible]	12	~~.08~~	4
5	.74		.17		.02	.07		.21	.09			.02	5
6	.25	.21	.02		.08	.04		.14	.03			.05	6
7		.41	.16		12	.62	.04	.02	~~.03~~			.02	7
8	.34	.08	.24	.07		.04		.09	.02			~~.05~~	8
9	.06	.14	.23	.17		.19		.25			.04	11	9
10	.27					.32		.25			.50	.	10
11					.02						.34	.56	11
12	.04	.21	.11	.07			.13					.08	12
13	.06					.12		.15	.03	.21		.82	13
14			.67					.24				.41	14
15	.11	.07	.05		.07	.37		.02		.		.35	15
16	.15		.22					.03		.20		.12	16
17	.30		.03			.24		.30				.96	17
18	.14	.04	.22					.19		.04	.18	.18	18
19			.9			.08	.12	.31		.18	.03	.02	19
20	.04	.02	.40		.06		.03	.05		.54	.05	.	20
21		.03	.21		.21		.02	.51		.41	.02	.05	21
22		.09	.02		.70		.24	.30				.13	22
23	.21	.12	.09			.09	.05	.56				.05	23
24	.05		.37			.06	.02	.09			.26	.33	24
25			.07			.31	.06	.50		1.12	.04	.56	25
26		.13	.09				.19	.94		.76	.57	.20	26
27		.05	.18			.35	1.45	.22		.20	.59	.60	27
28		.11	.02			.05	.35	.20	.12	.11	.	.02	28
29		.04	.20				.31		.55		.48	.07	29
30			.05			.05	.06			.30		.	30
31			.29		.04		.41	.06	~~.06~~	.03		.09	31
Total	3.16	1.79	5.84	.31	1.54	3.98	3.61	7.41	.96	4.14	3.22	~~6.30~~ 6.30	TOTAL for year
No. of Rain Days.	~~17~~ 17	~~15~~ 15	~~28~~ 28	3	~~11~~ 11	19	18	26	7	12	13	25	194

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
1,000, I. '12.
Price 2d.

6 32

Plas Dinam 3

REGISTER OF RAINFALL IN 1912

Kent at Llandinam

in the County of Montgomery 4

by Mr David Bowen, Llandinam

Lat. 52·29 Long. 3·26

Nearest Railway Station Llandinam

Time of Observation 9·0 am

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. - in.

" " " Sea Level 507 ft.

FORM A. BRITISH RAINFALL. 14 JAN 1913

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.27			.38	.06	.08				.35	1
2	.03		.31			.39	.05					.35	2
3	.10		.12		.08	.21	.02	.91	.12			.05	3
4	.27		.95		.14	.21		.74		.14	.12	.00	4
5	.74		.17		.02	.07		.21	.09			.02	5
6	.25	.21	.02		.08	.04		.14	.03			.05	6
7		.41	.16		.12	.62	.04	.03	.00			.02	7
8	.34	.08	.24	.07		.04		.09	.02			.01	8
9	.06	.14	.22	.17		.19		.25			.04	.11	9
10	.27					.32		.25			.50	.	10
11					.02						.34	.56	11
12	.04	.21	.11	.07			.13					.08	12
13	.06					.12		.15	.03	.21		.82	13
14			.67					.24				.41	14
15	.11	.07	.05		.07	.37		.02		.		.35	15
16	.15		.22					.03		.20		.12	16
17	.30		.03			.24		.30				.96	17
18	.14	.04	.22					.19		.04	.18	.18	18
19			.9			.08	.12	.31		.18	.03	.02	19
20	.04	.02	.40		.06		.03	.05		.54	.05	.	20
21		.03	.21		.21		.02	.51		.41	.02	.05	21
22		.09	.02		.70		.24	.30		.	.	.13	22
23	.21	.12	.04			.09	.05	.56		.	.	.05	23
24	.05		.37			.06	.02	.09		.	.26	.33	24
25			.07			.31	.06	.50		1.12	.04	.56	25
26		.13	.09				.19	.94		.76	.57	.30	26
27		.05	.18			.35	1.45	.22		.20	.59	.60	27
28		.11	.02			.05	.35	.20	.12	.11	.	.02	28
29		.04	.20				.31		.55		.48	.07	29
30			.05			.05	.06			.30		.	30
31			.29		.04		.41	.06	.06	.03		.09	31
Total	3.16	1.79	5.84	.31	1.54	3.98	3.61	7.41	.96	4.14	3.22	6.30	TOTAL for year
No. of Rain Days.	17	15	28	3	11	19	18	26	7	12	13	25	194

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
1,000, I. '12. Price 2d.

REGISTER OF RAINFALL IN 1913

FORM A 7. BRITISH RAINFALL. 19 JAN 1914

Kept at Plas Pinan, Llandinam

in the County of Montgomery

by David Bowen, Plas Pinan

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 4 ft. ____ in. " " " Sea Level 504 ft.

Time of Observation ____

Nearest Railway Station: Name Llandinam Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	23	24	14	08	08	.	.	.	05	.	05	01	1
2		05	19	09	09	02	.	.	04	03	22	06	2
3	05	.	41	.	18	.	.	.	07	.	.	31	3
4	83	10	06	.	.	.	03	.	02	11	06	48	4
5	50	.	14	.	10	21	09	.	03	1.76	83		5
6	05	12	20	.	19	09	.	.	.	16	06	36	6
7	.	38	04	.	21	19	06	.	.	84	11	03	7
8	02	13	01	.	52	09	.	15	.	13	.	.	8
9	.	45	11	.	19	1.18	09	22	10	.	15	06	9
10	79	.	86	09	19	.	.	27	.	06	31	.	10
11	61	.	02	36	9	03	.	.	.	06	43	83	11
12	.	.	.	.	08	03	.	.	06	.	40	.	12
13	.	.	19	.	02	.	.	.	36	.	23	.	13
14	43	.	51	21	.	.	.	.	05	16	11	.	14
15	29	.	37	87	.	.	.	17	07	.	27	03	15
16	05	.	71	40	.	.	.	.	.	.	18	.	16
17	14	.	40	32	.	.	14	.	.	.	22	.	17
18	18	.	28	02	02	.	.	.	.	.	13	.	18
19	27	.	12	.	.	10	05	.	09	28	08	.	19
20	21	.	25	08	.	.	.	.	.	20	51	.	20
21		.	27	09	22	.	16	07	.	024	19	.	21
22	1.00	.	1.024	.	.	20		28	48	.	20	06	22
23		.	01	11	.	06		06	13	.	.		23
24	31	.	.	.	.	.		06	.	.	10		24
25	.	024	.	17	.	.		.	24	.	06	11	25
26	.	07	.	2.01	17	07		.	06	05	.	54	26
27	05		.	.28	.			.		.34	.	68	27
28	12		24	.55				.		.35	06	.	28
29	.		36	58	21			10		.43	.	.	29
30	43		.	05	02			.		12	24	.	30
31	40		34	.	25			.		024	.	.	31
Total	6.46	1.58	6.57	6.30	2.81	2.27	.52	1.83	2.45	5.76	4.32	2.16	TOTAL for year 43.03
No. of Rain Days	21	9	25	18	18	12	7	9	15	18	24	13	189

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

Copy

REGI

LLANDINAM

MONTGOMERY

1914-15

FORM A.
BRITISH RAINFALL.

19 MAY 1915

Kept at Plas Dinam, ·26

in the County of Mont… am

by David … Dinam

… in.

Ground 4 ft. in.

Sea Level 500 ft.

IMPORTANT NOT… he result entered to the previous day. If an Observer … rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~17~~		·	·	·	14	16	50	·	·	03	24	1
2	11		12	03	·	·	1·12	19	·	·	25	50	2
3	~~84~~		08	04	29	·	11	16	·	·	·	56	3
4	04		33	11	06	·	04	01	·	·	38	69	4
5	55		30	44	15	·	10	·	·	·	32	09	5
6	18	07	48	24	13	·	23	08	·	·	05	21	6
7		27		·	10	·	29	07	·	·	02	33	7
8	30	·	59	10	32	33	04	23	~~84~~	·	·	03	8
9	14	05	04	3	05	71	·	40	05	·	02	·	9
10		22		12	02	07	·	·	13	·	03	57	10
11		23	45	20	81	02	07	·	12	·	72	16	11
12		1·46	18	06		11	04	·	34	·	30	10	12
13		19	31				04	·	~~16~~ 17	17	67	·	13
14		66	15				·	·	~~04~~ 11	11	23	·	14
15	02		42				·	·	~~14~~ 05	05	15	08	15
16			12				·	·	17	·	·	03	16
17	03	41	37			08	03	·	27	·	·	09	17
18			02				·	·	~~07~~	05	·	04	18
19			06				·	·	22	·	13	36	19
20		34	07			31	·	25	·	·	·	33	20
21		16				06	12	22	~~06~~	06	·	10	21
22		32			024	05	55		~~05~~	05	03	·	22
23			12	02			09	33	~~05~~	05	·	·	23
24			50	02			01	34	~~03~~	02	06	·	24
25	13		03				02	13	~~34~~	37	03	22	25
26		06	11				12		~~08~~	08	38	60	26
27							3		~~10~~	18	46	1·44	27
28	38	09	12		10		08	02	~~10~~	10	·	36	28
29	11		02		18		·	03	~~15~~	15	21	1·27	29
30			07				·		02	03	29	·	30
31	23		02				15			22		26	31
Total	2·12	4·52	5·08	1·41	1·45	1·88	3·72	2·96	1·82	1·69	4·66	9·26	YEAR'S TOTAL 40·57
Rain Days.		6·64	11·72	13·13	14·58	16·46	20·18	23·14	24·96	26·65	31·31	40·57	

W. 8,000. X. 14.

12 14 25 12 12 10 21 15 13 15 21 24 194

Copy

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

19 MAY 1915

Kept at Plas Dwam, Llandinam

in the County of Montgomery 4

by David Bowen

Lat. 52·29 Long. 3·26

Time of Observation 9.0 am

Nearest Railway Station Llandinam

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~17~~		·	·	·	14	16	·50	·	·	03	24	1
2	11		12	03	·	·	1·12	19	·	·	25	50	2
3	~~04~~		08	04	29	·	11	16	·	·	·	56	3
4	04		33	11	06	·	04	01	·	·	38	69	4
5	55		30	44	15	·	10	·	·	·	32	09	5
6	18	07	48	24	13	·	23	08	·	·	05	21	6
7		27		·	10	·	29	07	·	·	02	33	7
8	30	·	59	10	32	33	04	23	~~04~~	·	·	03	8
9	14	05	04	3	05	71	·	40	05	·	02	·	9
10		22		12	02	07	·	·	13	·	03	57	10
11		23	45	20	81	02	07	·	12	·	72	16	11
12		1·46	18	06		11	04	·	34	·	30	10	12
13		19	31				04	·	~~16~~ 17	17	67	·	13
14		66	15				·	·	04 ~~11~~	11	23	·	14
15	02		42				·	·	~~14~~ 05	05	15	08	15
16			12				·	·	17	·	·	03	16
17	03	41	37			08	03	·	27	·	·	69	17
18			02				·	·	~~07~~	05	·	04	18
19			06				·	·	22	·	13	36	19
20		34	07			31	·	25	·	·	·	33	20
21		16				06	12	22	~~06~~	06	·	10	21
22		32			04	05	55		~~05~~	05	03	·	22
23			12	02			09	33	~~05~~	05	·	·	23
24			50	02			01	34	~~03~~	02	06	·	24
25	13		03				02	13	~~37~~	37	03	22	25
26		06	11				12		~~08~~	08	38	60	26
27							31		~~18~~	18	46	1·44	27
28	38	08	12		10		08	02	~~10~~	10	·	36	28
29	11		02		18		·	03	~~15~~	15	21	1·27	29
30		X	07				·		02	03	29	·	30
31	23	X	02	X		X	15		X	22	X	26	31
Total	2·12	4·52	5·08	1·41	1·45	1·88	3·72	2·96	1·82	1·69	4·66	9·26	YEAR'S TOTAL 40·57
Rain Days.		6·64	11·72	13·13	14·58	16·46	20·18	23·14	24·96	26·65	31·31	40·57	
	12	14	25	12	12	10	21	15	13	15	21	24	194

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

Kept at Plas Dinam, Llandinam

in the County of Montgomery

by David Bowen

Lat. 52·29 Long. 3·26

Time of Observation 9·0 am

Nearest Railway Station Llandinam

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 500 ft.

FORM A. BRITISH RAINFALL. 14. JUN. 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	87	·15	·06	·	·68	·	·	·11	·17	·27	·	·28	1
2	15	·29	·19	·12		05	·	1·60	·03	·02	·	19	2
3	·	·15	·08	·29		·	·22	·03	·	·	·	046	3
4	·08	·40	·02		·20	·	·09	·03	·09	·	·	1·15	4
5	·09	·73	·05			·06	·	·04	·	·	·	·46	5
6	·14	·03	·	·17			·36	·02	·	·	·	31	6
7	34	·55	·	·15			·	·25	·	·	·02	35	7
8	48	·47	·	·16			·	·10	·	·08	17	·	8
9	·	·33	·	·20			·	·	·	·16	33	91	9
10	61	·	03	·13			·	·05	·	·	20	20	10
11	05	·	·	·04	·17		·04	·04	·	·	1·04	·	11
12	11	04	·	·	·49		·	·03	·	·	76	·07	12
13	02	44	·	·	·		·02	·21	·05	·	·	·05	13
14	10	·	·	·	·10		·	·35	·04	·	·	·21	14
15	74	·	·04	·03	·75		·17	·29	·	·	15	·16	15
16	20	45	·	·	·47		·10	·07	·	·	·	·06	16
17	·	84	05	·	·06		·	·02	·	·	·	·09	17
18	02	66	·	·	·		·	·04	·	·	·	·	18
19	33	11	06	06			·20	·02	·	·	·	·	19
20	12	·	·	·16	03		·03	·	·	·	·	·03	20
21		·		·			12	·		·21		·03	21
22		·06	·11	·10			12	·	·	·03		·18	22
23			19			03	·02	·	·	·		·28	23
24			·12	·09		·29	·05	·	·11	1·14	·	·48	24
25							·	·	·02	·	·	·09	25
26		·25					·26	·	·03	·	·	(64) ·03	26
27		12					·41	·	·	·29	·	·83	27
28		23				·09	·06	·08	·05	·		·05	28
29					·024	05	·04	·03	·10	·05	16	·08	29
30		X		·09		20	·	·09	·03	·15		19	30
31	32	X		X		X	11		X	16	X	56	31
Total	4·77	6·30	1·00	1·73	2·49	·77	3·02	3·49	·72	2·56	2·83	8·44	YEAR'S TOTAL 38·12
Rain Days.	18	19	12	14	10	7	18	21	11	11	8	27	176

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1918

FORM A 1. BRITISH RAINFALL.

Kept at Plas Dinam

in the County of Montgomery

by D. Bowen

RAIN GAUGE: Pattern ____ Diameter of top 5" in. Height of top above Ground 3 ft. ____ in. " " " Sea Level 504 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Llanidloes Distance 3/4 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.09				.18	.14	.05	.65		1
2				.04	.88			.16	.09	.01		.35	2
3					.38				.76	.21	.02		3
4		.84							.41	.33	.49	.15	4
5		.03		.13	.51			.03	.13	.58	.19		5
6		.48		.45						.51		.03	6
7	.02	.17			.55				.25	.32	.11		7
8		.10		.22			.18		.38	.12	.35	.07	8
9		.51		.08		.49	.07		.45	.08	.08	.05	9
10		.74					.21		.34	.06	.24	.24	10
11	.07	.19	.04		.07		.28		.83		.02	.16	11
12		.12			.04		.21		.16			.03	12
13		.04			.06		.20		.25	.03		.09	13
14			.07				.83		.35			.38	14
15							.25		.58	.13		.32	15
16	.49			.08	.04		.03	.05	.19			.12	16
17	.33			.02			.32	.04	.30	.04		.25	17
18	.26		.08				.01	.01	.41			.77	18
19	.29	.07					.12		.07	.06		.28	19
20	.13	.08	.09	.04			.06		.30			.29	20
21	.04	.26		.11			.08		.39			.38	21
22				.59	.48		.20		.21				22
23	.19	.03			.69		.02		.06		.18	.12	23
24		.09			.28		.20	.18	.07		.08		24
25						.19	.08	.38	.84		.12	.22	25
26							.28	.03	.88		.13		26
27		.09	.32				.10	.25	.40		.10	.50	27
28			.46					.09	.02	.06		.36	28
29			.08						.51	.04		.08	29
30			.24								.04	.22	30
31			.56									.02	31
Total	1.82	3.04	1.94	1.85	3.18	.68	3.73	1.40	8.67	2.63 2.63	2.80	5.46 5.46	TOTAL for year 37.20 37.20
No. of Rain Days	9	16	9	11	11	2	20	11	28	16	15	24	172

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

REGISTER OF RAINFALL IN 19~~19~~

FORM A1. BRITISH RAINFALL.

Kept at Plâs Dinam

in the County of Montgomery

by D. Bowen

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 3 ft. ____ in. " " " Sea Level 503 ft.

Time of Observation 9. a. m.

Nearest Railway Station: Name Llandinam Distance ¾ Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31				.31		.30		.07	.19	.09	.37	1
2	.08		.02						.49			.34	2
3	.02		.04								.04	.04	3
4		.08	.28		.08	.17	.18		.04		.11	.36	4
5	.04	.17					.07				.04	.64	5
6	.06	.12	.39								.03	.25	6
7	.08		.07	.09							.04	.08	7
8	.82		.02		.02	.06					.03	.19	8
9	.51		.04	.04		.01				.04		.03	9
10	.35		.47	.05								.02	10
11	.07		1.10	.08	.02	.04	.14			.03			11
12	.12		.87	.05		.98	.06		.06	.04		.03	12
13	.27			.12					.14	.31		.06	13
14	.35	.02		.56			.04			.12			14
15	.34	.12		.29				.07		.16		.82	15
16	.05	.27						.49			.19	.02	16
17	.03	.70				.13	.13	.28			.74	.10	17
18	.11	.07	.62						.06		.03	.02	18
19	.13	.14	.28			.09		.05	.12		.19		19
20	.03	.06	.49			.13			.11		.18	.04	20
21	.34	.18				.02	.21		.06			.26	21
22				.02					.62		.03	.69	22
23						.15			.06	1.03 (1.03)	.12	.13	23
24					.15	.04				.53	.19	.34	24
25	.21			.19		.02	.08	.26	.03	.05	.25		25
26			.49	.36		.05		.29	.18		.04	.38	26
27	.08		.06	.25				.10					27
28		.03	.11					.86		.09		.44	28
29	.15			.06				.04				.42	29
30			.12			.08		.07			.28	.20	30
31							.06					.06	31
Total	~~4.75~~ 4.55	1.96	5.47	2.08	.58	1.94	1.14	2.58	2.04	2.59	~~2.65~~ 2.62	~~6.63~~ 6.33	TOTAL for year 33.83 ~~34.06~~
No. of Rain Days	23	12	17	13	5	14	9	10	13	11	18	26	171

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

4255

LLANDYSILLIO RECTORY

1914 - 20

REG

FORM A. BRITISH RAINFALL

19 MAY 1915

Kept at Llandyrlio

in the County of Mont

by H G Dickinson

in.

Ground ft. in.

Sea Level ft.

IMPORTANT NO the result entered to the previous day. If an O ersal rule, he is earnestly requested to add the re 1919 r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·06				-	·01	·30	1
2						-				-	·32	·32	2
3						-				-	·01	·92	3
4						-				-	·66	·41	4
5						-				-	·15	-	5
6						-				-	·07	·32	6
7						·11				-	-	·24	7
8						·03				-	-	·05	8
9						·55				-	-	-	9
10						·04				-	·01	-	10
11						·10				-	·47	·45	11
12						·01				-	·19	·30	12
13						-				(·17)	·25	·14	13
14						-				·28	·24	·01	14
15						-				-	-	-	15
16						-				-	-	·05	16
17						·01				-	-	·58	17
18						-				-	-	·17	18
19						-				-	·04	·29	19
20						·08				·01	-	·18	20
21						·70				·14	-	-	21
22						·05				·05	-	·05	22
23						·02				·01	-	-	23
24						-				·03	·06	-	24
25						-				·54	·03	·28	25
26						-				·13	·15	·25	26
27						-				-	·26	1·42	27
28						-				·01	·04	·47	28
29						-				·13	·15	·05	29
30		X				-				·03	·30	·26	30
31		X		X		X			X	·04	X	·05	31
Total						1·76				1·57	3·41	7·56	YEAR'S TOTAL
Rain Days.						12				13	19	24	

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

19 MAY 1915

REGISTER OF [illegible]

Kept at Llandyssilio Rectory

in the County of Montgomery

by Rd G Dickinson per Montgom Co Times

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·06				-	·01	·30	1
2						-				-	·32	·32	2
3						-				-	·01	·92	3
4						-				-	·66	·41	4
5						-				-	·15	-	5
6						-				-	·07	·32	6
7						·11				-	-	·24	7
8						·03				-	-	·05	8
9						·55				-	-	-	9
10						·04				-	·01	-	10
11						·10				-	·47	·45	11
12						·01				-	·19	·30	12
13						-				(17)	·25	·14	13
14						-				·28	·24	·01	14
15						-				-	-	-	15
16						-				-	-	·05	16
17						·01				-	-	·58	17
18						-				-	-	·17	18
19						-				-	·04	·29	19
20						·08				·01	-	·18	20
21						·70				·14	-	-	21
22						·05				·05	-	·05	22
23						·02				·01	-	-	23
24						-				·03	·06	-	24
25						-				·54	·03	·28	25
26						-				·13	·15	·25	26
27						-				-	·26	1·42	27
28						-				·01	·04	·47	28
29						-				·13	·15	·05	29
30		X				-				·03	·30	·26	30
31		X	X		X				X	·04	X	·05	31
Total						1·76				1·57	3·41	7·56	YEAR'S TOTAL
Rain Days.						12				13	19	24	

W. 8,000. X. 14.

Cor. for auth. 29. V. 15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

14 MAY 1915

Kept at LLANDYSILIO Rectory

in the County of Montg.

by H. J. Dickinson.

Lat. 52.45.58. Long. 3.5.8

Time of Observation 9 a.m.

Nearest Railway Station Buttington Junc

Diameter of Rain Gauge 4.99 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05			06	58	66			01	30	1
2		03	03		03		1.08	14			32	32	2
3	02		02	13	24			01			01	92	3
4	10		05	15	18		35				66	41	4
5	16		05	23	09		13				15		5
6	03	03	00	06	06						07	32	6
7	02	03	44	08	06	11	18	15				24	7
8	04			02	13	30	17	21	03			05	8
9	15			08	10	55		22	18				9
10		08		09	00	04			12		01		10
11		20	26	01		10	12		06		47	45	11
12		04	17			01	08		22		19	30	12
13		18	22						03		25	14	13
14		47	08							28	24	01	14
15		03	42						04				15
16			02						15			05	16
17	01	27	12			01	02		03			58	17
18			08									17	18
19			04				59		11		04	29	19
20		37	14			08	15	03		01		18	20
21	16					70		10		14		05	21
22		17			18	05		28		05		.	22
23		02	06		02	02				01			23
24	01		64				07	16		03	05		24
25	19		02					31		54	03	28	25
26								22		13	15	25	26
27	02										26	1.42	27
28	15		09		10					01	04	47	28
29	12									13	15	05	29
30	01	X	04		04			03		03	30	26	30
31	15	X		X		X	23	04	X	(04)	X	05	31
Total	1.33 ~~1.17~~	2.52 ~~2.78~~	3.04	.85	1.23	2.03	3.75	2.56 ~~2.52~~	.97	~~1.36~~ 1.40	3.41	7.56	YEAR'S TOTAL ~~30.74~~ 30.64
Rain Days.	16	13	21	9	12	12	~~12~~ 13	14	10	N	19	24	~~173~~ 174

W. 8,000. X. 14.

See duplicate

From MS

4239

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

14 MAY 1916

Kept at Llandysilio Rectory

in the County of Montgomery

by H. G. Dickinson
County Times

Lat. 52° 45′ 58″ Long. 3° 5′ 8″

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 4·99 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·12			·51		·03	·09	·07	·17			1
2		·13			·02		·01	1·91		·03			2
3		·20					·28	·33					3
4		·27			·31		·30	·04					4
5		·14				·05		·09					5
6		·01					·54						6
7		·40					·03	·21					7
8		·10						·11					8
9		·07						·01		·03			9
10								·12		·02			10
11					·04		·14	·11					11
12					·29			·04		·24			12
13		·57			·39			·02		·01			13
14								·25	·07				14
15					·10		·09	·11					15
16		·27			·61		·94	·26					16
17		·68			·73			·04					17
18		·64											18
19		·01			·14		·15						19
20					·01								20
21							·16			·07			21
22		·05				·02	·19			·06			22
23		·11				·04	·09		·05	·83			23
24							·24		·12	·67			24
25						·28							25
26		·17					·19		·03	·25			26
27		·22					·40			·03			27
28		·25						·12	·03				28
29		X				·36		·01					29
30		X				·57	·25		·03	·14			30
31		X	X			X	·16	·04	X	·05	X		31
Total		4·41			3·15	1·32	4·19	3·91	·40	2·60			YEAR'S TOTAL
Rain Days.		19			11	6	18	19	7	14			

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 16 FEB 1917

Kept at LLANDYSILIO Vicarage

in the County of Montgomery.

by H. S. Dickinson.

Lat. 52.45.58 N Long. 3.5.8

Time of Observation 9 a.m.

Nearest Railway Station Four Crosses Cambrian

Diameter of Funnel of Rain Gauge 4.99 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	21		39		07	09	44						1
2	67	.15	25			4	03			91	16		2
3		35					11			34	09	03	3
4	12	11		06	44	25	53			30	09		4
5	10	07	03		32		21			64	21		5
6	09	32	02		15	04	40			08	06		6
7		03				03	02			12	28	34	7
8	06	06	10			19			00	02	02	08	8
9	01	33	03		30	01	19		06	04	07		9
10		13	08		4		01			03			10
11		01	07	02	14		16			04		05	11
12		~~03~~	~~1~~ 1/2	~~03~~	17					06		04	12
13		36	16	03	02					30		02	13
14		26	03	04						07			14
15		46	21	29	03					08			15
16		13	16	19			03			06			16
17		06		21					25	24			17
18		12	10	13							32	24	18
19	20		31	03						01	32		19
20	13			7						01	05		20
21	24		48	11		02	07			01	03		21
22	03		12	03		02				20	01	20	22
23			01			16				04	12	23	23
24			10		96	05				19	02	09	~~24~~
25		03	11		07	03				2	25		25
26	03	03				19				14			26
27	03	12			04	03			34	30			27
28		35				03				10		22	28
29		18				47				9		09	29
30		X				14				30		02	30
31		X		X		X			X	53	X	03	31
Total	~~1.92~~ 1.92	~~3.69~~ 3.86	2.88	~~1.21~~ 1.17	2.75	1.79	1.90	1.80	.65	5.27	2.10	1.68	YEAR'S TOTAL ~~27.35~~ 27.64
Rain Days.	13	22	20	12	13	17	12.'	?	4.'	29	16	14	...

N.B. W. 8,000, VIII. 16 Observer absent from home - 9 a.m. misunderstanding - raingauge was not measured from July 28 - Sept 6 - when 1.74 was found in it (it is entered 1.80 to allow for evaporation)

REGISTER OF RAINFALL IN 19[illegible]

3993

FORM A. BRITISH RAINFALL. 11 JAN

Kept at LLANDYSILIO Vicarage

in the County of Montgomery

by H. S. Dickinson

Lat. 3 5 8 Long. 3 5 8.

Time of Observation 9 a.m.

Nearest Railway Station Four Crosses

Diameter of Funnel of Rain Gauge 4.99 in.

Height of top of Gauge above Ground ~~2 0 6~~ ft. 12 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			03	24		14		03	15				1
2				06		12		07					2
3		06				01			"	30			3
4		12	10					12		71			4
5	15		19	16				07		17			5
6			18							20			6
7	34			05						20			7
8	12			11				31		48			8
9			27	41	13			06		16			9
10	22		53	10	11			07		05			10
11	19			09				39		40			11
12	9			08	79			26	02	08			12
13				07				50	07	01		2.48	13
14					03			07		02			14
15					03		15	68		06		08	15
16		08				03		02		02		22	16
17	03		04	20	39	16	.51	48	04	03			17
18			01	03	03			08	42	04			18
19		51	28	01		40		03	02				19
20		17			30	58			14				20
21			07		02			03		03			21
22			03		02	06		15	02	04			22
23		15		02	22	07	01	16	03	06			23
24		03				03	01	11		36			24
25		07				03		02		08			25
26						02	03	31	10	3.50			26
27			01		1.39	25	12	54					27
28						06		56					28
29								13					29
30		X	19					27				30	30
31		X	14	X		X		26	X		X		31
Total	1.14	1.19	2.07	1.62	3.46	1.96	.83	5.78	1.01		6.58		YEAR'S TOTAL 25.64
Rain Days.	7	8	14	14	12	14	6	27	10				

Rainfall sent returned from Dec. 13. until

W. 8,000, IX. 17.

3993 IC

Reference Number O. 503.

All Communications must be addressed to:—
THE DIRECTOR,
Meteorological Office,
South Kensington,
LONDON,
S.W.7.

Telegrams:
~~WEATHER~~, SOUTHKENS—LONDON.
Telephone: KENSINGTON 5820.

METEOROLOGICAL OFFICE,
SOUTH KENSINGTON, LONDON, S.W.7.

21st August, 1917.

Dear Mr. Mossman,

I do not think that there is any occasion to suspect errors in the rainfall record from Llandysilio. The number of rain days, six, agrees with that at Shrewsbury, and the falls are mostly on the right days, though there was a fall at Shrewsbury and also at Welshpool on the 18th, but not at Llandysilio. The actual amounts entered for Llandysilio are shown below.

July	Amount in inches and decimals.
1	·00
15	·15
17	·51
23	;01
24	·01
26	·03
27	·12

Yours sincerely,

G. W. Whipple

R.C.Mossman, Esq.,
British Rainfall Organization,
62 Camden Square,
N.W.1

Ca. Ly dsv.

REGISTER OF RAINFALL IN 19 18

FORM A. BRITISH RAINFALL.

21.1.19

Kept at LLANDYSILIO Rectory

in the County of Montgomery.

by H. J. Dickinson

Lat. 52.45.58 Long. 3.5.8

Time of Observation 9. a.m.

Nearest Railway Station Four Crosses

Diameter of Funnel of Rain Gauge 4.90 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03		12				03		03			1
2		04		04			23	18		01	33	52	2
3		02			32			39		08	01	22	3
4		05		23						30		03	4
5		06		16	17					33	39	02	5
6		35		01		06				56		01	6
7		07					49			04	04	01	7
8	09	37								14	06	01	8
9	04	98		19		20	20				27	02	9
10	09	05		19			26			03		16	10
11	03	01			09		05					06	11
12		05			12		51		3.60	04		06	12
13				01			75		15	07		16	13
14						04	13		35	18		17	14
15	56					03	18		58			38	15
16	26			20		13		05	19	07		22	16
17	58				05	05			23	08		18	17
18	21		02			25			20	05		04	18
19	7	11	07			01			36			13	19
20	11	09		29		08	10		56			20	20
21	7	08			05		13		04				21
22	3				13		24	03	07				22
23	25				23		49		03				23
24		13					23	10	08		15		24
25					21	03	30	51	06		02		25
26									36		02	15	26
27		28	08					21	05		10	16	27
28		23	30		04				50		04	14	28
29			19						01			08	29
30		X						27				18	30
31		X		X		X			X		X	10	31
Total	2.39	2.82	.66	1.44	1.41	.88	4.29	2.37	7.42	2.01	1.43	3.41	YEAR'S TOTAL 30.53
Rain Days.	13	18	5	10	10	10	15	9	(27) 15	15	11	25	158? (168)

~~15 + 12~~ ?

W. 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at LLANDYSILIO Vicarage

in the County of Montgomery.

by H. J. Dickinson.

Lat. 52.4558 Long. 3.5.8

Time of Observation 9 a.m.

Nearest Railway Station Four Crosses

Diameter of Funnel of Rain Gauge 4.99 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		02	05	21	15		21		13	19		13	1
2	03	07		22	06		30		01	06		25	2
3				23	02		65	02	12	11		19	3
4	02		09	02	03		01	32	03	25			4
5			31	07	02		33	07	02	20			5
6			01	07	05		02					05	6
7	02	03	03		12		11						7
8		10		49	07		47	16					8
9	39	25		55			03	11				02	9
10	66	34	04				23					04	10
11	06	07	06	34		20	05				03		11
12	14	01	15	07		44					09		12
13	20	01	20			01					23		13
14	04	03	69	09	30	05	03		1.05	45	55		14
15	05	17	06	40		36			05	52			15
16	01			02	40	22	51		37	73			16
17	09				22	05		03	32	03			17
18	18			06	34		01	07					18
19	19	1.36		12	05	07		06					19
20	03	08		10			03						20
21				07			24	08	01				21
22				01			51	37	01				22
23			09	02			03	05					23
24	10		39	01			01					55	24
25	09	08	15	06	05	07	67					22	25
26	22	01	44	02	06	05	?				04		26
27	36		34	05	22	41	?				05	28	27
28	40		31	05	11	15	36					11	28
29	08		26	17	1.16	04	?					76	29
30	18		32	35	02	14	?		37		25	23	30
31	18		02					10		44		04	31
TOTAL	3.72	2.63	4.01	3.87	3.45 3.75	2.26	4.81 4.71	1.44	2.49	2.98	1.24	2.87	YEAR'S TOTAL 35.37 35.37
Days with .01 in. or more	23	15	20	26	19	14	(24)	12	12	10	7	13	195 ~~177~~
Days with .04 in. or more	18	9	17	20	15	13	(14)	10	7	9	6	12	158 ~~130~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

16 MAY 1914

REG

LLANIDLOES
COUNTY SCHOOL
MONTGOMERY
1913-14

Kept at Llanidloes .M

in the County of Mont Llanidloes

by W.D. Lewis Sloping pattern

e Ground — ft. 6 in. 0

Sea Level 531 ft.

IMPORTANT NO the result entered to the previous day. If an Observer versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·15	·05	·07	·03	-				·50	-	·12	1
2		·04	·50	·06	·29	·04				·25	·25	·50	2
3		·02	·58	·01	·03	-				·50	-	·83	3
4		·13	·16	-	·05	-				·01	·13	·15	4
5		·15	·25	-	·30	·11				·75	·01	·11	5
6		·08	·44	-	·03	·07				·15	·03	·12	6
7		·55	·07	-	·15	-				·60	·14	-	7
8		·12	·05	·01	·20	·50				·01	-	·13	8
9		·40	·16	·06	·05	1·86				-	·18	-	9
10		·	·10	·05	·25	·01				·06	·29	·07	10
11		·	-	·36	·40	-				-	·68	·	11
12		·	-	-	·01	-				·08	·38	-	12
13		·	·32	·45	-	-				·01	·32	-	13
14		·	·55	·24	-	-				·25	·28	-	14
15		-	·60	1·24	-	-				-	·25	·07	15
16		-	·20	·11	-	-				-	·48	·	16
17		-	·32	·33	·01	-				-	·23	·	17
18		-	·32	·40	-	-				-	·26	·01	18
19		-	·22	·02	·02	-				·30	-	·	19
20		-	·25	·17	·27	·11				·27	·14	-	20
21		-	·20	·03	-	-				·05	·92	-	21
22			1·10	-	-	-				-	·08	·01	22
23		-	-	-	-	·28				-	·13	·06	23
24		·02	-	-	-	·06				-	·09	·22	24
25		·02	-	·03	-	-				-	·12	·88	25
26		·04		·90	-	-				·05	-	·32	26
27		·04	·03	1·30	-	·02				·35	-	·10	27
28		-	·14	·80	-	·01				·40	-	-	28
29		-	·29	1·45	·02	-				·40	·27	-	29
30		-	·01	·30	-	-				·15	·27	·12	30
31		-	·30	-	·27	-				·25	-	-	31
Total		1·76	~~7·21~~ ~~7·31~~	8·39	~~2·018~~ ~~1·99~~	3·07				5·39	5·93	3·82	YEAR'S TOTAL ~~37·06~~
Rain Days.		13	25	22	17	11				221	23	17	~~150~~

Rainfall totals (in mm) kept for these months (& June & July of Meteorological years)

For January & June in future these months will be filled in (1915)

W.7,000, XI. 13

REG[illegible]

FORM A. BRITISH RAINFALL. 16 MAY 1914

Kept at Llanidloes County School

in the County of Montgomery

by W. D. Lewis Asst. Master.

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Llanidloes

Diameter of Rain Gauge 8 Rim 5 pattern

Height of top of Gauge above Ground — ft. 6 in.0

" " " " Sea Level 531 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·15	·05	·07	·03	—				·50	—	·12	1
2		·04	·50	·06	·29	·04				·25	·25	·50	2
3		·02	·58	·01	·03	-				·50	-	·83	3
4		·13	·16	-	·05	-				·01	·13	·15	4
5		·15	·25	-	·30	·11				·75	·01	·11	5
6		·08	·44	-	·02	·07				·15	·03	·12	6
7		·55	·07	-	·15	-				·60	·14	-	7
8		·12	·05	·01	·20	·50				·01	-	·13	8
9		·40	·16	·06	·05	1·86				-	·18	-	9
10		·	·10	·05	·25	·01				·06	·29	·07	10
11		·	-	·36	·40	-				-	·68	·	11
12		·	-	-	·01	-				·08	·38	-	12
13		·	·32	·45	-	-				·01	·32	-	13
14		·	·55	·24	-	-				·25	·28	-	14
15		-	·60	1·24	-	-				-	·25	·07	15
16		-	·20	·11	-	-				-	·48	·	16
17		-	·32	·33	·01	-				-	·23	·	17
18		-	·32	·40	-	-				-	·26	·01	18
19		-	·22	·02	·02	-				·30	-	·	19
20		-	·25	·17	·27	·11				·27	·14	-	20
21		-	·20	·03	-	-				·05	·92	-	21
22		-	1·10	-	-	-				-	·08	·01	22
23		-	-	-	-	·28				-	·13	·06	23
24		·02	-	-	-	·06				-	·09	·22	24
25		·02	-	·03	-	-				-	·12	·88	25
26		·04	-	·90	-	-				·05	-	·32	26
27		·04	·03	1·30	-	·02				·35	-	·10	27
28		-	·14	·80	-	·01				·40	-	-	28
29		-	·29	1·45	·02	-				·40	·27	-	29
30		-	·01	·30	-	-				·15	·27	·12	30
31		-	·30	-	·27	-				·25	-	-	31
Total		1·76	7·21 7·31	8·39	2·018 1·99	3·07				5·39	5·93	3·82	YEAR'S TOTAL 37·66
Rain Days.		13	25	22	17	11				221	23	17	150

Relative state (as to wet or dry) of the months for [illegible] (Schools closed throughout August)

For purposes of comparison the months will be taken in the following order: (Wet.) [illegible]

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 22 JAN 1915

Kept at Llandloes County Schools

in the County of Montgomery

by W. H. Brookes.

Lat. ..... Long. .....

[redacted] e of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2		.06				.01							2
3													3
4					.32								4
5					.15								5
6		.20			.37								6
7		.10			.04	.01							7
8		.02			.18	.25							8
9		.06			.41	.78							9
10		.53			.02	.04							10
11		.25			.05	.08							11
12		1.25											12
13		.36											13
14		.80											14
15		.05											15
16		.07											16
17						.55							17
18		.02											18
19		.02				.05							19
20						.75							20
21		.02				.04							21
22		.50			.13								22
23		.06											23
24													24.
25		.02											25
26													26
27													27
28													28
29					.10								29
30													30
31					.07								31
Total		4.39			1.84 1.84	2.56 2.05							YEAR'S TOTAL
Rain Days.		18			10	10							

W.7,000, XI. 13

82

RE… …N 1911

Kept at Dernol,

in the County of Mont…

by E. Price …

LLANGURIG
DERNOL

1911 - 1920

…tern

…meter of top …in.

…ght of top above Ground …ft. …in.

„ „ Sea Level …ft.

…rvation

…lway Station { Name … / Distance … Direction …

FORM A2. BRITISH RAINFALL.

26 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.96		.04		.11	.06			.07	.08	1
2			.18		.23			.30		.05	.18	.06	2
3			.12	.02	.93			.05	.02	.06	.62	.09	3
4			.10		.10			.65		.04	.72	.14	4
5	.29			.03				.81		.12	.60	.08	5
6	.17		.09	.02				.02		.03	.40	.13	6
7	.02		.23								.18	.16	7
8	.55		.13								.14		8
9	.23		.07								.21	1.09	9
10	.11	.19	.18									.51	10
11	.09		.06		.06				.15		.56	.86	11
12	.16								1.57	.08	2.21	.16	12
13	.13		.12								.92	.29	13
14	.09	.31	.13								.24	.33	14
15		.12	.24								.16	.11	15
16		.27	.13			.50					.27	.19	16
17		.19	.09			1.41					.31	.13	17
18		.37	.26	.36		.57					.10	1.87	18
19		.09		.59		.38	.16	.03	.66	.33	.09	.29	19
20		.23		.25		.01		.21	.66	.41	.04	.18	20
21		.74	.12	.07		.17	.03	.71		.73		.28	21
22		.66		.05		.15			.08	.46		.87	22
23		.19		.08	.09	.11		.24	.29	.25		.46	23
24	.26	.12		.04	.06	.29		.23		.60		.33	24
25	.08	.24		.37		.09	.21		.07	.08		.73	25
26	.11			.51				.44	.12	.71		.29	26
27	.06	.61	.17	.53				.32	.62	.27		.19	27
28		1.04		.36		.18		.23	.08		.06	.13	28
29						.64	.59		.71	.35	.07	.14	29
30						.06			.09	.97	.09	.11	30
31			.11		.08					.21			31
Total	2.35	5.37	3.49	3.28	1.59	4.56	1.10	4.30	5.12	5.70	8.24	10.28	TOTAL for year 55.43
No. of Rain Days	14	15	19	14	8	13	5	14	13	18	22	29	184

9,000, IX. '10.

82

REGISTER OF RAINFALL IN 1911

FORM A.2. BRITISH RAINFALL. 26 JAN 1912

Kept at Dernol, Llangurig

in the County of Montgomery 3

by E. Price

RAIN GAUGE { Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. „ „ „ Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·96		·04		·11	·06			·07	·08	1
2			·18		·23			·30		·05	·18	·06	2
3			·12	·02	·93			·05	·02	·06	·62	·09	3
4			·10		·10			·65		·04	·72	·14	4
5	·29			·03				·81		·12	·60	·08	5
6	·17		·09	·02				·02		·03	·40	·13	6
7	·02		·23								·18	·16	7
8	·55		·13								·14		8
9	·23		·07								·21	1·09	9
10	·11	·19	·18									·51	10
11	·09		·06		·06				·15		·56	·86	11
12	·16								1·57	·08	2·21	·16	12
13	·13		·12								·92	·29	13
14	·09	·31	·13								·24	·33	14
15		·12	·24								·16	·11	15
16		·27	·13			·50					·27	·19	16
17		·19	·09			1·41					·31	·13	17
18		·37	·26	·36		·57					·10	1·87	18
19		·09		·59		·38	·16	·03	·66	·33	·09	·29	19
20		·23		·25		·01		·21	·66	·41	·04	·18	20
21		·74	·12	·07		·17	·03	·71		·73		·28	21
22		·66		·05		·15			·08	·46		·87	22
23		·19		·08	·09	·11		·24	·29	·25		·46	23
24	·26	·12		·04	·06	·29		·23		·60		·33	24
25	·08	·24		·37		·09	·21		·07	·08		·73	25
26	·11			·51				·44	·12	·71		·29	26
27	·06	·61	·17	·53				·32	·62	·27		·19	27
28		1·04		·36		·18		·23	·08		·06	·13	28
29						·64	·59		·71	·35	·07	·14	29
30						·06			·09	·97	·09	·11	30
31			·11		·08					·21			31
Total	2·35	5·37	3·49	3·28	1·59	4·56	1·10	4·30	5·12	5·70	8·24	10·28	TOTAL for year 55·43
No. of Rain Days	14	15	19	14	8	13	5	14	13	18	22	29	184

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 4 JAN 1913

Kept at Dermot

in the County of Montgomery 3

by Evan Price

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llanidloes

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 9 in.

" " " " Sea Level 840 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	84	5	—	36	1	30	—	—	—	29	1
2	41	22	51	4	—	53	5	—	—	—	—	4	2
3	55	—	39	4	1	13	4	91	44	—	4	19	3
4	96	8	46	2	3	5	5	88	2	—	6	7	4
5	83	9	138	6	13	—	—	26	3	—	44	—	5
6	112	15	3	3	4	—	—	2	4	—	—	6	6
7	13	46	41	2	41	48	34	16	4	—	—	13	7
8	38	33	30	11	—	4	—	21	12	—	—	—	8
9	34	11	18	9	—	2	—	32	1	—	9	42	9
10	19	9	9	12	—	44	3	26	—	—	40	2	10
11	5	4	4	—	—	—	6	2	—	—	48	25	11
12	26	20	13	—	—	36	8	—	—	—	39	38	12
13	19	—	6	—	—	6	4	23	—	2	18	126	13
14	18	8	24	—	1	12	—	43	—	1	9	103	14
15	—	3	53	—	3	56	—	5	—	—	11	64	15
16	—	—	51	—	9	77	—	9	—	53	4	28	16
17	32	—	25	—	10	4	—	23	—	—	13	84	17
18	21	—	21	—	4	12	—	51	—	21	50	53	18
19	10	—	29	—	4	—	—	64	—	63	—	11	19
20	6	—	34	—	—	—	—	35	—	102	26	12	20
21	—	31	21	—	35	1	2	31	—	84	2	8	21
22	22	38	42	—	64	4	3	105	—	—	3	14	22
23	18	—	31	—	—	3	2	102	—	4	1	17	23
24	—	—	9	—	1	23	13	1	—	—	7	46	24
25	—	—	32	—	—	12	23	92	—	—	84	24	25
26	—	29	4	—	—	46	12	68	—	153	121	31	26
27	—	—	5	—	—	9	131	—	—	71	11	39	27
28	—	—	61	—	—	—	85	31	6	19	53	22	28
29	11	23	23	—	—	11	144	48	45	26	29	16	29
30	—		31	—	3		21	1	—	42	—	21	30
31	—		16	—	3		41	12		11		24	31
Total	6·29	3·09	10·36 10·26	6·1	2·02	5·46	4·50	10·92	1·24	6·55 6·56	6·45	9·11 9·11	YEAR'S TOTAL 66·60
Rain Days.	20	16	31	10	16	23	20	28	9	14	23	29	234

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

cod for auth 29-IV-14

FORM A. BRITISH RAINFALL. 502a

31 JAN 1914

Kept at Dernol

in the County of Montgomery

by E. Price

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.15	.29	.09					.04		.07	.15	1
2	.03	.31	.21	.11						.91	.23	.13	2
3	.22	.09	.09		.29				.02		.01	.62	3
4	.67	.05	.14		.10				.52	.53	.10	1.04	4
5	.32	.13	.03		.32	.21	.11			.67	.18	.09	5
6	.06	.14	.07		.12	.32	.21			.41	.09	.31	6
7	.16	.77	.08		.14	.14				.56		.06	7
8		.31			.77	.03	.09	.38		.24		.04	8
9	.16	.53	.11		.18	2.76	.32	.07			.56	.19	9
10	.36		.09		.11	.15		.27	.03	.05	.59		10
11	.78				.09	.07	.01			.26	.48	.44	11
12	.11			.05	.43		.05		.15		.76	.09	12
13	.04		.15	.35			.02		1.11		.64	.07	13
14	.09		.14	.36					.11	.45	.49		14
15	.65		.53	.98					.05		.33		15
16	.50		.47	.40		.07	.03				.67		16
17	.23		.63	.35		.02	.45				.31		17
18	.25		.72	.73	.18		.05				.13		18
19	.29		.54	.15	.14	.14			.06	.31	.24		19
20	.31		.65	.06	.09				.02	.19	1.29		20
21			.69	.31	.17		.10	.09			.09		21
22	1.56		.98		.12	.16		.46	.86				22
23	.22					.09		.12	.15		.10	.06	23
24	.58					.02					.24	.11	24
25				.62					.11	.09		.37	25
26		.09		.98		.01			.14	.17		.81	26
27	.10		.10	.53						.40		.29	27
28	.13		.17	.57						.46		.07	28
29	.02		.28	.40	.13			.29		.35	.46	.09	29
30	.29			.06						.17	.73		30
31	.45		.34		.02					.22			31
Total	8.78	2.57	7.50	7.10	3.40	4.19	1.44	1.68	3.37	6.44	8.79	5.03	YEAR'S TOTAL 60.29
Rain Days.	27	10	23	18	17	14	11	7	14	18	23	19	201

W. 7,500, XI. 12

82

RE

DERNOL

MONTGOMERY

1914 - 1915

485

FORM A.
BRITISH RAINFALL.

22 JAN 1915

Kept at Dernol

in the County of Mon

by E. Price

in.

d ft. in.

evel ft.

IMPORTANT N

esult entered to the

previous day. If an

rule, he is earnestly

requested to add the r

the space provided

for it at the end of t

of rain,

Jan. 1, following.

the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	.22	.24	.05		.22	.35	.96				.34	1
2		.11	.36	.03			.68	.48				.73	2
3	.08	.09	1.18	.13	.07			.39			.42	.54	3
4	1.02	.13	.72	.19	.11		.33	.04			.33	.27	4
5	.27	.14	.93	.87	.57						.08 .98	.09	5
6	.19	.16	.32	.10	.36		.21	.05				.23	6
7		.12	.83	.09	.81		.32	.48	.08		.09	.15	7
8	.66		.19	.16	.94	.82	.10	.49			.11	.24	8
9	.92	.19	.08	.23	.09	.35		.48	.05		.15		9
10	.41		.07	.13	.04	.15			.32			.26	10
11		.71	.09	.05	.02		.09		.28		.99	.24	11
12		.98	.16				.03		.37		1.46	.30	12
13		.45	.79	.02			.05		.72		.66	.27	13
14		.62	.68				.04		.10		.24	.41	14
15		.37	.87				.10		.33	.09	.20	.32	15
16		.29	.33				.09		.13	.17	.18	.36	16
17		.46	.11				.07		.89			.32	17
18		.14	.06				.08		.08	.03		.47	18
19		.15	.04				.48		.23			.15	19
20		.22	.17			.36	.07					.29	20
21		.09	.07				.03	.12					21
22		.34	.03		.05		.06	.15		.35			22
23		.10	.15				.07	.03		.09			23
24			.21				.33	.19		.21	.32		24
25	.09		.27			.02	.30	.48		.47	.47	.06	25
26	.04						.87	.12		.11	.53	.14	26
27	.39						.03	.16			.98	1.06	27
28	.49	.19	.19		.14				.02	.13	.09	1.31	28
29	.44		.05		.04		.01				.93	.15	29
30	.19		.23							.21	.19	.85	30
31	.24		.26				.22			.16		.74	31
Total	5.52	6.27	9.68	2.05	3.24	1.92 1.92	5.01	4.62 4.63	3.60	2.02	8.42	10.29	YEAR'S TOTAL 62.64
Rain Days.	15	22	29	12	12	6	25	16	13	11	19	26	205

W.7,000, XI. 13

82

RE

485

FORM A.
BRITISH RAINFALL.

22 JAN 1915

Kept at Dernol

in the County of Montgomery 3

by E. Price

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.22	.24	.05		.22	.35	.96				.34	1
2		.11	.36	.03			.68	.48				.73	2
3	.08	.09	1.18	.13	.07			.39			.42	.54	3
4	1.02	.13	.72	.19	.11		.33	.04			.33	.27	4
5	.27	.14	.93	.87	.57						.08 .98	.09	5
6	.19	.16	.32	.10	.36		.21	.05				.23	6
7		.12	.83	.09	.81		.32	.48	.08		.09	.15	7
8	.66		.19	.16	.94	.82	.10	.49			.11	.24	8
9	.92	.19	.08	.23	.09	.35		.48	.05		.15		9
10	.41		.07	.13	.04	.15			.32			.26	10
11		.71	.09	.05	.02		.09		.28		.99	.24	11
12		.98	.16				.03		.37		1.46	.30	12
13		.45	.79	.02			.05		.72		.66	.27	13
14		.62	.68				.04		.10		.24	.41	14
15		.37	.87				.10		.33	.09	.20	.32	15
16		.29	.33				.09		.13	.17	.18	.36	16
17		.46	.11				.07		.89			.32	17
18		.14	.06				.08		.08	.03		.47	18
19		.15	.04				.48		.23			.15	19
20		.22	.17			.36	.07					.29	20
21		.09	.07				.03	.12					21
22		.34	.03		.05		.06	.15		.35			22
23		.10	.15				.07	.03		.09			23
24			.21				.33	.19		.21	.32		24
25	.09		.27			.02	.30	.48		.47	.47	.06	25
26	.04						.87	.12		.11	.53	.14	26
27	.39						.03	.16			.98	1.06	27
28	.49	.19	.19		.14				.02	.13	.09	1.31	28
29	.44		.05		.04		.01				.93	.15	29
30	.19		.23							.21	.19	.85	30
31	.24		.26				.22			.16		.74	31
Total	5.52	6.27	9.68	2.05	3.24	1.92 1.92	5.01	4.62 4.63	3.60	2.02	8.42	10.29	YEAR'S TOTAL 62.64
Rain Days.	15	22	29	12	12	6	25	16	13	11	19	26	205

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

Kept at Dernol

in the County of Montgomery

by E. Price

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

FORM A. BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50	.23	.25		1.01			.94	.07	.36		.31	1
2	.32	.67	.31				.02	1.53	.12	.21		.32	2
3	.20	.32	.46	.16		.04	.28	.08				.25	3
4	.27	.40			.19		.05					1.21	4
5	.51	.78		.31	.17	.16		.06				1.02	5
6	.30	.08	.57	.16	.13		.30	.05				.48	6
7	.45	.89		.15			.18	.42				.55	7
8	.33	.28		.53				.12			.74		8
9	.27	.49		.21							.49	1.05	9
10	.86						.11	.06			.29	.34	10
11	.26			.18			.04	.14		.04	1.96	.07	11
12	.19	.11		.09	.29			.13		.15	.61	.11	12
13	.35	.66			.49			.31			.11	.06	13
14	.69							1.29	.14		.08	.74	14
15	1.30	.07			.29		.38	.25	.07		.09	.18	15
16	.26	.18			.55		.97		.05			.14	16
17	.07	.56			.72		.03					.11	17
18		.68	.18	.17			.04	.05					18
19		.12		.19			.21						19
20	.76						.02					.11	20
21	.54	.01					.71	.04		.26		.07	21
22	.15	.02					.07			.16		.09	22
23		.09	.27	.21		.21	.09			.39		.42	23
24				.25			.05			.54		.63	24
25			.02			.63	.29		.08	.17	.11	.38	25
26		.12					.32					.11	26
27		.57				.02	.46					1.25	27
28		.29					.25	.02		.27		.11	28
29						.31		.06	.12		.16	.18	29
30	.27	X				.98		.04	.03	.27	.18	.37	30
31	.48	X		X		X	.12	.23	X	.16	X	.26	31
Total	9.33 / 8.33	7.62	2.06	2.61	3.84	2.35	4.99	5.82	.68	2.98	4.82	10.92	YEAR'S TOTAL 58.02 / 58.02
Rain Days.	22	22	7	12	9	7	22	19	8	12	11	28	179

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 30 JAN 1917

Kept at Dernol

in the County of Montgomery

by E. Price

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.67		.04			.23	.56			.28	.21		1
2	1.02		.08			.05	.48		.46	.93	.27		2
3	.08	.18			.03	.57	.37		.42	.27	.32		3
4	.65	.53			.12	.93	.12		.15	.57	.37		4
5	.52	.33			.09	.32				.23	.19		5
6	.11	1.16	.03		.27	.09	.21			.34	.15		6
7	.62	.27	.04		.32		.20			.59	.42	.06	7
8	.15	.18	.21		.17		.19			.13	.16	.24	8
9	.14	.27	.07		.09		.06			.06	.22	.12	9
10	.09	.23	.08		.02		.15		.02	.07	.20	.09	10
11	.19	.09	.01	1.02			.27		.03	.04		.02	11
12	.22	.11		.53	.23		.29	.47	.06	.14			12
13	.19	.27	.09	.13	.22		.09	.68	.10	.22			13
14	.16	.36	.13	.27	.15		.03	.56	.09	.29			14
15	.11	1.52	.32	.42	.08		.02	.35	.14	.39			15
16	.32	.09		.53			.05		.06	.08			16
17	.51	.67		1.72				.10	.98	.49	.10		17
18	.09	1.68	.09	1.63				.07	.51	.12	.07		18
19	.15		.54	.23				.23		.04	.08		19
20	.52	.09	.48	.29				.11			.21	.15	20
21	.63	.06		.05			.01	.21			.16		21
22			.10	.03				.09		.12	.09	.16	22
23	.27	.18	.04	.04		.03		.19		.20	.23	.52	23
24	.06	.12	.08		2.21			.27	.59	.30	.18	.41	24
25	.08	.17	.20		.06	.07		.18	.15	.09	.24	.11	25
26	.45	.10	.14			.04	.03			.23	.17		26
27	.12	.09	.72			.13		.13	.07	1.91	.04		27
28	.09	.07	.09					.07		.49	.03	1.14	28
29		.11	.02			.23		.10	.05	.53		.87	29
30		X				.41		.37		.48		.17	30
31		X		X		X			X	.41	X	.23	31
Total	8.21	8.93	3.60	6.89	4.06	3.10	3.13 3.93	4.18	3.88	10.04	4.11	4.29	YEAR'S TOTAL 64.42
Rain Days.	27	25	22	13	14	12	17	17	16	29	22	14	228

W. 8,000. X. 16.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Dernol

in the County of Montgomery

by E. Price

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19			.42		.39			.30		.05	.08	1
2	.07	.07		.26		.25			.09		.07	.07	2
3	.24			.09		.36				.53	.02	.06	3
4	.19	.09	.14	.02		.07				.46			4
5	.14		.27	.24				.01	.62	.09	.09	.11	5
6	.14		.12		.03					.53	.11	.04	6
7	.09		.22		.06		.09	.11		.45	.71	.09	7
8	.22		.05	.33			.33	.77		.98	.63	.46	8
9	.07		.28	.27				.86		.22	.98	.33	9
10	.12		.36	.23	.05			.65		.19	.09	.21	10
11				.05				.51		.24		.18	11
12				.06	.56			.39		.45	.08	.09	12
13				.02	.10			.63	.81	.37	.10	.20	13
14			.04	.39			.31	.23		.28	.03	.30	14
15				.09			.22	.03	.03	.22			15
16				.31			.06	.06	.02	.17		.32	16
17		.01		.19			.09	.82	.10	.15			17
18			.19	.20			.05	.25	.36	.11			18
19	.07	.56	.64			.15	.04	.10	.17		.02		19
20	.08	.16	.07			.97		.03	.61		.37		20
21						.09		.04	.03	.13	.03		21
22		.06			.07		.18	.71	.30	.21	.02		22
23		.27				.22		.61	.07	.32	.06		23
24		.06			.09			.72		.67	.22		24
25		.18	.12					.19	.06	.53	.46		25
26			.08					.74	.12	.55	.52		26
27		.03			.67	.57	.11	.85		.23	.32		27
28					.10	.03	.09	1.32		.42	.05		28
29			.04		.09		.18	.93		.46	.09	.10	29
30		X	.13		.12			.71		.14	.33		30
31	.11	X	.32	X	.14	X		.18	X	.07	X		31
Total	1.73	1.49	3.07	3.17	2.08	3.10	1.75	12.45	3.69	8.97	5.45	2.64	YEAR'S TOTAL 49.99
Rain Days.	13	10	16	16	12	10	12	26	15	27	24	15	196

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Dernol

in the County of Montgomery

by E. Price

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.09			.04	.68	.03	.41	.03	1
2				.10				.15		.04	.10	.19	2
3		.09		.08					.99	.32	.09	.04	3
4		.21		.12					.86	1.39	.22		4
5		.22	.03	.15					.09	.67	.14	.07	5
6		.87		.22						.22	.20	.73	6
7		.53		.03	.16	.18	.05		.42	.58	.43	.17	7
8	.36	.96					.19		.73	.28	.22	.09	8
9	.33	1.17				1.34	.21		.87	.68	.12	.31	9
10	.06	.37	.09				.27		.32	.08	.96	.19	10
11	.20	.36		.16	.13		.53		.34		.09	.25	11
12	.21	.24			.09		.26		.40	.06		.24	12
13	.14					.24			.90	.03		.31	13
14	.13			.05			.15	.08	.73	.02		.37	14
15	.72			.06		.07	.18		.36	.05		.58	15
16	.11			.02		.04	.17	.10	.38			.26	16
17	.69	.10	.11	.02			.09	.12	.21	.04		.19	17
18	.41	.09	.07	.03		.26	.10	.09	.13	.03		.98	18
19	.17	.17	.14	.07			.14		.08	.04		1.07	19
20	.08	.20		.09		.19	.23		.62			.73	20
21	.07	.13		.63		.07	.07		.81	.03		.18	21
22	.02	.09			1.55		.30	.04	.49	.02	.06	.32	22
23	.06	.08			2.01	.06	.21		.22			.41	23
24	.05	.23				.04	.27	.48	.17		.07	.68	24
25		.31					.65	.07	.19	.02	.05		25
26							.78	.23	.67	.03	.15	.34	26
27		.07	.22						.71	.05	.09	1.27	27
28	.03	.08	.19						.03	.03	.39	.92	28
29			.15					.07	.65		.31	.86	29
30			.49					.17	.05	.16	.07	.23	30
31	.19		1.17				.01	.13				.08	31
Total	4.03	6.57	2.66	1.83	4.03	2.49	4.86 4.66	1.77	13.10 13.09	4.90 4.80	4.17	12.09 11.85	YEAR'S TOTAL 62.56 61.95
Rain Days.	19	21	10	15	6	10	20 19	13	28	24	19	29	213

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

3786 353

FORM A. BRITISH RAINFALL

Kept at Dernol

in the County of Montgomery

by E. Price

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.96			.09	.19	.02	.27	.03	.13	.13		.49	1
2	.23		.24		.29		.04	.29	.16	.09		.31	2
3	.12		.07		.32		.16		.09		.03	1.31	3
4		.10	.03		.13		.12		.02		.09	.35	4
5	.06	.09	.58									.96	5
6			.30	.09	.16							.46	6
7	.60		.67	.13								.02	7
8	.51					.01					.05		8
9	.34			.12							.06	.16	9
10	.88	.09	.73	.13		.01					.04	.11	10
11	.70	.32	.99	.27			.01					.23	11
12	.43	.28	.79	.22		1.17			.05		.11	.14	12
13	.27		.54	.34					.11			.28	13
14	.72		.09	.86		.08	.13	.03	.09	.09		.18	14
15	.18		.42	1.01		.16				.07		.78	15
16	.14	.19	.24	.09		.07					.76	.08	16
17	.21	.23	.03			.09	.07	.26			1.35	.22	17
18	.16		.59			.04	.09	.62	.17		.29	.16	18
19	.23	.36	.21			.23		.35	.19		.15	.03	19
20	.09	.22	.24			.14			.27		.13	.97	20
21	.33	.49	.25			.22	.58		.10		.16	.98	21
22	.45	.54				.17	.11		.14		.09	1.26	22
23	.36							.06	.09	.32	.21	.23	23
24	.40			.09					.06	.11	.32	.76	24
25	.12							.43			.14		25
26	.08		.10					1.04	.58		.27	.63	26
27	.10		.12	.74				.74	.11			.48	27
28	.05		.04	.49				.68		.04	.07		28
29			.11	.40		.12		.06		.06		.48	29
30		X	.06	.07		.15		.24		.09		.44	30
31		X	.09	X		X	.18		X		X	.18	31
Total	8.72	3.91	7.53	5.14	1.09	2.68	1.76	4.83	2.36	1.00	4.32	12.68	YEAR'S TOTAL 55.02
Rain Days.	26	11	24	16	5	15	11	13	16	9	18	28	192

W. 6,500, VII. 18. w w c

5·72

8685

Dec ditto.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llanguric, Dernol

in the County of Montgomery

by E. Price

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·71	·28		·26	·06		·64	·09		1
2		·06		·39	·15		·53	·04	·18	·47		·41	2
3				·22	·06		·34	·06	·09	·32		·36	3
4			·07	·04	·02		·08	·49	·14	·07			4
5			·14	·09	·49			·09	·67	·12			5
6	·31			·16	·58		·10	·05	·38	·21			6
7	·09		·33	·11	·05		·15	·07					7
8	·76		·28	·71	·27		·07	·02					8
9	·98	1·71	·42	·66			·14	·07	·01				9
10	·39	1·09	·27	·18		·32	·19	·13			·23		10
11	·48	·25	·20	·20	·22	·17	·24	·03					11
12	·72	·27		·72	·46	(·65)	·15	·18	·01			·03	12
13		·21	·21	·63		·12	·26	·05			·26	·02	13
14	·22		·76	·18		·10	·19		1·07	·76	1·02		14
15	·14	·06	·63	·56		·08	·22			·88	·26		15
16	·18		·57	·27	·37	·14	·09		·06	·34			16
17	·19		·48	·19	·22	·09	·30	·06	·37	·29			17
18	·19			·39	·14	·06	·53	·01	·46		·11		18
19	·15	·67		·17	·11				·21		·09		19
20	·25			·33		·16	·26					·16	20
21	·18			·12			·32	·02		·10		·09	21
22	·14			·09			·45	·22				·27	22
23	·21			·10			·27					(·50)	23
24	·18	·06		·07	·18		·14					·22	24
25		·05	·36	·15		·14	·36					·09	25
26	·42	·07	·42	·20	·06	·16	·12				·05	·14	26
27	·37	·68	·49	·61		·41	·17					(·50)	27
28	·28	·13	·37	·21		·09	·27				·07	·52	28
29	·18	·11	·22	·02	·32		·84				·12	·38	29
30	·09		·63	·28	·21	·45				·43	·34	·45	30
31	·57		·48		·08		·06			·46		·13	31
TOTAL	7·67	5·47	7·33	~~8·76~~ ~~8·73~~	4·27	~~3·14~~ ~~2·64~~	7·10	1·65	3·65	5·09	2·64	4·27 ~~3·27~~	~~61·04~~ ~~59·87~~
Days with ·01 in. or more	24	15	19	30	19	15	28	17	12	13	11	14	~~217~~
	24	15	19	29	18	15	28	13	10	13	11	12	207

(12,423) Wt. 21058—2 18 7500. 10/19. Gp.162 A.&E.W.

MACHYNLLETH
THE PLAS
MONTGOMERY
1911 - 1920

Form A2. British Rainfall. 26 JAN 1912

RI

Kept at The Pla

in the County of Mon

by W. E. White

in.

round 1 ft. in.

ea Level 41 ft.

me

stance Direction

IMPORTANT NOT he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.78		.05	.43		.38			.46	.12	1
2			.20		.10		.02	.11		.21	.13	.15	2
3	.01		.15		.27			.12	.05	.03	.23	.27	3
4			.35		.90		.01	.76	.01		.44	.21	4
5	.43		.12	.03	.07			.57		.13			5
6	.09		.05					.41		.05	.31	.31	6
7	.38							.02			.87	.02	7
8	.42		.40								.45	.12	8
9	.07		.20								.35	.19	9
10	.18	.45	.57									1.06	10
11	.32								.05		.27	.24	11
12	.01	.01	.90					.04	1.48		1.97	.03	12
13			.03		.23						.12	.20	13
14	.01	.40			.94						.06	.20	14
15	.05	.34	.05		.07	.12					.66	.28	15
16	.03	.10		.02		.35					.26	.12	16
17	.01	.01				.97		.22			.62	.20	17
18		.33	.03	.25		.52		.02		.08	.13	.73	18
19		.10		.49		.06	.03		.44	.16	.01	.69	19
20		.13				.10		.68	.19	.42		.06	20
21		.65	.05	.23		.27	.34	.01	.03	.45		.07	21
22	.10	.10		.31		.07				.47		.53	22
23	.02	.13		.01	.40	.02			.73	.70		.28	23
24	.10	.38		.28	.04	.42		.31	.20	.57		.21	24
25	.05	.22		.93		.33		.31	.12	.49		.35	25
26	.12	.45		.78		.04		.32		.26		.25	26
27		.90	.09	.24			.06	1.11	.89		.11	.82	27
28	.02	.30		.15		.32		.27				.37	28
29						.34	.11		.67	.97		.41	29
30			.03	.01		.12			.01	.57	.02	.01	30
31			.05				.06			.09		.15	31
Total	2.42	5.00	4.05	3.73	3.07	4.48	.63	5.66	4.87	5.65 5.65	7.47	8.65	TOTAL for year 55.68
No. of Rain Days	19	17	17	13	10	16	7	17	13	16	19	30	194

9,000, IX. '10.

FORM A.2.
BRITISH RAINFALL.

26 JAN 1912

RI[illegible]

Kept at The Plas, Mynlleth

in the County of Montgomery

by W. E. Whitehouse

RAIN GAUGE { Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. ____ in. ,, ,, ,, Sea Level 41 ft.

Time of Observation ____

Nearest Railway Station { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.78		.05	.43		.38			.46	.12	1
2			.20		.10		.02	.11		.21	.13	.15	2
3	.01		.15		.27			.12	.05	.03	.23	.27	3
4			.35		.90		.01	.76	.01		.44	.21	4
5	.43		.12	.03	.07			.57		.13			5
6	.09		.05					.41		.05	.31	.31	6
7	.38							.02			.87	.02	7
8	.42		.40								.45	.12	8
9	.07		.20								.35	.19	9
10	.18	.45	.57									1.06	10
11	.32								.05		.27	.24	11
12	.01	.01	.90					.04	1.48		1.97	.03	12
13			.03		.23						.12	.20	13
14	.01	.40			.94						.06	.20	14
15	.05	.34	.05		.07	.12					.66	.28	15
16	.03	.10		.02		.35					.26	.12	16
17	.01	.01				.97		.22			.62	.20	17
18		.33	.03	.25		.52		.02		.08	.13	.73	18
19		.10		.49		.06	.03		.44	.16	.01	.69	19
20		.13				.10		.68	.19	.42		.06	20
21		.65	.05	.23		.27	.34	.01	.03	.45		.07	21
22	.10	.10		.31		.07				.47		.53	22
23	.02	.13		.01	.40	.02			.73	.70		.28	23
24	.10	.38		.28	.04	.42		.31	.20	.57		.21	24
25	.05	.22		.93		.33		.31	.12	.49		.35	25
26	.12	.45		.78		.04		.32		.26		.25	26
27		.90	.09	.24			.06	1.11	.89		.11	.82	27
28	.02	.30		.15		.32		.27				.37	28
29						.34	.11		.67	.97		.41	29
30			.03	.01		.12			.01	.57	.02	.01	30
31			.05				.06			.09		.15	31
Total	2.42	5.00	4.05	3.73	3.07	4.48	.63	5.66	4.87	5.65 5.65	7.47	8.65	TOTAL for year 55.68
No. of Rain Days	19	17	17	13	10	16	7	17	13	16	19	30	194

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Ex 22

FORM A2. BRITISH RAINFALL.

19 FEB 1913

Kept at The Plas, Machynlleth.

in the County of Montgomery.

by Gardener, per "W.E.W"

RAIN GAUGE: Pattern Dickson's - Improved
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 41 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Machynlleth
Distance ½ mile Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·22			·25	·07	·16	·04			·21	1
2	·03		·45	·27	·14	·34	·01					·01	2
3	·78		·12	·03		·12		·41	·56			·30	3
4	·99		1·37	·09				·68	·05		1·12		4
5	·26		·43		·07			·09	·10			·05	5
6	·41	·26			·21			·48	·02	·05	·07	·05	6
7		·31	·05	·07	·37	·58	·08	·11	·22		·10	·14	7
8	·52	·11	·17	·21	·11	·08	·01	·27	·14		·07	·03	8
9	·17	·15	·19	·18		·52		·22			·16	·27	9
10	·29					·26	·10	·27			·70	·04	10
11	·02				·05		·11	·01			+ = ·69	·92	11
12	·04		1·01	·08		·02	·12				+	·11	12
13	·10		·09			·03		·42		·28	·12	1·39	13
14	·13	·22	1·05			·07		·49		·02		·61	14
15	·01	·06	·10			·61		·04			·01	·34	15
16	·24	·31	·44		·03	·01		·14		·48	·02	·11	16
17	·23	·56	·10			2·47		·47			·37	·52	17
18	·04	·21	·21			·02		·41		·81	·16	·14	18
19		·06	·11			·04		·49		·25	·02	·10	19
20		·02	·16		·11	·05		·07		·68	·37	·08	20
21		·07	·24	·07	·30	·01		·35		·71	·03	·57	21
22	·13	·35	·03		·13	·17	12	4·00		·04	·03	·18	22
23			·51			·36	·26	·91		·04	·62	·18	23
24	·04	·04	·73			·25					·01	·23	24
25			·30			·19	·01	·25			·70	·60	25
26		·19	·30				·40	·45		1·97	·53	·28	26
27		·09	1·65			·47	1·88			·61	·02	·58	27
28		·18	·01			·51	·81	·22		·60	·86	·07	28
29		·07	·03			·07	·63	·36	·46	·43		·05	29
30			·53		·07	·15	·13			·42		·05	30
31			·20		·14		·65	·42		·02		·21	31
Total	4·49	3·26	10·80	1·00	1·73	7·65	5·39	12·19	1·59	7·41	6·78	8·42	TOTAL for year
No. of Rain Days.	19	18	28	8	12	25	16	26	8	16	23	30	70·71 / 229

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 502

31 JAN 1914

Kept at The Plas, Machynlleth

in the County of Montgomery

by W. H. Brooks W. E. Whitehouse

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.15	.11	.03	.11	.01				.04		.13	.01	1
2	.03	.66	.31	.13	.10	.12			.07	.09	.21	.22	2
3	.01		.22		.21					.06		.15	3
4	.51	.08	.20		.01				.39	.03	.04	.43	4
5	.26	.12	.08		.30	.42	.15			1.37	.17	.02	5
6	.07	.29	.26		.11	.35	.06			.06	.07	.30	6
7	.03	.40	.05		.14	.72				.34	.10	.07	7
8		.32	.13		.29					.02		.28	8
9		.45	.50	.05	.07	2.50	.24	.71	.15		.08	.41	9
10	.19		.27	.11	.04	.01	.01	.58	.07	.05	.12		10
11	.50			.62	.10	.07	.04	.16		.18		.20	11
12	.05				.02	.33	.27		.57		1.53		12
13			1.09	.06	.06		.19	.15	.54		.62		13
14	.10		.45	.24				.05	.57	.79	.11	.25	14
15	.20		.38	1.53					.02		.13	.20	15
16	.06		.26	.29			.14				.44		16
17	.32		.38	.36	.03	.01	.43		.02		.15		17
18	.07		.30	.27		.06	.25				.15		18
19	.16		.09	.03	.15	.17	.04			.45	.70		19
20	.42		.15	.17	.06				.03	.06	1.16		20
21	.01		.32	.13	.32	.02	.21	.65	.02	.14	.02		21
22	1.95		.75		.39	.32		1.52	.62			.03	22
23	.34		.02		.14	.07			.16		.36	.06	23
24	.55	.03		.15	.02	.01					.08	.09	24
25				.33					.20	.16	.13	.09	25
26				1.48		.12			.35	.04		.52	26
27	.06	.06		.27								.05	27
28	.48		.07	.24	.20					.21	.08	.17	28
29	.05		.12	.33	.44			.11		.30	.06		29
30	.63			.03						.20	.30		30
31	.08		.19		.41					.13			31
Total	7.28	2.52	6.65	6.93	3.62	5.30	2.03	3.93	3.82	4.68	6.94	3.55	YEAR'S TOTAL 57.25
Rain Days.	27	10	24	21	23	16	12	8	16	19	25	19	220

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 22 JAN 1915

Kept at The Plas, Machynlleth

in the County of Montgomery

by W. H. Brake, Montgom. Co. Times

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		-	.24	.03		.13	.57	.25	-	-	-	.35	1
2	.04	.03	.04	-	.02		.59	.45	-	-	.07	.25	2
3	.30		1.25	.04	.68		-	1.03	-	.11	-	.91	3
4	.62		.38	.24	.18		.33	-	-	-	-	.36	4
5	.27		1.06	.11	.43		.07	.04	-	-	.17	.09	5
6	.02	.05	.19	.04	.21	.10	-	.04	-	-	.19	.26	6
7	1.97	.10	.75	.01	.22	.09	.45	.19	-	.02	.05	.21	7
8	1.60	.04	.05	.09	.84	.07	.13	.33	-	-	.15	.20	8
9	.08	.29	.11	.28	.43	.25	-	.22	.07	-	.28	-	9
10		.25	.06	.13	.84	.04	-	-	.33	-	.01	-	10
11		.31	.52	.01	.07		.30	-	.17	-	.85	.38	11
12		.67	.64	-	.03		-	-	.46	-	1.35	.02	12
13		.43	.55	.11	.01		.06	-	.58	.17	.38	.14	13
14		.70	.15	-			-	-	.13	.02	.15	.01	14
15			.48	-			-	-	.07	.02	.03	.06	15
16	.02	.05	.15	-			.03	-	.40	-	-	.06	16
17	.02	.80	.39	-			.23	-	.24	-	-	1.26	17
18		.02	.27	-			.04	-	.07	-	-	.18	18
19		.20	.27	-			.13	-	.32	-	.09	.16	19
20		.60	.22	-		.50	.09	-	-	-	-	.17	20
21		.10		-		.12	-	-	-	.05	-	-	21
22		.78	.05	.09	.17	.14	.01	.61	-	-	-	-	22
23		.02	.21	.02			.14	-	-	.04	-	-	23
24		.06	.28	-		.04	.23	.03	-	.01	.50	-	24
25	.11	.07	.02	-			.21	.38	-	.41	.06	.37	25
26		.01	.07	-			.59	.11	-	.19	.54	.30	26
27	.50			-			-	-	-	.22	.30	1.56	27
28	.60	.20	.07	-			-	.10	-	.10	.13	.84	28
29	.33		.03	-	.08		-	.37	-	.05	.40	.03	29
30			.43	-	.03		-	.14	-	-	.45	.45	30
31	.44		.25	-	.05		.53	.10	-	.11		.06	31
Total	~~6.82~~ ~~6.93~~	5.78	9.18	1.20	~~4.29~~ ~~4.30~~	1.48	4.73	4.39	2.84	1.52	6.15	8.98	YEAR'S TOTAL 57.36
Rain Days.	15	22	29	13	16	10	19	16	11	14	20	25	210

W.7,000, XI. 13

cwd per cutter 28.11.16 MC

4224

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 8 JUN 1916

Kept at The Plâs - Machynlleth

in the County of Montgomery

by A. Gribble

Lat. 52·40 Long. 3·50

Time of Observation 9 a.m.

Nearest Railway Station Machynlleth

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level Forty ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	·36	·26	Nil	1·52	Nil	Nil	·47	·11	·37	Nil	·11	1
2	·14	·68	1·66	·57	Nil	·11	1·02	·53	Nil	Nil	"	·06	2
3	Nil	·03	·36	·63	"	Nil	·25	·38	·01	"	"	·35	3
4	"	·25	·01	Nil	·30	"	Nil	Nil	Nil	"	"	·62	4
5	·29	·29	·25	"	·10	·20	"	·09	"	"	"	1·36	5
6	·96	·02	·16	·20	Nil	Nil	·10	·25	"	"	"	·50	6
7	·53	·78	·02	·04	"	"	·20	·53	"	"	·03	·26	7
8	·18	·34	Nil	·03	"	"	Nil	·24	"	·05	1·07	Nil	8
9	·24	·59	"	·64	"	"	·01	·02	"	Nil	·22	1·13	9
10	1·12	·03	·16	·07	"	"	·03	·40	"	·04	·12	·07	10
11	·02	Nil	·04	Nil	"	"	·08	·06	"	Nil	1·58	·05	11
12	·62	·05	Nil	·06	·20	"	Nil	·11	"	·18	1·31	·02	12
13	·03	·18	"	Nil	·03	"	·02	·16	·15	·13	·08	·14	13
14	·21	·03	"	·04	Nil	"	·03	·25	·27	Nil	·23	·52	14
15	·57	Nil	"	·02	·05	"	·20	·13	·82	"	·15	·26	15
16	·08	1·10	"	·08	·35	"	·90	Nil	·10	"	Nil	·13	16
17	·06	·56	"	Nil	·17	"	Nil	·20	Nil	"	"	Nil	17
18	·03	1·20	·17	"	Nil	"	·52	·01	"	"	"	"	18
19	·02	·03	·11	·10	·15	"	·17	Nil	"	"	"	"	19
20	1·08	Nil	Nil	·03	Nil	"	·02	·02	"	"	"	·88	20
21	·47	·22	·03	Nil	·26	"	·39	Nil	"	·09	"	·70	21
22	·07	·06	·23	·02	Nil	"	Nil	"	"	·05	"	·57	22
23	·01	·13	·09	·01	"	·22	·29	"	·11	·15	"	·57	23
24	Nil	Nil	·03	·02	"	Nil	·12	"	·09	·70	"	·40	24
25	"	"	Nil	Nil	"	·06	·18	"	·10	·01	"	·03	25
26	"	·40	"	"	"	Nil	·16	"	·09	Nil	"	·93	26
27	"	·04	"	"	"	"	·61	"	·03	·43	"	·91	27
28	"	·40	"	"	"	·16	·03	·09	·08	·40	"	·05	28
29	"		"	"	"	Nil	·03	Nil	·18	·02	·22	·05	29
30	·24	X	"	·63	"	"	Nil	"	·01	·07	·01	·37	30
31	·05	X	"	X	"	X	·18	·13	X	·02	X	·50	31
Total	7·42	7·77	3·88	3·19	3·13	·75	5·54	4·05	2·15	2·71	5·03	11·53	YEAR'S TOTAL 56·84
Rain Days.	23	23	3-58 15	17	10	5	23	19	14	15	11	27	202

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 21 MAR 1917

Kept at The Plas-Machynlleth

in the County of Montgomery

by A. Gribble

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Machynlleth

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27	·13	·23	Nil	Nil	·39	·52	Nil	Nil	·08	·47	Nil	1
2	·34	Nil	·17	"	"	Nil	·25	"	·60	·91	·18	"	2
3	·02	·77	Nil	"	·08	·34	·25	"	·41	·40	·05	·04	3
4	·30	·27	"	·07	·47	·85	Nil	"	·13	·07	·17	Nil	4
5	·28	·50	·07	Nil	·07	·07	"	"	Nil	1·17	·13	"	5
6	·80	·20	·02	"	·14	Nil	·36	"	"	·30	·48	"	6
7	·04	·02	·01	"	·14	"	·03	"	"	·45	·48	·24	7
8	·06	·13	·02	·02	·33	·13	·02	"	"	·28	·17	·07	8
9	·16	·20	Nil	Nil	·05	·33	·19	"	·01	Nil	·05	·14	9
10	·14	·40	"	·33	·32	Nil	·06	"	Nil	·30	·16	Nil	10
11	·07	·05	"	·90	·13	·05	·03	"	·17	·35	·16	"	11
12	·23	·21	"	·15	·43	Nil	·35	·12	·06	·14	·02	"	12
13	Nil	·85	·07	·25	·03	"	·01	·23	·02	·26	Nil	"	13
14	·19	·75	·07	·02	·45	"	·02	·49	Nil	·23	"	"	14
15	·03	·03	·03	·20	·23	"	·10	·91	·28	·13	"	"	15
16	·01	Nil	Nil	·96	·19	"	·12	·32	Nil	Nil	"	"	16
17	·30	·43	"	1·25	Nil	"	Nil	·01	2·25	·10	"	·15	17
18	Nil	·83	·04	1·65	"	"	"	·02	·69	·04	·20	·72	18
19	·29	Nil	·35	·04	"	"	"	·18	·03	Nil	·31	Nil	19
20	·21	"	·21	·35	"	"	"	Nil	Nil	"	·35	·08	20
21	·27	"	·19	·01	·07	"	·38	"	"	"	·08	·34	21
22	Nil	"	·01	Nil	Nil	·25	·04	"	"	·09	·03	·25	22
23	·10	"	·04	·13	"	·05	Nil	·29	"	·33	·23	·43	23
24	Nil	·10	·11	·07	1·11	·05	"	·33	"	·15	·02	·08	24
25	·15	Nil	·08	Nil	·30	·12	"	·95	·03	·46	·86	·06	25
26	·43	"	·13	"	Nil	·36	"	·21	·18	·19	·08	Nil	26
27	·03	"	·12	"	·07	Nil	"	·15	·45	2·05	Nil	"	27
28	·03	·10	·08	"	Nil	"	"	Nil	Nil	·35	·17	1·55	28
29	Nil	·04	Nil	"	"	·65	"	"	"	·10	·01	·10	29
30	"	X	"	"	"	·25	"	·01	"	·37	·04	·77	30
31	"	X	"	X	·08	X	"	·23	X	·88	X	·18	31
Total	4·75	6·01	2·05	6·40	4·69	3·89	2·63	4·45	5·31	10·17	4·90	5·20	YEAR'S TOTAL 60·45
Rain Days.	24	19	20	16	19	14	16	15	14	26	24	16	223

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 191

3986

FORM A.
BRITISH RAINFALL.

E.O. JAN 1918

Kept at The Plâs-Machynlleth

in the County of Montgomery

by Alfred Gribble

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	Nil	.05	Snow .20	Nil	.13	Nil	.02	.46	Nil	.13	.37	1
2	.08	"	Nil	.30	"	.05	"	Nil	Nil	.15	.18	Nil	2
3	(.22)	Snow .62	"	Nil	"	.13	"	"	"	.61	Nil	Snow .05	3
4	.21	.09	"	"	"	Nil	"	"	"	1.18	.03	Nil	4
5	.50	Nil	.10	.40	"	"	"	"	.57	.24	.25	"	5
6	Nil	"	Snow .39	Nil	"	.22	"	"	Nil	.17	.30	.60	6
7	1.00	"	Nil	"	"	Nil	"	.08	"	.20	.27	.08	7
8	.45	"	Snow .20	Snow .20	"	.04	"	.80	.41	.35	.94	.47	8
9	Nil	"	.20	.25	.01	Nil	"	.93	Nil	.18	.76	Nil	9
10	.03	"	.58	.44	.16	"	"	.13	"	.06	.02	"	10
11	.48	"	Nil	.06	Nil	"	"	.41	"	.37	.30	"	11
12	.17	"	.18	.05	.79	.32	"	.21	.03	.50	Nil	.03	12
13	.06	"	Nil	.18	.01	.05	"	.86	1.36	.06	.20	.18	13
14	Nil	"	"	.02	.03	Nil	"	.31	Nil	.12	Nil	.17	14
15	.06	"	"	.19	Nil	"	.44	Nil	"	.16	"	.40	15
16	Nil	.08	"	.23	"	"	.16	.13	.10	.10	.10	.17	16
17	"	.01	.18	.82	.07	"	.69	1.81	.17	.12	.20	Nil	17
18	"	Nil	.27	.08	Nil	"	.31	.87	.74	.16	Nil	"	18
19	.02	.76	Snow .38	.04	"	.22	Nil	.01	Nil	Nil	.47	"	19
20	Nil	.44	Nil	Nil	.29	.73	"	Nil	.13	"	.07	"	20
21	"	.01	Snow .07	"	Nil	Nil	"	.37	Nil	.20	.08	"	21
22	"	.25	Nil	"	"	.03	"	.56	.74	.48	.14	"	22
23	"	.13	"	"	.23	.42	.04	.17	.01	.20	.01	"	23
24	"	.19	.04	"	Nil	.09	.12	.25	.03	.75	.16	.40	24
25	"	.30	.20	"	"	Nil	.01	.35	.15	Nil	.26	Nil	25
26	"	.01	Nil	"	.45	.07	.38	.55	.30	.31	1.55	"	26
27	"	Nil	.07	"	.88	.71	.32	.37	Nil	.16	.05	"	27
28	"	.21	Nil	"	.18	.07	.10	1.50	"	.13	.03	"	28
29	"		.20	"	Nil	Nil	Nil	.27	"	.65	.02	.06	29
30	"	X	.08	"	"	"	"	.44	"	.75	.13	Nil	30
31	"	X	.15	X	.26	X	"	.90	X	Nil	X	"	31
Total	3.31	3.10	3.34	3.46	3.36	3.28	2.57	12.30	5.20	8.36	6.65	2.98	YEAR'S TOTAL 57.91
Rain Days.	13	13	17	15	12	15	10	24	14	26	25	12	196

W. 8,000, IX. 17.

8th Jan: 1918

The Plâs
Machynlleth
N. Wales

3986

Dr H. R. Mill

Dear Sir,

Enclosed please find the Years rainfall. I have shown also the Snow fall and which of course I have entered as rain. Do you wish that, or simply state rain in future?

I am Sir,
Yours respectfully
A. Gribble

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at Glas-Machyllelch

in the County of Montgomery

by A. Gebble

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

9.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Nil	.10	Nil	.13	.08	Nil	Nil	.06	.27	.05	.37	.09	1
2	"	Nil	"	.05	Nil	"	"	.08	.14	.06	.18	1.00	2
3	"	.05	"	.01	.20	"	"	.05	1.00	.48	.03	.02	3
4	"	.15	"	Nil	Nil	"	"	.06	.28	1.36	.16	.20	4
5	.06	.03	.01	.20	.40	"	"	.30	.16	1.26	.14	Nil	5
6	Nil	1.46	Nil	.35	Nil	"	"	Nil	.43	.58	Nil	.06	6
7	.05	.32	"	.09	.25	"	"	.07	.56	.03	.22	.11	7
8	Nil	.18	"	Nil	Nil	.18	.35	Nil	.41	.22	.14	Nil	8
9	.01	.71	"	.10	"	1.43	.14	"	1.08	.97	.14	.10	9
10	.01	.53	"	.03	"	Nil	.51	"	.39	.39	1.46	.38	10
11	.03	.54	.17	Nil	.08	"	.30	.05	.39	Nil	Nil	1.14	11
12	Nil	.65	Nil	"	.39	.04	Nil	Nil	.18	"	"	.15	12
13	.03	.02	"	"	Nil	.09	"	"	.32	.08	"	.06	13
14	.35	Nil	.14	"	.14	.05	.60	.06	1.20	.08	"	.70	14
15 Snow	.25	"	Nil	"	Nil	.02	.42	Nil	.89	Nil	"	.70	15
16 Snow	.09	"	"	"	"	.08	.22	.12	.25	.06	"	.25	16
17	.58	"	"	"	"	.16	.10	.06	.29	.07	"	.37	17
18	.18	.11	.13	"	"	.21	.20	Nil	.24	Nil	"	.48	18
19	.09	.44	.17	.18	"	Nil	.25	.05	.57	"	"	.50	19
20	.95	.19	Nil	.15	"	.22	.02	Nil	.10	"	"	.09	20
21	.19	.62	"	.16	"	.20	.02	"	1.07	"	"	.47	21
22	.03	.03	"	Nil	.85	Nil	.27	.07	.20	.06	"	.83	22
23	.23	.01	"	"	2.37	"	.08	Nil	.35	Nil	.07	.11	23
24	.03	.12	"	"	Nil	"	.01	.40	.71	.01	.32	.08	24
25	Nil	.01	"	"	.23	"	.86	.45	.22	Nil	.13	.06	25
26	.17	.07	"	"	Nil	"	.05	.05	.83	.08	.19	.83	26
27	Nil	.07	.73	"	"	.10	Nil	.61	.35	.02	.97	.53	27
28	"	.01	.74	"	"	Nil	"	Nil	Nil	.04	.87	.95	28
29	"		.31	"	"	"	"	"	.46	.02	Nil	.18	29
30	"	X	.11	"	"	"	"	.43	.12	.06	.49	.45	30
31	"	X	.05	X	"	X	"	.44	X	.12	X	.26	31
Total	3.33	6.42	3.56	1.45	4.99	2.78	4.40	3.41	13.46	6.10	5.88	11.15	66.93
Rain Days.	18	23	10	11	10	12	17	18	29	22	16	29	215

YEAR'S TOTAL

W. 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192..

Kept at Mrs Gardens Mackynlch RA

in the County of Montgomery

by A Gribble

Lat..... Long.....

Time of Observation 9 a.m.

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	·10	·06	·08	·25	Nil	·31	·02	·23	·22	Nil	·14	1
2	"	·08	Nil	·19	·04	"	Nil	Nil	·46	·01	"	·14	2
3	"	·17	"	·08	·04	"	·33	·03	·35	·93	"	·22	3
4	"	Nil	"	·03	·25	"	Nil	1·00	·22	·06	"	Nil	4
5	"	"	·21	·05	2·34	"	·17	·30	·43	·02	"	"	5
6	"	"	·60	·07	·56	"	·09	Nil	·02	·42	·07	"	6
7	"	·12	·06 Snow	·22	·03	"	·06	"	·02	Nil	·10	·02	7
8	·38	·05	Nil	·52	·44	"	·20	·57	Nil	"	Nil	Nil	8
9	·65	1·21	·27	·88	Nil	"	·18	·06	·04	"	·40	"	9
10	·56	·52	·11	Nil	"	·16	·84	Nil	Nil	"	·02	"	10
11	·02	·15	·15	·13	·54	Nil	·15	·13	-	·06	·13	"	11
12	·34	·21	Nil	·14	Nil	·80	·22	Nil	·09	Nil	·53	·06 Snow	12
13	·11	·11	·60 Snow & rain	·73	"	·05	Nil	"	Nil	"	·38	Nil	13
14	·10	·10	·64	·13	"	Nil	·30	"	1·40	·41	·93	"	14
15	·09	·33	·45	1·08	"	·07	Nil	"	Nil	·03	·11	"	15
16	·26	Nil	·80	·46	·42	·65	·42	·01	·93	·78	·07	"	16
17	·30	"	·11	·28	·50	·23	·09	·39	·41	·03	Nil	"	17
18	·43	·05	Nil	·20	·59	·55	Nil	·04	·40	Nil	"	"	18
19	·09	·76	"	·37	·14	·09	·40	·03	·03	"	"	"	19
20	·50	Nil	"	·83	Nil	·03	·36	Nil	·17	"	"	·12	20
21	Nil	"	"	·06	"	Nil	·97	"	·01	·01	"	·30	21
22	·32	"	"	·13	"	·02	·77	"	Nil	Nil	"	Nil	22
23	·02	"	·19	·15	"	Nil	·09	"	"	"	"	·67	23
24	·09	"	·74	·04	"	·03	·13	·01	"	"	·04	·78	24
25	Nil	·11	·20	·24	"	·17	·78	Nil	"	"	Nil	·04	25
26	·40	·14	1·10	·59	"	Nil	·09	"	·03	"	"	·05	26
27	·41	·42	·83	·42	·39	·91	·20	"	Nil	"	·06	·26	27
28	·41	·22	·41	·07	·11	·20	1·80	"	"	"	·05	·21	28
29	·12	·03	·15	·13	·59	·11	·10	"	"	"	·14	·67	29
30	·46	X	·86	·62	·07	·47	·01	"	·42	"	·45	·38	30
31	·37	X	·30	X	·21	X	·13	"	X	·50	X	·14	31
TOTAL	6·43	4·88	8·84	8·92	7·51	4·54	9·19	2·59	5·66	3·48	3·48	4·20	YEAR'S TOTAL 69·72
Days with ·01 in. or more	22	19	21	29	18	16	26	12	18	13	15	16	225
Days with ·04 in. or more	20	18	21	28	17	13	25	7	13	8	14	15	199

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Plâs Machynlleth

in the County of Montgomery

by A. Gribble

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Machynlleth

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.52	Nil	.03	Nil	.25	Nil	.11	Nil	.41	.32	Nil	.76	1
2	.11	"	.25	"	Nil	"	Nil	.06	Nil	.02	.01	.36	2
3	.17	"	Nil	"	.54	"	"	Nil	"	Nil	Nil	.47	3
4	Nil	.38 Snow	.37 Snow	"	.07	.09	.10	.49	.03	"	"	.51	4
5	.10	.13	Nil	.05	.07	Nil	Nil	Nil	.17	"	"	.36	5
6	.04	.01	.20	Nil	Nil	"	"	"	.13	"	.02	.33	6
7	Nil	Nil	.31	"	"	.04	"	"	.01	"	Nil	.16	7
8	.30	"	.21	.25	"	.11	"	"	.04	"	.10	Nil	8
9	.64	"	.08	.20	"	Nil	"	"	.02	"	.01	"	9
10	.20	"	.50	Nil	.04	"	"	"	Nil	.08	.06	.25	10
11	.09	"	.60 Snow	.05	.07	"	.11	"	"	.07	Nil	.19	11
12	.02	"	.05	Nil	Nil	.75	Nil	"	"	.40	.22	Nil	12
13	.52	"	Nil	.07	"	Nil	.10	"	"	.36	Nil	.23	13
14	.56	"	"	.36	"	"	.12	.10	"	.40	"	.03	14
15	.59	.01	"	.51	"	"	Nil	Nil	"	.36	"	.58	15
16	.33	Nil	"	Nil	.04	.21	.05	"	"	Nil	.80	.05	16
17	.05	"	.07	.25	Nil	.23	.25	.59	"	"	1.50	.03	17
18	.08	"	1.00	Nil	"	Nil	.13	.70	.39	"	.17	.37	18
19	.14	.39	.41	"	.05	.11	.02	.10	.27	"	.14	.33	19
20	.23	.50	.19	"	.04	.11	Nil	Nil	.46	"	.12	1.70	20
21	.04	.35	Nil	"	.05	Nil	.66	.03	.43	"	.15	.19	21
22	Nil	.16	"	"	Nil	.29	Nil	.02	2.42	"	.04	3.02	22
23	"	Nil	"	"	"	.24	"	.06	Nil	1.10	.12	.27	23
24	.07	"	"	"	"	.11	"	Nil	.28	.18	.34	.65	24
25	.44	"	"	.25	.16	.03	"	.52	.26	.04	.32	.02	25
26	.30	.02	.65	.49	Nil	Nil	"	1.20	Nil	.01	.01	.42	26
27	.57	"	.07	.18	"	"	"	.22	.12	Nil	Nil	Nil	27
28	Nil	"	.03	.10	"	"	"	.91	Nil	"	"	.63	28
29	"		.15	Nil	"	.05	"	.13	"	"	"	.46	29
30	"		.04	.55	"	.17	"	Nil	"	"	.43	.56	30
31	"		.15		"		.77	.06		"		.06	31
TOTAL	6.11	1.95	8.36	3.31	1.38	2.54	2.42	5.19	5.44	3.34	4.56	4.99	58.59
Days with .01 in. or more	23	9	20	13	11	14	11	15	15	12	18	27	188

ANNUAL TOTAL 13.99

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

MEIFOD

COED-Y-~~MAEN~~

MONTGOMERY

1911, 13, 14

W.D. cmd. 3.

FORM A2.
BRITISH RAINFALL.

8 JAN 1912

Kept at Coed-y- *in the County of* Montgomery *by* W. H. Corbett

Llansaintffraid

Distance 6 miles *Direction* South

IMPORTANT NOTICE. The result entered to the 9 a.m. reading should be that of the previous day. If any observer does not strictly follow this rule, he is earnestly requested to add the words "previous day" in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following, 9.a.m. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	"	10	6	"	50	2	4	"	"	10	1	1
2	"	"	26	"	"	"	3	"	"	"	1	2	2
3	"	"	1	"	8	"	"	1	"	5	"	11	3
4	"	"	4	1	53	"	5	10	6	"	5	5	4
5	"	"	4	"	5	"	"	10	2	"	60	21	5
6	14	"	2	"	"	"	"	61	"	26	23	4	6
7	10	"	4	"	"	"	"	14	"	1	34	11	7
8	2	"	"	"	"	"	"	"	"	"	48	"	8
9	31	"	8	"	"	"	"	"	"	"	23	22	9
10	4	"	"	"	"	"	"	"	"	"	21	9	10
11	7	14	5	11	1	"	"	"	"	"	1	55	11
12	12	"	"	"	"	"	"	"	10	"	54	20	12
13	3	"	38	"	"	"	"	"	159	"	66	4	13
14	"	"	"	"	"	"	"	9	"	"	15	14	14
15	"	4	2	"	"	"	"	"	"	"	2	14	15
16	"	14	2	"	"	1	"	"	"	2	15	20	16
17	"	6	"	2	"	23	"	"	"	2	15	1	17
18	"	5	"	"	2	52	"	"	"	"	29	16	18
19	"	46	"	9	"	29	"	"	"	3	1	41	19
20	"	1	"	9	"	54	"	"	23	11	3	62	20
21	"	3	"	22	"	3	"	54	5	5	"	11	21
22	"	49	3	1	"	1	4	"	19	41	"	2	22
23	"	1	"	5	"	2	"	"	"	39	"	50	23
24	3	33	14	"	14	8	"	8	24	38	"	22	24
25	2	8	2	2	"	16	"	6	"	31	"	36	25
26	3	21	"	8	"	"	"	"	15	16	"	12	26
27	"	23	"	26	1	"	"	11	13	21	10	13	27
28	"	42	20	22	"	"	"	83	35	"	5	1	28
29	"		"	4	"	2	"	11	"	"	1	8	29
30	"		"	"	"	5	34	"	23	13	"	4	30
31	"		1		"		"	"		29		"	31
Total	94	2.19	1.46	1.28	84	2.46	48	3.00	3.34	3.13	4.48	5.25	TOTAL for year 30.05
No. of Rain Days.	12	15	11	14	7	13	5	13	12	16	22	29	175

W. 8,000, X. '11.

W.D. cnd. 3

REGISTER

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Coed-y-Maen Meifod

in the County of Montgomery

by W.H. Corbett.

RAIN GAUGE { Pattern do not know ; Diameter of top 5 in. ; Height of top above Ground 1 ft. 3 in. ; " " " Sea Level —— ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Llansaintffraid ; Distance 6 miles Direction South East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following, 9.a.m. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	"	10	6	"	50	2	4	"	"	10	1	1
2	"	"	26	"	"	"	3	"	"	"	1	2	2
3	"	"	1	"	8	"	"	1	"	5	"	11	3
4	"	"	4	1	53	"	5	10	6	"	5	5	4
5	"	"	4	"	5	"	"	10	2	"	60	21	5
6	14	"	2	"	"	"	"	61	"	26	23	4	6
7	10	"	4	"	"	"	"	14	"	1	34	11	7
8	2	"	"	"	"	"	"	"	"	"	48	"	8
9	31	"	8	"	"	"	"	"	"	"	23	22	9
10	4	"	"	"	"	"	"	"	"	"	21	9	10
11	1	14	5	11	1	"	"	"	"	"	1	55	11
12	12	"	"	"	"	"	"	"	10	"	54	20	12
13	3	"	38	"	"	"	"	"	159	"	66	4	13
14	"	"	"	"	"	"	"	9	"	"	15	14	14
15	"	1	2	"	"	"	"	"	"	"	2	14	15
16	"	14	2	"	"	1	"	"	"	2	15	20	16
17	"	6	"	2	"	23	"	"	"	2	15	1	17
18	"	5	"	"	2	52	"	"	"	"	29	16	18
19	"	46	"	9	"	29	"	"	"	3	1	41	19
20	"	1	"	9	"	54	"	"	23	11	3	62	20
21	"	3	"	22	"	3	"	54	5	5	"	11	21
22	"	49	3	1	"	1	4	"	19	41	"	2	22
23	"	1	"	5	"	2	"	"	"	39	"	50	23
24	3	33	14	"	14	8	"	8	24	38	"	22	24
25	2	8	2	2	"	16	"	6	"	31	"	36	25
26	3	21	"	8	"	"	"	"	15	16	"	12	26
27	"	23	"	26	1	"	"	11	13	21	10	13	27
28	"	42	20	22	"	"	"	83	35	"	5	1	28
29	"		"	4	"	2	"	11	"	"	1	8	29
30	"		"	"	"	5	34	"	23	13	"	4	30
31	"		1		"		"	"		29		"	31
Total	9.4	2.79	1.46	1.28	84	2.46	48	3.00	3.34	3.13	4.48	5.25	TOTAL for Year 30.05
No. of Rain Days.	12	15	14	14	7	13	5	13	12	16	22	24	175

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 3 JAN 1914

Kept at Coed-y-maen Welshpool

in the County of Montgomery

by W. H. Corbett.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Llansantffraid

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	02	06	23	06	07	"	"	"	06	02	15	10	1
2	01	21	12	01	05	04	"	"	"	02	12	09	2
3	01	05	23	"	21	"	"	01	03	"	"	26	3
4	71	10	06	"	02	"	"	"	"	14	05	40	4
5	36	07	14	"	23	32	"	01	05	156	12	03	5
6	06	17	24	"	12	12	"	"	"	10	07	38	6
7	01	39	03	"	17	45	04	"	"	47	18	04	7
8	01	14	01	03	36	02	03	09	02	35	"	03	8
9	01	44	11	06	14	85	04	05	25	"	18	04	9
10	22	01	02	08	17	01	01	09	"	08	28	"	10
11	59	"	"	44	14	08	"	"	"	08	34	08	11
12	09	"	01	"	24	07	"	"	03	"	28	"	12
13	01	"	21	"	02	01	11	03	37	03	30	"	13
14	13	"	78	19	"	"	"	08	"	19	16	"	14
15	18	01	29	74	"	"	"	24	10	"	34	02	15
16	01	"	38	09	"	"	01	17	"	"	08	"	16
17	21	"	10	21	"	"	03	"	"	"	14	"	17
18	02	"	22	24	02	"	04	"	"	"	10	01	18
19	10	"	09	19	"	08	01	"	05	15	09	01	19
20	07	"	10	08	"	"	01	"	02	21	71	01	20
21	"	"	11	21	19	"	28	"	"	01	01	"	21
22	62	"	82	"	02	21	"	19	41	"	"	"	22
23	06	"	04	04	01	13	"	110	19	"	21	"	23
24	23	01	"	"	"	01	"	15	"	"	08	04	24
25	"	"	"	11	"	"	"	"	24	11	13	12	25
26	"	02	"	142	58	"	"	01	08	"	"	40	26
27	06	01	07	23	"	"	"	"	"	71	01	09	27
28	34	"	12	40	06	"	"	"	"	15	"	06	28
29	01		45	57	15	"	"	01	"	29	03	39	29
30	36		"	05	"	"	"	"	"	21	10	"	30
31	10		36		46		"	"		04		"	31
Total	461	169	534	545	343	240	061	223	190	492	426	2·60	YEAR'S TOTAL 4034 39·44 228
Rain Days.	28	14	26 6	21	21	14	11	14	14	20	25	20	

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 22 JAN 1915

Kept at Coed-y-Maen

in the County of Montgomery

by W. H. Brookes

Le[illegible] Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01												1
2													2
3	.07												3
4	.35												4
5	.26												5
6	.11												6
7	.09												7
8	.19												8
9	.26												9
10	.01												10
11													11
12													12
13													13
14													14
15													15
16	.03												16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25	.20												25
26	.06												26
27	.02												27
28	.27												28
29	.19												29
30	.06												30
31	.18												31
Total	2.36												YEAR'S TOTAL
Rain Days.													

W.7,000, XI. 13

D8/

506

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

NEWTOWN
MONTGOMERY
1911

Kept at Newtow... 1911

in the County of M...

by L. Webb

p..... in.

bove Ground..... ft. ..... in.

„ Sea Level..... ft.

{ Name.....
{ Distance..... Direction.....

IMPORTANT N... measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.21	.02									1
2					.10		.14						2
3			.02	.02	.63		.01						3
4			.13		.05		.01						4
5	.42		.01	.01									5
6	.12		.04										6
7	.01												7
8	.22		.06										8
9	.04		.03										9
10	.05	.15	.12										10
11	.12				.02								11
12		.01	.28		.18								12
13					.01								13
14		.09	.02										14
15		.09	.02			.01							15
16	.01	.03				.13							16
17		.05	.02	.02		.80							17
18		.45	.06	.30		.47							18
19		.04		.31		.19							19
20		.03		.07									20
21		.30	.14			.01	.04						21
22		.03	.13	.02		.02							22
23	.01	.18	.06		.02	.77							23
24	.02	.06	.02	.02		.35							24
25	.04	.10		.07		.01	.17						25
26		.14		.24			.02						26
27		.08	.24	.13									27
28		.38		.08		.13							28
29						.08	.79						29
30			.02	.02		.07							30
31			.11		.19		.02						31
Total	1.07	2.21	1.74	1.33	1.20	3.04	1.20 ~~1.04~~						TOTAL for year
No. of Rain Days	12	17	20	14	8	13	8						

9,000, IX. '10.

DL

506

FORM A.2.
BRITISH RAINFALL.

26 JAN 1912

1911

Kept at Newtown

in the County of Montgomery 4

by L. Webb

RAIN GAUGE { Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. ,, ,, ,, Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station { Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.21	.02									1
2					.10		.14						2
3			.02	.02	.63		.01						3
4			.13		.05		.01						4
5	.42		.01	.01									5
6	.12		.04										6
7	.01												7
8	.22		.06										8
9	.04		.03										9
10	.05	.15	.12										10
11	.12				.02								11
12		.01	.28		.18								12
13					.01								13
14		.09	.02										14
15		.09	.02			.01							15
16	.01	.03				.13							16
17		.05	.02	.02		.80							17
18		.45	.06	.30		.47							18
19		.04		.31		.19							19
20		.03		.07									20
21		.30	.14			.01	.04						21
22		.03	.13	.02		.02							22
23	.01	.18	.06		.02	.77							23
24	.02	.06	.02	.02		.35							24
25	.04	.10		.07		.01	.17						25
26		.14		.24			.02						26
27		.08	.24	.13									27
28		.38		.08		.13							28
29						.08	.79						29
30			.02	.02		.07							30
31			.11		.19		.02						31
Total	1.07	2.21	1.74	1.33	1.20	3.04	1.20 ~~1.24~~						TOTAL for year
No. of Rain Days	12	17	20	14	8	13	8						

9,000, IX. '10.

NEWTON

GREGYNOG ~~HALL~~

MONTGOMERY

1911 - 1913

FORM A.2. BRITISH RAINFALL. 26 JAN 1912

R

Kept at Gregynog

in the County of Mo

by W E White

in.

Ground ft. in.

Sea Level ft.

ame

istance Direction

IMPORTANT NOT the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.36					.01			.15		1
2			.03	.02	.06		.10	.04		.04	.05	.15	2
3			.09	.03	.54		.02	.19	.03		.20	.08	3
4			.12					.28			.48	.23	4
5	.03		.05					} .71		.27	.29	.01	5
6	.09		.06							.04	.33	.13	6
7	.04										.40		7
8	.21		.11								.19	.20	8
9	.03		.03								.21	.08	9
10	.07	.20	.09						.01		.01	.83	10
11	.11				.09				.09		.46	.17	11
12		.02	.35						1.34		.75	.01	12
13			.02								.09	.02	13
14		.17	.01								.02	.19	14
15		.10									.10	.30	15
16		.07	.01	.03		.21					.08	.16	16
17		.14	.05	.01		.94					.16	.38	17
18		.51		.17		.71				.09		.37	18
19		.03		.18		.32		.07		.17	.02	.65	19
20		.03	.13	.13		.19		.88	.34	.11		.10	20
21		.46	.15	.02		.01			.10	.42		.06	21
22		.05	.07	.07		.04	.02		.10	.47		.20	22
23	.04	.23			.24	.85				.40		.25	23
24	.07	.10		.02		.24		.28	.24	.57		.10	24
25	.05	.30	.02	.08		.04	.03		.01	.12		.06	25
26		.18		.54			.05	.21	.09	.15	.07	.15	26
27		.20	.23	(.24)		.19		.18	.01		.04	.50	27
28		.36				.23		.54	.49			.15	28
29						.10	.81	.07		.63	.04	.04	29
30			.03	.10						.28	.01	.10	30
31			.18		.19		.01			.08			31
Total	.74	3.15	2.19	1.64	1.12	4.07	1.04	3.46	2.85	3.84	4.15	5.67	TOTAL for year 33.92
No. of Rain Days	10	17	21	14	5	13	7	13	12	15	22	28	177

9,000, IX. '10.

Register of Rainfall in 1911

Form A2. British Rainfall. 26 JAN 1912

Kept at Greggnog Hall

in the County of Montgomery 5

by W. E. Whitehouse

Rain Gauge: Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. „ „ „ Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station: Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.36					.01			.15		1
2			.03	.02	.06		.10	.04		.04	.05	.15	2
3			.09	.03	.54		.02	.19	.03		.20	.08	3
4			.12					.28			.48	.23	4
5	.03		.05					} .71		.27	.29	.01	5
6	.09		.06							.04	.33	.13	6
7	.04										.40		7
8	.21		.11								.19	.20	8
9	.03		.03								.21	.08	9
10	.07	.20	.09						.01		.01	.83	10
11	.11				.09				.09		.46	.17	11
12		.02	.35						1.34		.75	.01	12
13			.02								.09	.02	13
14		.17	.01								.02	.19	14
15		.10									.10	.30	15
16		.07	.01	.03		.21					.08	.16	16
17		.14	.05	.01		.94					.16	.38	17
18		.51		.17		.71				.09		.37	18
19		.03		.18		.32		.07		.17	.02	.65	19
20		.03	.13	.13		.19		.88	.34	.11		.10	20
21		.46	.15	.02		.01			.10	.42		.06	21
22		.05	.07	.07		.04	.02		.10	.47		.20	22
23	.04	.23			.24	.85				.40		.25	23
24	.07	.10		.02		.24		.28	.24	.57		.10	24
25	.05	.30	.02	.08		.04	.03		.01	.12		.06	25
26		.18		.54			.05	.21	.09	.15	.07	.15	26
27		.20	.23	(.24)		.19		.18	.01		.04	.50	27
28		.36				.23		.54	.49			.15	28
29						.10	.81	.07		.63	.04	.04	29
30			.03	.10						.28	.01	.10	30
31			.18		.19		.01			.08			31
Total	.74	3.15	2.19	1.64	1.12	4.07	1.04	3.46	2.85	3.84	4.15	5.67	TOTAL for year 33.92
No. of Rain Days	10	17	21	14	5	13	7	13	12	15	22	28	177

9,000, IX. '10.

82

Copy by C 4.III.13

5·04

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Gregynog Hall

in the County of Montgomery 5

by W. E. Whitehouse

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... ; Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.18		.03	.43	.18	.03				.42	1
2	.02	.01	.19			.38	.11		.02			.05	2
3	.31		.07		.06	.30		.86	.08		.01	.03	3
4	.45		.79	.05	.13			.27	.02		.17	.05	4
5	.44	.08	.20	.01	.06	.13		.13	.13		.01	.01	5
6	.26	.08	.09	.09	.07	.12		.10			.01	.02	6
7	.02	.18	.06	.21	.12	.45	.11	.12	.06			.02	7
8	.42	.07	.20	.04				.03	.04				8
9	.04	.13	.14			.16		.10			.20	.09	9
10	.15	.02		.07		.25	.05	.27			.50	.02	10
11	.02	.03					.01				.30	.64	11
12	.03	.11	.09			.23	.07				.01	.11	12
13	.03	.05						.03	.03	.14	.03	.53	13
14	.02	.12	.56			.07		.09				.27	14
15	.09	.10	.19		.17	.46		.01				.36	15
16	.11	.04	.15		.01	.01		.12		.19		.05	16
17	.09	.03	.06			.49		.39			.14	.92	17
18	.28	.05	.40			.01		.17		.12	.01	.06	18
19	.02	.05	.12			.06	.20	.10		.24	.01	.01	19
20	.04	.01	.14		.19		.06	.37		.46		.02	20
21	.02	.02	.12		.31		.01			.35		.06	21
22	.24	.13			.66		.21	.70		.01	.01	.08	22
23	.11	.11	.65			.03	.15	.68		.01	.27	.13	23
24	.06	.01	.09			.08	.06	.02			.05	.21	24
25	.01		.05			.13		.38			.62	.39	25
26		.12	.35				.19	.80		1.23	.43	.13	26
27		.04	.01			.33	1.28	.01		.74		.43	27
28		.07	.24			.06	.45	.24	.12	.18	.92	.01	28
29		.01					.10	.06	.45	.04		.06	29
30			.02			.07	.02			.18		.01	30
31	.02		.17				.64	.06		.10		.13	31
Total	3.30	1.63	5.33	.47	1.81	4.25	3.80	6.14	.95	3.99	3.70	5.32	TOTAL for year 40.69
No. of Rain Days.	25	25	26	6	11	22	18	26	9	14	18	5.32 30	230

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 31 JAN 1914

Kept at Greggnog Hall

in the County of Montgom. 5

by W. H. Brooks W. E. Whitehouse

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.14	.15	.05									1
2	.01	.28	.16	.02									2
3	.02	.02	.37										3
4	.71	.06	.07										4
5	.55	.10	.13										5
6	.03	.06	.24										6
7		.26	.06										7
8		.16	.03	.01									8
9		.42	.10	.03									9
10	.16		.07	.10									10
11	.37			.36									11
12													12
13	.01		.20	.01									13
14	.16		.58	.19									14
15	.22		.47	.80									15
16	.01	.01	.52	.12									16
17	.15		.08	.38									17
18	.08		.30	.25									18
19	.07		.19	.06									19
20	.15		.25	.26									20
21	.01		.16	.14									21
22	.94		.78										22
23	.01			.02									23
24	.29			.01									24
25				.11									25
26		.15		1.35									26
27	.07		.01	.15									27
28	.16		.11	.38									28
29	.01		.44	.57									29
30	.44		.03	.01									30
31	.25		.25										31
Total	5.01	1.66	5.75	5.38									YEAR'S TOTAL
Rain Days.	25	11	25	23									

W. 7,500, XI. 12

Lat. 52° 31' 28" N.
Long. 3° 16' 7" W.

Kept at Penarth

in the County of Mon

by GR. Jebb. Eng
Shropsh
Bi

42 48
NEWTOWN.
PENARTH WEIR
1911 – 30.
7F0812

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

her

in.

und 1 ft. 0 in.
Datum
Level 321 ft. 42 48

m.

ne Abermule

ance 1¾ M Direction N.E.

IMPORTANT NOTI

he result entered to the previous day. If an Observer prefers not to

sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	22	.	.	.	01	03	.	.	17	02	1
2	01	.	02	03	11	.	04	02	.	03	03	13	2
3	.	.	05	03	65	.	01	27	04	.	12	14	3
4	.	.	10	03	05	.	02	08	01	.	40	41	4
5	32	.	06	01	.	.	.	26	.	24	20	03	5
6	11	.	06	.	.	.	.	13	.	03	30	66	6
7	.	.	.	.	.	.	.	.	.	.	36	01	7
8	24	.	07	.	.	.	.	.	.	.	36	40	8
9	04	.	06	.	.	.	.	.	.	.	17	16	9
10	03	16	17	.	.	.	.	.	02	.	.	78	10
11	11	.	.	.	01	.	.	.	12	.	43	14	11
12	.	01	33	.	06	.	.	.	1·17	.	81	04	12
13	.	.	.	.	01	.	.	.	.	02	08	36	13
14	.	08	01	.	.	.	.	.	.	.	.	42	14
15	.	08	03	.	.	02	01	.	.	.	15	23	15
16	.	02	01	.	.	11	.	.	.	.	10	09	16
17	.	09	03	01	.	80	.	.	.	.	29	35	17
18	.	47	06	29	.	66	.	.	.	04	02	46	18
19	02	05	.	21	.	33	.	02	27	21	04	62	19
20	.	03	.	06	.	01	.	12	18	04	.	22	20
21	.	32	12	.	.	02	07	01	.	41	.	04	21
22	.	04	19	02	.	04	.	.	.	50	03	45	22
23	02	18	07	.	05	63	01	08	25	22	.	24	23
24	02	07	03	02	.	38	.	14	01	27	.	20	24
25	03	15	.	08	.	02	20	.	06	03	.	20	25
26	.	13	.	30	03	01	03	.	.	25	15	04	26
27	.	10	26	14	.	.	.	80	27	.	04	07	27
28	.	26	.	07	.	15	.	.	03	.	06	.	28
29	.	.	01	01	.	13	1·05	.	18	38	.	04	29
30	.	.	03	02	.	08	14	.	01	34	02	.	30
31	.	.	14	.	17	.	01	.	.	13	.	02	31
Total	·95	2·24	2·13	1·33	1·14	3·39	1·60	1·96	2·62	3·14	4·33	6·97	TOTAL for year 31·80.
No. of rain vs	11	17	23	16	9	15	12	12	14	16	22	29	196.

0, IX. '10.

Lat. 52° 31' 28" N.
Long. 3° 16' 7" W.

RE[illegible]

Kept at Penarth

in the County of Montgomeryshire

by G.R. Jebb. Engineer
Shropshire Union Rlys & Canal Co
Birmingham

FORM A2.
BRITISH RAINFALL.

16 JAN 1912

RAIN GAUGE
Pattern Teasher
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Old Datum ~~Sea Level~~ 321 ft. 42.8

Time of Observation 9 a.m.

Nearest Railway Station
Name Abermule
Distance 1¾ M Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	22	.	.	.	01	03	.	.	17	02	1
2	01	.	02	03	11	.	04	02	.	03	03	13	2
3	.	.	05	03	65	.	01	27	04	.	12	14	3
4	.	.	10	03	05	.	02	08	01	.	40	41	4
5	32	.	06	01	.	.	.	26	.	24	20	03	5
6	11	.	06	.	.	.	.	13	.	03	30	66	6
7	.	.	.	.	.	.	.	.	.	.	36	01	7
8	24	.	07	.	.	.	.	.	.	.	36	40	8
9	04	.	06	.	.	.	.	.	.	.	17	16	9
10	03	16	17	.	.	.	.	.	02	.	.	78	10
11	11	.	.	.	01	.	.	.	12	.	43	14	11
12	.	01	33	.	06	.	.	.	1·17	.	81	04	12
13	.	.	.	.	01	.	.	.	.	02	08	36	13
14	.	08	01	.	.	.	.	.	.	.	.	42	14
15	.	08	03	.	.	02	01	.	.	.	15	23	15
16	.	02	01	.	.	11	.	.	.	.	10	09	16
17	.	09	03	01	.	80	.	.	.	.	29	35	17
18	.	47	06	29	.	66	.	.	.	04	02	46	18
19	02	05	.	21	.	33	.	02	27	21	04	62	19
20	.	03	.	06	.	01	.	12	18	04	.	22	20
21	.	32	12	.	.	02	07	01	.	41	.	04	21
22	.	04	19	02	.	04	.	.	.	50	03	45	22
23	02	18	07	.	05	63	01	08	25	22	.	24	23
24	02	07	03	02	.	38	.	14	01	27	.	20	24
25	03	15	.	08	.	02	20	.	06	03	.	20	25
26	.	13	.	30	03	01	03	.	.	25	15	04	26
27	.	10	26	14	.	.	.	80	27	.	04	07	27
28	.	26	.	07	.	15	.	.	03	.	06	.	28
29	.	.	01	01	.	13	1·05	.	18	38	.	04	29
30	.	.	03	02	.	08	14	.	01	34	02	.	30
31	.	.	14	.	17	.	01	.	.	13	.	02	31
Total	·95	2·24	2·13	1·33	1·14	3·39	1·60	1·96	2·62	3·14	4·33	6·97	TOTAL for year 31·80
No. of rain vs	11	17	23	16	9	15	12	12	14	16	22	29	196

[illegible]0, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 11 JAN 1913

Kept at Penarth Weir (nr Newtown) 4

in the County of Montgomery

by Mr. G.R. Jebb C.E. Shropshire Union Rlys. & Canal Co. Birmingham.

Lat. 52° 31' 28" N. Long. 3° 16' 7" W.

Time of Observation 9 a.m.

Nearest Railway Station Abermule 1¾ miles N.E.

Diameter of Rain Gauge 8 in. Glaisher 4248

Height of top of Gauge above Ground 1 ft. in.

" " " " Ord. Datum ~~Sea Level~~ 321 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	14	.	03	34	07	03	01	.	.	25	1
2	01	.	36	01	.	38	10	.	01	.	.	02	2
3	09	.	12	.	21	27	02	91	03	.	.	03	3
4	32	.	93	03	15	01	.	08	02	.	16	.	4
5	35	.	22	01	07	13	.	19	06	.	.	02	5
6	24	13	04	.	09	11	.	18	.	.	02	03	6
7	03	36	14	.	06	58	04	09	04	.	.	02	7
8	45	17	18	05	.	10	.	04	03	.	.	.	8
9	09	09	10	18	.	36	.	22	02	.	05	07	9
10	19	02	.	02	.	29	.	34	01	.	43	.	10
11	02	01	.	.	.	.	.	03	.	.	27	50	11
12	03	32	05	07	.	04	06	01	.	.	.	08	12
13	02	.	.	.	.	.	.	08	02	16	05	33	13
14	02	03	63	.	.	06	.	14	.	01	.	14	14
15	10	06	16	.	15	61	.	.	.	.	.	28	15
16	14	02	10	.	01	02	.	04	.	11	.	07	16
17	16	03	06	.	.	28	02	21	.	01	13	97	17
18	05	03	21	.	.	.	.	10	.	06	01	05	18
19	07	04	06	.	01	06	27	29	.	38	02	01	19
20	03	02	37	.	08	.	06	05	.	53	04	.	20
21	.	02	12	.	34	.	03	45	01	32	.	05	21
22	01	07	03	.	60	.	24	47	.	02	02	05	22
23	19	17	33	.	.	.	19	53	.	01	19	08	23
24	18	01	05	.	.	13	06	02	.	05	08	33	24
25	.	.	03	.	.	17	.	64	.	.	46	41	25
26	.	11	17	.	.	.	20	72	.	93	45	25	26
27	.	03	21	.	.	37	1·05	.	.	65	02	40	27
28	.	13	02	.	02	04	25	28	15	21	55	03	28
29	.	07	17	01	.	05	07	17	54	17	06	08	29
30	.	.	02	.	.	13	05	01	.	22	.	01	30
31	02	.	32	.	05	.	29	04	.	10	.	.	31
Total	2·81	1·94	5·34	0·38	1·87	4·53	3·07	6·36	0·95	3·94	3·01	4·56	YEAR'S TOTAL 38·76
Rain Days.	23	22	28	8	14	22	18	28	13	17	18	26	237

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 15 JAN 1914

Kept at Penarth Weir (nr Newtown) in the County of Montgomery. by Mr G.R. Jebb C.E. Engineer Shropshire Union Railways & Canal Co. Birmingham.

Lat. 52°31'28"N. Long. 3°16'47"W
Time of Observation 9 am
Nearest Railway Station Abermule 1¾ M NE.
Diameter of Rain Gauge 8 in. Glaisher 4248
Height of top of Gauge above Ground 1 ft. – in.
" " " " Old Datum / Sea Level 321 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	11	09	22	11	04	.	.	.	05	.	06	02	1
2	02	19	10	04	05	02	.	.	03	19	19	03	2
3	03	02	26	.	30	.	.	01	10	04	02	23	3
4	81	05	.	.	05	.	02	.	23	12	04	45	4
5	58	09	13	.	11	66	06	02	02	1.34	03	05	5
6	05	05	29	.	13	05	18	.	.	12	06	39	6
7	02	47	08	.	26	13	01	.	.	43	15	03	7
8	02	14	02	01	49	11	05	13	01	09	.	.	8
9	.	42	04	04	16	67	08	09	20	.	17	04	9
10	18	02	02	13	14	03	.	07	01	11	08	.	10
11	33	.	.	38	08	05	.	.	.	06	48	.	11
12	.	.	.	.	13	02	.	.	02	.	32	.	12
13	02	.	16	01	01	.	10	03	30	.	21	01	13
14	11	02	50	10	.	.	.	02	08	10	08	.	14
15	16	01	44	95	.	.	.	29	08	.	20	04	15
16	03	01	33	06	.	.	01	.	03	.	08	.	16
17	13	.	18	24	.	.	08	.	02	.	09	.	17
18	10	.	31	20	.	01	05	.	.	.	04	01	18
19	15	.	12	03	.	05	02	.	06	24	04	03	19
20	19	.	21	06	01	02	.	.	.	19	52	.	20
21	02	.	43	05	19	.	16	.	.	.	08	.	21
22	80	.	87	.	.	20	.	66	45	.	02	.	22
23	.	.	01	17	.	06	.	10	15	.	17	.	23
24	28	02	.	01	.	.	.	02	.	.	06	03	24
25	.	.	.	17	.	.	.	.	.	10	06	04	25
26	01	14	.	1.84	15	02	.	02	19	.	.	42	26
27	02	.	06	20	.	.	.	.	03	1.06	.	03	27
28	12	.	19	47	03	.	.	.	.	28	.	05	28
29	.	.	44	48	16	.	.	03	.	63	07	.	29
30	40	.	02	01	.	.	.	10	.	15	31	.	30
31	19	.	34	.	07	.	.	.	.	01	.	.	31
Total	4.88	1.74	5.77	5.76	2.56	2.10	.82	1.59	2.06	5.26	3.63	1.90	YEAR'S TOTAL 38.07
Rain Days.	26	15	25	23	19	15	12	14	19	18	26	17	229

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

4248

FORM A.
BRITISH RAINFALL.

21 JAN 1915

Kept at Llanerch Weir (nr. Newtown)

in the County of Montgomery 4

by Shropshire Union Rlys & Canal Co. Birmingham

Lat. 52° 31' 28" N Long. 3° 16' 4" W.

Time of Observation 9 a.m.

Nearest Railway Station Abermule 1¾ m. N.E.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Ord. Datum Sea Level 321 ft.

Glaisher

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	11	01	.	14	85	69	.	.	06	26	1
2	.	02	06	.	01	01	1·10	04	.	.	28	50	2
3	03	02	30	05	20	.	02	20	.	.	.	54	3
4	32	01	16	09	03	.	08	03	.	.	69	46	4
5	20	.	25	38	28	.	04	.	.	.	24	06	5
6	04	05	04	23	04	02	26	06	.	.	09	20	6
7	02	29	54	09	11	08	26	11	.	.	02	21	7
8	18	01	.	02	14	34	15	09	04	.	.	06	8
9	14	02	02	21	06	74	.	28	04	.	02	.	9
10	03	21	03	23	03	11	.	02	16	.	02	.	10
11	.	22	46	01	05	04	33	.	04	.	82	46	11
12	.	1·22	18	.	01	.	01	.	34	.	30	23	12
13	.	16	47	02	.	.	02	.	11	15	40	14	13
14	.	45	14	01	.	.	.	.	.	16	29	.	14
15	03	03	38	.	.	.	.	02	13	04	10	02	15
16	01	03	04	.	.	.	.	.	11	.	.	02	16
17	04	28	30	.	.	14	05	.	15	.	.	60	17
18	.	01	03	.	.	02	01	.	.	03	.	08	18
19	.	01	03	.	.	.	80	.	11	.	12	24	19
20	.	40	09	.	.	18	15	03	.	.	.	18	20
21	.	20	01	.	.	26	03	30	.	09	02	.	21
22	.	25	.	02	12	09	21	14	.	13	.	.	22
23	.	03	05	.	02	.	22	.	.	18	.	.	23
24	.	02	46	01	.	.	03	20	.	05	05	.	24
25	09	01	02	01	04	.	.	20	.	35	06	20	25
26	02	03	.	.	.	.	.	18	.	08	31	73	26
27	03	.	.	.	.	.	.	.	.	10	46	1·21	27
28	11	08	13	.	14	.	90	.	.	09	01	28	28
29	05	.	02	.	04	.	.	.	.	22	20	04	29
30	.	X	06	02	.	.	.	02	.	13	32	75	30
31	16	X	01	X	.	X	23	06	X	25	X	13	31
Total	1·56	4·06	4·42	1·41	1·41	2·26	5·45	2·43	1·32	1·94	4·91	4·99	YEAR'S TOTAL 39·49 ✓
Rain Days.	14	25	24	16	16	13	21	18	10	15	22	24	224 ✓

W. 8,000. X. 14.

4232

4248

FORM A.
BRITISH RAINFALL.

29 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Llanarth Neir (nr Newtown)

in the County of Montgomeryshire

by Shropshire Union Railways & Canal Co

G. R. Pett, Engineer, Birmingham.

Lat. 52°31'28" N Long. 3°16'4" W.

Time of Observation 9 a.m.

Nearest Railway Station Abermule 1¾ m. N.E.

Diameter of Funnel of Rain Gauge 8 in. Glaisher

Height of top of Gauge above Ground 1 ft. – in.

" " " " Ord. datum ~~Sea Level~~ 321 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	55	11	08	.	64	.	.	23	15	30	02	19	1
2	09	19	21	14	.	04	.	1·70	04	20	.	13	2
3	20	20	06	32	02	.	33	01	02	.	.	23	3
4	05	34	.	.	18	.	35	01	.	.	.	1·21	4
5	04	46	04	02	.	06	.	02	.	.	.	56	5
6	08	03	02	16	.	.	92	11	.	.	.	30	6
7	24	60	01	11	.	.	.	23	.	.	02	33	7
8	26	21	.	12	.	.	.	14	.	.	33	02	8
9	14	34	.	14	.	.	.	01	.	.	14	85	9
10	42	02	02	12	.	.	01	11	.	05	13	09	10
11	09	02	02	.	01	.	04	23	.	01	1·05	03	11
12	04	15	.	04	24	.	.	11	.	24	1·25	03	12
13	01	64	.	02	60	.	.	21	02	01	03	04	13
14	02	02	.	01	.	.	.	21	04	01	01	21	14
15	69	01	.	.	08	.	22	24	.	.	14	04	15
16	12	54	.	.	24	.	86	05	.	.	.	03	16
17	04	85	08	.	42	.	.	08	.	.	.	06	17
18	.	68	03	.	.	.	.	13	.	.	.	01	18
19	.	06	02	12	08	.	22	.	.	.	.	01	19
20	41	02	.	.	05	.	.	01	.	.	.	05	20
21	15	03	.	01	.	.	14	.	.	04	.	01	21
22	02	02	09	23	.	.	11	.	.	06	.	14	22
23	.	08	14	01	.	06	03	.	02	85	.	41	23
24	.	.	14	14	.	.	06	.	14	44	.	24	24
25	.	.	02	.	.	23	01	.	.	01	04	13	25
26	02	14	.	.	.	.	30	.	03	.	.	58	26
27	.	09	.	.	.	45	54	.	.	12	.	63	27
28	.	41	02	.	.	09	06	13	08	06	.	05	28
29	.	.	.	.	02	03	01	04	09	.	11	10	29
30	15	X	.	09	.	06	.	.	11	19	04	34	30
31	05	X	.	X	.	X	14	11	X	15	X	41	31
Total	3·94	6·32	1·03	1·80	2·58	1·32	4·35	4·12	·80	3·13	3·31	7·52	YEAR'S TOTAL 40·22
Rain Days.	23.	26.	16.	14.	12.	8.	18.	22.	11.	15.	13.	31.	212.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 12. JAN 1917

Kept at Llanarth Weir (nr Newtown)

in the County of Montgomeryshire

by W. G. R. Jebb, Engineer, Shropshire Union Rlys & Canal Co. Birmingham

Lat. 52° 31' 28" N. Long. 3° 16' 7" W.

Time of Observation 9 a.m.

Nearest Railway Station Abermule 3/4 m. NE

Diameter of Funnel of Rain Gauge 8 in. Glaisher.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Ord. Datum ~~Sea Level~~ 321. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	20	02	14	·	03	14	34	·	·	18	24	·	1
2	55	15	28	·	·	·	33	·	34	42	15	·	2
3	01	1·15	11	·	02	03	50	·	24	22	22	07	3
4	26	11	·	03	40	38	14	·	08	33	35	·	4
5	09	02	·	·	22	10	01	·	·	14	14	·	5
6	10	44	04	·	23	05	30	·	·	12	28	02	6
7	09	07	11	·	08	02	21	·	04	29	12	12	7
8	01	07	19	·	20	01	02	·	·	18	08	05	8
9	·	07	·	·	18	56	02	·	01	·	07	06	9
10	04	34	·	10	04	03	02	·	01	05	·	·	10
11	02	06	19	22	14	02	01	·	·	·	·	01	11
12	07	10	03	06	23	·	11	11	·	05	·	04	12
13	·	18	13	19	02	·	·	33	·	03	·	01	13
14	·	33	14	15	10	·	·	44	·	13	·	02	14
15	·	40	22	12	07	·	03	36	·	14	·	·	15
16	·	14	·	26	02	·	03	03	60	05	·	·	16
17	05	16	·	50	·	·	·	11	24	28	·	·	17
18	06	22	14	20	·	·	·	03	01	07	14	·	18
19	14	02	55	04	·	·	·	08	·	01	55	·	19
20	10	01	34	03	·	·	·	·	·	·	09	35	20
21	09	01	64	03	·	08	05	·	·	·	12	02	21
22	·	·	01	03	·	01	·	·	·	24	01	12	22
23	04	03	01	08	·	01	·	18	·	14	12	33	23
24	·	02	02	·	1·31	01	·	14	·	31	01	14	24
25	·	09	31	·	10	04	·	14	·	02	29	08	25
26	07	07	12	·	04	31	·	03	21	31	18	·	26
27	02	13	33	·	04	03	06	02	49	1·55	01	02	27
28	·	09	·	·	02	03	·	·	02	49	02	28	28
29	·	40	06	·	·	49	·	18	01	11	·	31	29
30	·	X	02	·	·	16	·	·	·	29	·	·	30
31	·	X	·	X	·	X	·	02	X	51	X	22	31
Total	2·01	5·23	4·19	2·04	3·49	2·51	2·18	2·23	2·63	6·99	3·22	2·27	YEAR'S TOTAL 38·99
Rain Days.	19.	28.	23.	15.	20.	20	16.	15.	13.	27.	20.	19.	235.

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

25. 3988 4248 FORM A. BRITISH RAINFALL

Kept at Tenant's Weir (nr. Newtown)

in the County of Montgomery

by N. & S. Wales Sect. Chief Engineer
Shropshire Union Rlys & Canal Co.
Birmingham

Lat. 52° 31' 28" N. Long. 3° 16' 7" W.

Time of Observation 9 a.m.

Nearest Railway Station Abermule, 1¾ m. N.E.

Diameter of Funnel of Rain Gauge 8 in. Glaisher

Height of top of Gauge above Ground 1 ft. — in.

" " " " ~~Sea Level~~ Ord. datum 321 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	.	04	30	.	16	.	22	25	.	.	11	1
2	06	.	01	06	.	05	.	01	01	03	09	01	2
3	03	.	.	01	.	.	.	.	.	32	02	.	3
4	.	.	06	.	.	.	.	09	.	51	01	04	4
5	15	.	19	15	.	.	.	.	16	21	12	.	5
6	.	.	29	08	.	03	.	02	.	13	35	03	6
7	24	.	15	01	.	.	04	.	.	21	07	12	7
8	36	.	.	15	.	01	02	07	03	49	09	13	8
9	.	.	15	18	10	.	.	36	02	12	54	03	9
10	12	.	40	44	09	.	.	10	.	02	.	.	10
11	13	.	.	16	.	.	.	13	.	16	09	.	11
12	17	.	02	02	85	.	.	19	.	36	.	.	12
13	03	.	05	08	01	01	.	92	10	03	.	01	13
14	.	.	03	02	.	.	06	31	.	04	.	06	14
15	06	.	01	02	05	.	16	02	.	08	.	39	15
16	.	09	.	27	.	20	.	01	.	01	.	24	16
17	02	.	03	03	43	58	53	38	02	10	02	08	17
18	03	.	11	.	16	.	25	22	56	04	.	.	18
19	04	33	26	.	.	60	.	04	05	.	02	.	19
20	02	19	04	.	31	40	.	01	11	.	05	01	20
21	.	03	08	.	01	10	03	01	.	06	01	.	21
22	.	.	06	.	02	02	.	23	02	05	04	.	22
23	.	22	.	.	20	04	03	21	.	15	01	.	23
24	.	05	02	.	.	06	.	20	.	45	14	.	24
25	.	08	14	.	.	.	09	05	.	14	10	.	25
26	.	01	01	.	03	08	.	42	09	11	10	.	26
27	.	.	16	.	1·17	44	20	44	.	04	04	02	27
28	.	01	01	.	.	02	03	46	.	01	01	02	28
29	.	.	20	.	12	.	05	06	.	55	.	24	29
30	.	X	05	.	.	.	14	24	.	08	06	.	30
31	.	X	06	X	10	X	.	30	X	.	X	.	31
Total	1·50	1·01	2·63	1·98	3·65	3·10	1·66	5·45	1·42	4·53	2·01	1·54	YEAR'S TOTAL 30·81
Rain Days.	15	9	26	16	15	16	13	28	12	24	21	16	214

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

Ex M L

6

4248 FORM A. BRITISH RAINFALL.

Kept at Penarth Weir (Nr Newtown)

in the County of Montgomery

by Mr G. R. Lebb, Engineer, Shropshire Union Railways & Canal Co, Birmingham.

Lat. 52° 31' 28" N Long. 3° 11' 7" W.

Time of Observation 9 a.m.

Nearest Railway Station Abermule, 1¾ m N.E.

Diameter of Funnel of Rain Gauge 8 in. Glaisher

Height of top of Gauge above Ground 1 ft. — in.

" " " " Ord. datum Level 328 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	01	.	02	04	.	.	11	04	06	60	.	1
2	.	03	.	04	.	.	.	15	01	.	.	29	2
3	.	04	.	02	30	.	.	02	68	18	09	.	3
4	01	03	03	.	.	.	.	03	1·26	32	44	19	4
5	.	03	01	08	43	10	.	03	26	33	14	03	5
6	05	35	.	41	02	02	.	05	01	43	.	03	6
7	.	14	.	01	42	.	01	.	20	18	33	.	7
8	03	45	.	.	02	.	11	.	40	14	03	04	8
9	43	72	.	22	.	34	11	.	34	05	08	04	9
10	08	08	.	12	.	.	20	.	35	03	11	14	10
11	08	12	02	.	.	.	23	02	48	10	08	14	11
12	02	04	02	.	09	.	16	.	12	.	.	08	12
13	.	03	.	.	08	03	.	.	19	03	.	03	13
14	40	.	05	.	01	03	24	01	34	03	.	31	14
15	02	.	.	.	.	01	65	.	42	02	.	25	15
16	05	.	.	04	.	01	08	13	18	02	.	14	16
17	54	.	.	03	25	01	04	04	18	14	.	14	17
18	43	01	04	.	.	11	16	.	52	03	.	64	18
19	14	02	04	03	.	.	21	.	08	05	.	26	19
20	34	11	02	25	.	03	.	.	32	.	.	01	20
21	09	15	.	50	.	02	06	.	41	.	.	11	21
22	02	02	.	.	02	01	03	.	14	.	.	40	22
23	64	.	.	.	34	.	33	.	03	.	01	04	23
24	01	09	.	.	32	.	10	15	08	.	14	05	24
25	.	01	.	.		01	21	42	03	03	05	05	25
26	03	03	.	03	19	.	14	02	03	02	11	21	26
27	.	06	20	.	.	.	04	26	44	.	12	35	27
28	.	05	62	.	.	02	.	.	02	.	05	30	28
29	.		05	.	.	.	.	.	60	.	02	14	29
30	.	X	14	.	.	.	.	12	03	.	05	15	30
31	04	X	50	X	.	X	.	08	X	03	X	02	31
Total	2·88	2·65	1·83	1·73	2·59	·75	3·20	1·64	8·31	2·25	2·48	4·64	YEAR'S TOTAL 35·08
Rain Days.	20.	23.	13.	14.	14.	14.	19.	16.	30.	20.	17.	28	228

W, 6,500, VII. 18. w w o

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Penarth Weir (Nr Newtown)

in the County of Montgomery

by Mr H. E. Jones (Engineer) Shropshire Union Rlys & Canal Coy Chester

Lat. 52° 31' 28" N Long. 3° 16' 7" W

Time of Observation 9 am

Nearest Railway Station Abermule 1¾ m NE.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Ord Datum 321 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	30	03	02	01	13	.	32	.	08	09	.	36	1
2	08	.	04	.	02	.	.	.	09	04	07	15	2
3	02	.	04	.	05	31	12	03	02	.	06	16	3
4	.	05	31	.	.	02	20	05	01	.	.	20	4
5	03	25	.	.	.	.	.	.	.	.	06	72	5
6	12	03	25	.	02	.	11	.	.	.	06	.	6
7	06	.	04	10	01	.	.	.	.	.	.	34	7
8	85	.	03	03	.	06	.	.	.	.	.	,	8
9	37	.	03	04	.	.	.	.	.	.	06	01	9
10	20	.	38	02	.	.	.	.	.	07	03	18	10
11	02	.	1·10	04	02	.	20	.	.	.	.	03	11
12	09	.	1·16	02	.	66	.	.	06	10	05	01	12
13	15	01	.	08	.	.	02	.	.	16	.	.	13
14	34	04	.	55	.	.	05	.	19	03	.	08	14
15	39	03	02	10	03	.	.	.	.	15	.	58	15
16	16	42	.	.	.	02	.	.	.	.	07	02	16
17	08	41	.	.	.	12	.	02	.	.	34	01	17
18	09	06	65	.	.	.	05	14	03	.	.	06	18
19	06	15	48	02	.	06	.	64	15	.	12	.	19
20	14	04	46	.	.	03	.	09	.	.	14	.	20
21	02	14	02	.	02	.	29	.	16	.	.	26	21
22	.	05	.	.	.	02	.	.	75	.	.	53	22
23	.	02	.	.	.	07	.	.	.	1·0	10	17	23
24	.	.	.	02	.	05	05	.	.	72	22	.	24
25	08	.	.	12	13	03	.	20	03	.	19	32	25
26	07	05	28	30	.	07	.	23	11	02	03	24	26
27	11	02	07	22	.	.	.	20	.	.	03	.	27
28	06	02	12	07	.	.	.	65	03	.	.	32	28
29	08		01	09	.	01	.	05	.	10	.	35	29
30	.	X	08	06	.	07	.	.	.	02	22	14	30
31	03	X	07	X		X	03	05	X	08	X	01	31
TOTAL	4·00	1·82	5·66	1·89	·43	1·60	1·44	2·38	1·71	2·58	1·85	5·25	YEAR'S TOTAL 30·61
Days with ·01 in. or more	26	18	22	18	9	15	11	12	13	13	17	24	198
Days with ·04in.	21	11	16	12	9	9	10	8	10	14	14	18	141

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E. W3

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Penarth Weir (Nr Guilsfield)
in the County of Montgomery
by H. B. Jones (Engineer)
Shrewsbury Welsh Pool & Canal Co

Lat. 52°-31'-28" N Long. 3°-16'-7" W.
Time of Observation 9 am
Nearest Railway Station Abermule 1¾ m NE.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Ord. Datum 321 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .45.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	.	05	.	.	.	17	11	12	17	.	34	1
2	04	01	.	50	25	.	33	04	01	.	.	09	2
3	.	02	.	.	06	02	.	05	06	48	.	13	3
4	01	.	.	24	.	.	42	15	.	14	.	.	4
5	.	.	06	05	12	.	23	04	24	02	.	01	5
6	.	.	.	04	05	.	18	.	.	23	.	02	6
7	.	.	35	11	01	.	13	.	.	.	04	02	7
8	23	11	.	62	.	.	70	12	.	.	.	.	8
9	70	40	.	59	14	.	02	01	.	.	.	.	9
10	.	46	.	.	.	27	.	.	.	.	04	06	10
11	68	01	20	52	22	01	47	.	.	.	02	.	11
12	26	.	05	13	.	.	02	01	01	.	15	01	12
13	12	05	.	20	.	62	.	.	.	.	.	.	13
14	01	.	42	22	.	19	02	.	38	53	56	02	14
15	.	12	23	49	.	34	01	.	09	27	15	.	15
16	.	.	11	07	25	33	42	.	31	.	06	.	16
17	.	.	.	.	22	07	.	02	27	1·09	.	.	17
18	17	.	.	04	26	01	01	06	.	.	.	.	18
19	21	1·33	.	18	26	.	.	03	20	.	.	.	19
20	06	15	.	15	.	03	01	.	14	.	.	08	20
21	.	.	.	07	.	.	10	.	.	01	.	18	21
22	15	.	.	04	.	.	30	28	.	.	.	04	22
23	.	.	.	.	.	.	15	.	.	.	.	34	23
24	.	.	39	.	.	.	.	02	.	.	02	19	24
25	10	10	30	22	.	02	58	02	.	.	.	.	25
26	30	06	87	08	.	.	02	.	.	02	10	08	26
27	42	04	.	09	08	25	02	.	.	.	.	34	27
28	56	.	1·12	02	14	06	.	.	.	.	01	10	28
29	38	.	25	12	.	05	42	.	.	.	09	62	29
30	09	X	33	40	09	14	04	.	25	.	23	14	30
31	15	X	05	X	05	X	08	02	X	41	X	04	31
TOTAL	4·66	2·86	5·08	5·19	2·23	2·41	5·15	·98	2·08	3·64	1·47	2·91	YEAR'S TOTAL 38·69
Days with ·01 in. or more	20	13	15	24	15	15	24	15	12	11	12	20	196
Days with ·04 in. or more	17	10	15	23	14	10	16	8	10	8	9	15	155

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WELSHPOOL
COUNTY SCHOOL
1911-16, 19-1920

RE[illegible] N 1911

FORM A2. BRITISH RAINFALL. 6 JAN 1912

Kept at Welshpool

in the County of Mon[illegible]

by W.E. Whitehou[illegible]

ern B.A. Deep Funnel

eter of top 5 in.

ht of top above Ground 1 ft. - in.

„ „ Sea Level 263 ft.

rvation 9 a.m.

way Station { Name Welshpool
Distance 150 (925) Direction NE

IMPORTANT NOTE— [illegible] a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.11		.01		.01				.07		1
2				.02	.06			.01		.08	.05	.07	2
3			.02	.01	.34			.19	.05		.09	.08	3
4	.01		.07	.01	.02			.05	.02		.37	.14	4
5	.02		.01					.34		.21	.08	.01	5
6	.04		.07					.11		.09	.22	.10	6
7	.01										.31		7
8	.21		.07								.25	.17	8
9	.03		.06								.22	.03	9
10	.03	.15	.02		.07				.01			.46	10
11	.08		.01						.12		.45	.09	11
12		.01	.34		.12				1.16	.01	.66	.01	12
13								.12			.04	.18	13
14		.03	.01								.02	.13	14
15		.10	.02			.03				.01	.04	.21	15
16		.01				.16				.01	.18	.04	16
17		.02		.01	.39	.86					.26	.12	17
18		.28	.01	.07		.41				.01	.01	.23	18
19	.01	.02		.04		.85		.01	.25	.15	.06	.50	19
20		.03		.10		.01		.24	.10	.17	.01	.28	20
21		.35	.03			.02	.03		.13	.30		.04	21
22		.04		.01		.04				.42	.02	.36	22
23	.01	.17	.08		.08	.43	.01		.31	.21		.22	23
24	.01	.06	.03	.04		.47		.11		.55		.23	24
25	.01	.10		.06		.01	.28		.11	.11		.10	25
26		.19		.26	.03			.01		.27	.11	.10	26
27		.15	.20	.12				.87	.22		.08	.05	27
28	.01	.19		.07		.03		.06	.01		.07	.05	28
29						.05	.48	.02	.20	.59	.01	.01	29
30			.01			.11	.03			.29	.01		30
31			.09		.56					.12		.01	31
Total	.48	1.90	1.26	.82	1.68	3.48	.84	2.14	2.69	3.60	3.69	4.02	TOTAL for year 26.60
No. of Rain Days	13	17	19	13	10	14	6	13	13	18	25	28	189

7,000. X. '09.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 6 JAN 1912

Kept at Welshpool County School

in the County of Montgomery 5

by W E Whitehouse, L.C.P. F.R.Met.S.

RAIN GAUGE: Pattern B.A. Deep Funnel. Diameter of top 5 in. Height of top above Ground 1 ft. - in. " " " Sea Level 263 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Welshpool. Distance 150 yds Direction NE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.11		.01		.01				.07		1
2				.02	.06			.01		.08	.05	.07	2
3			.02	.01	.34			.19	.05		.09	.08	3
4	.01		.07	.01	.02			.05	.02		.37	.14	4
5	.02		.01					.34		.21	.08	.01	5
6	.04		.07					.11		.09	.22	.10	6
7	.01										.31		7
8	.21		.07								.25	.17	8
9	.03		.06								.22	.03	9
10	.03	.15	.02		.07				.01			.46	10
11	.08		.01						.12		.45	.09	11
12		.01	.34		.12				1.16	.01	.66	.01	12
13								.12			.04	.18	13
14		.03	.01								.02	.13	14
15		.10	.02			.03				.01	.04	.21	15
16		.01				.16				.01	.18	.04	16
17		.02		.01	.39	.86					.26	.12	17
18		.28	.01	.07		.41				.01	.01	.23	18
19	.01	.02		.04		.85		.01	.25	.15	.06	.50	19
20		.03		.10		.01		.24	.10	.17	.01	.28	20
21		.35	.03			.02	.03		.13	.30		.04	21
22		.04		.01		.04				.42	.02	.36	22
23	.01	.17	.08		.08	.43	.01		.31	.21		.22	23
24	.01	.06	.03	.04		.47		.11		.55		.23	24
25	.01	.10		.06		.01	.28		.11	.11		.10	25
26		.19		.26	.03			.01		.27	.11	.10	26
27		.15	.20	.12				.87	.22		.08	.05	27
28	.01	.19		.07		.03		.06	.01		.07	.05	28
29						.05	.48	.02	.20	.59	.01	.01	29
30			.01			.11	.03			.29	.01		30
31			.09		.56					.12		.01	31
Total	.48	1.90	1.26	.82	1.68	3.48	.84	2.14	2.69	3.60	3.69	4.02	TOTAL for year 26.60
No. of Rain Days	13	17	19	13	10	14	6	13	13	18	25	28	189

7,000. X. '09.

REGISTER OF RAINFALL IN 1912

Ended

FORM A2. BRITISH RAINFALL.

19 FEB 1913

Kept at Welshpool County School

in the County of Montgomery 5

by W. E. Whitehouse, L.C.P. F.R.Met.S.

RAIN GAUGE: Pattern B.A. - Deep Funnels
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 263 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Welshpool YDS.
Distance 150 Direction NE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06		.01	.66	.03	.19	.02			.22	1
2			.21	.01		.50	.12					.01	2
3	.02		.06		.21	.29	.04	.75	.08			.01	3
4	.26		.53	.01	.20			.11	.02		.12	.01	4
5	.24	.08*	.16		.05	.21		.17	.01			.01	5
6	.26	.10	.06		.05	.03		.35				.01	6
7	.03	.06	.03		.03	.22	.02	.01				.02	7
8	.42*	.09	.14	.02	.04	.07		.19	.03				8
9	.03	.02	.25	.15		.17	.01	.20	.01	.01	.03	.05	9
10	.33	.01	.01	.07		.20	.04	.12		.01	.33	.01	10
11	.03				.01		.01			.01	.20	.45	11
12	.02	.33	.06	.04		.03	.04	.21				.17	12
13	.01	.01						.04	.01	.15	.01	.43	13
14	.05	.02	.61			.02		.03		.01		.14	14
15	.01	.15	.03		.11	.29		.01				.26	15
16	.35	.02	.14		.01			.03	.01	.12		.02	16
17	.74*	.02	.01			.17	.03	.41			.14	.76	17
18	.08*	.02	.08			.01		.09		.02	.01	.17	18
19	.02	.04	.02			.05	.16	.53		.10	.01		19
20	.04		.14		.15	.01	.15	.05		.27	.01		20
21	.01	.01	.07		.37		.03	.25		.42		.01	21
22	.16	.17	.01		.47	.02	.22	.39				.06	22
23	.12	.09	.38		.01	.05	.08	.24			.22	.05	23
24	.07	.01	.07			.09	.05	.02			.03	.19	24
25		.01	.06			.08		.23			.42	.46	25
26		.09	.08			.01	.22	.79		1.04	.39	.09	26
27	.01	.02	.05			.61	.72			.68	.01	.38	27
28		.06				.03	.59	.34	.09	.19	.71	.01	28
29		.02	.08			.13	.11	.02	.48	.09		.08	29
30			.05			.19	.01			.18	.01	.01	30
31	.01		.27		.14		.45	.02		.08		.02	31
Total	3.32	1.45	3.72	.30	1.86	4.14	3.13	5.79	.76	3.38	2.65	4.11	TOTAL for year 34.61
No. of Rain Days.	24	23	28	6	15	25	21	27	10	16	16	28	239

W. 8,000, X. '11.

Cadby c 29.IV.14

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL.

Kept at Welshpool County School

in the County of Montgomery

by W. H. Brooks F.R.G.S.

RAIN GAUGE: Pattern B.A. Deep Funnel; Diameter of top 5 in.; Height of top above Ground 1 ft. – in.; " " " Sea Level 256 ft.

Time of Observation 9a.

Nearest Railway Station: Name Welshpool; Distance 150 yd. Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·06	·13	·08					·04	·03	·06		1
2	·01	·22	·10	·01	·05	·03			·03	·04	·22	·03	2
3	·01	·01	·21		·44				·04	·02		·20	3
4	·67	·04	·03		·02		·03		·01	·18	·06	·46	4
5	·45	·10	·07		·17	·17	·03	·01	·03	1·43	·05	·03	5
6	·04	·05	·21		·30	·10	·22			·07	·09	·36	6
7		·24	·02		·23	·30	·03			·38	·23	·05	7
8		·11			·11	·14	·03	·06		·12	·03	·01	8
9		·39	·11	·05	·16	·63	·03	·10	·18		·07	·03	9
10	·09	·01	·01	·01	·26	[illegible]	·01	·13		·05	·04		10
11	·33	·01		·39	·01	·03				·10	·32	·04	11
12					·02	·01		·01	·05		·23		12
13		·01	·12				·13	·03	·27	·02	·32		13
14	·09		·58	·11			·01	·04	·01	·10	·18		14
15	·06	·03	·47	·61				·08	·16		·13	·01	15
16			·55	·12			·01	·01					16
17	·08		·07	·24			·08				·08		17
18			·28	·16	·01	·02	·04				·05	·01	18
19	·09		·06	·16		·06	·02		·04	·13	·06	·03	19
20	·15		·27	·19		·03	·01			·28	·49		20
21			·19	·21	·15		·18	·06			·03		21
22	·54		·88		·01	·25		1·14	·45				22
23	·01		·03			·06		·08	·26		·15		23
24	·26			·02							·13	·02	24
25				·14					·25	·10	·03	·03	25
26		·11		1·19	·22			·02	·04			·38	26
27	·09		·01	·17						·61		·06	27
28	·29		·14	·35	·01				·01	·04		·34	28
29			·50	·42	·15			·02		·21			29
30	·32		·01	·01	·02					·18	·12		30
31			·39		·56					·03			31
Total	3·62	1·39	5·44	4·64	2·90	1·83	·86	1·79	1·87	4·42	3·17	2·09	TOTAL for year, 34·02
No. of Rain Days.	19	14	25	20	19	13	15	14	16	20	23	17	215 days.

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 26 MAY 1915

Kept at Welshpool County School.

in the County of Montgomery 5

by W. H. Brooks F.R.G.S.

Lat. 52° 29' 20" N Long. 3° 3' 28" W.

Time of Observation 9 am

Nearest Railway Station Welshpool

Diameter of Rain Gauge 5 in.s

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.48	.06	.08	-	.01	-	-	-	-	.09	.12	1
2	—	-	.08	-	-	.07	.68	1.30	-	-	.03	.27	2
3	.02	-	.02	-	.01	-	1.15	.09	-	-	.24	.23	3
4	.24	.02	.04	.08	.33	-	.01	.02	-	-	.01	1.04	4
5	.22	-	.04	.12	.08	-	-	.04	-	-	-	.53	5
6	.07	-	.15	.29	.10	-	.10	-	-	-	.15	.01	6
7	—	.04	.01	.35	.11	.02	.05	.02	-	-	.04	.30	7
8	.10	.06	.47	.11	.11	.10	.23	.04	-	-	-	.30	8
9	.14	-	-	.02	.10	.37	.32	.21	.06	-	-	.05	9
10	.03	.02	-	.13	.06	.72	-	-	.41	-	.04	-	10
11	—	.06	-	.18	-	.18	-	-	.15	-	.02	-	11
12	-	.23	.34	.02	.13	.11	.37	-	.07	-	.57	.55	12
13	-	.61	.16	-	-	.01	-	-	.31	-	.15	.18	13
14	-	.15	.29	-	-	-	-	-	.04	.40	.33	.16	14
15	-	.64	.09	.01	-	-	-	-	.05	.21	.15	.01	15
16	-	-	.43	-	-	-	-	.03	.17	.03	.02	-	16
17	.01	.02	.04	-	-	-	.01	-	.04	-	-	-	17
18	-	.26	.19	-	-	.80	.04	-	.13	-	-	.69	18
19	-	-	.03	-	-	.14	.02	-	.05	.02	-	.07	19
20	-	.01	.04	-	-	-	.80	-	.03	-	.09	.24	20
21	-	.28	.13	-	-	.27	.17	-	-	-	.05	.24	21
22	-	.15	-	-	-	.20	-	.16	-	.04	-	.05	22
23	-	.23	.02	.01	.06	-	-	.26	-	-	.12	-	23
24	-	.02	.08	-	-	.01	.10	-	-	.06	-	-	24
25	.10	.01	.42	-	-	-	.02	.35	-	.04	.09	-	25
26	-	.01	.01	-	.02	-	.09	.58	-	.74	.03	.39	26
27	.01	.01	.02	-	-	-	.01	.12	-	.12	.19	.22	27
28	.19	-	-	-	-	-	-	-	-	.03	.31	1.61	28
29	.07		.03	-	.13	-	-	-	-	.12	-	.60	29
30	.03	X	.03	-	.08	-	-	-	-	.19	.17	.08	30
31	.18	X	.08	X	-	X	-	-	X	.10	X	.25	31
		.06	.08		.01					.09	.12	.03	
Total	1.41	~~3.01~~ 2.89	~~3.30~~ 3.32	~~1.40~~ 1.32	~~1.32~~ 1.33	~~3.01~~ 3.00	4.17	3.22	1.51	~~2.10~~ 2.19	2.89	8.22	~~35.50~~ 35.41
Rain Days.	14	~~20~~ 20	~~26~~ 26	~~12~~ 11	~~13~~ 14	~~14~~ 13	17	13	12	~~18~~ 14	21	24	199

W. 8,000. X. 14.

cmdly C. 16.V.16

4236

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 5 JAN 1916

Kept at Welshpool County School

in the County of Montgomery

by R.W. Corbett

Lat. 52° 39' 20" Long. 3° 8' 28"

Time of Observation 9 a.m.

Nearest Railway Station Welshpool.

Diameter of Funnel of Rain Gauge 4" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 256 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42	·22	trace	-	·58	-	·03	·08	·26	·24	-	·25	1
2	·05	·21	·17	·16	trace	·03	-	2·32	·01	·04	·07	·12	2
3	·38	·14	trace	·10	-	-	·34	·50	-	trace	-	·24	3
4	·05	·36	·01	trace	·32	-	·38	·08	-	-	-	·93	4
5	·03	·15	-	trace	trace	·02	-	·06	-	-	-	·26	5
6	·16	·13	-	·08	-	-	·72	·01	-	-	-	·23	6
7	·16	·58	-	·07	-	-	·03	·20	-	-	-	·31	7
8	·14	·13	-	·15	-	-	-	·16	-	trace	·15	-	8
9	·16	·12	-	·18	-	-	-	trace	trace	-	·10	·80	9
10	·58	-	·01	·13	-	-	-	·01	-	·05	·05	·07	10
11	·04	-	·10	trace	·04	-	·06	·28	-	-	1·05	·06	11
12	·03	·13	-	·03	·20	-	-	·19	-	·18	1·20	·05	12
13	-	·60	-	·06	·37	-	trace	·29	·01	trace	·02	·06	13
14	·02	trace	-	·01	·02	-	-	·38	·12	-	·04	·26	14
15	·63	-	trace	-	·11	-	·19	·13	trace	-	·17	·05	15
16	·08	·20	-	-	·44	-	1·02	·14	-	·01	-	·02	16
17	trace	·74	·01	-	·79	-	-	·06	-	trace	-	·02	17
18	·01	·60	·02	-	trace	-	trace	·01	-	trace	-	-	18
19	trace	·02	-	·10	·09	-	·18	-	-	-	-	-	19
20	·10	·01	-	-	trace	-	·10	·01	-	-	-	·04	20
21	·16	·01	-	-	-	-	·01	-	-	·06	-	trace	21
22	·02	·01	·10	·16	-	-	·31	-	-	·10	-	·09	22
23	trace	·09	·16	trace	-	·08	·04	-	·03	·93	-	·44	23
24	trace	-	·02	·12	-	trace	·22	-	·22	·73	-	·33	24
25	-	-	·02	-	-	·20	·04	-	trace	-	·07	·14	25
26	·01	·07	-	trace	-	-	·45	-	·05	-	-	·66	26
27	-	·20	-	-	-	·02	·32	-	-	·43	-	·67	27
28	-	·45	trace	-	-	·12	·01	·12	·03	·03	-	·03	28
29	-	X	-	-	trace	·03	·14	·03	·05	-	·11	·03	29
30	·10	X	-	·10	-	·08	·15	-	·03	·12	·03	·15	30
31	·03	X	-	X	-	X	·19	·04	X	·07	X	·27	31
Total	3·35	5·17	·62	1·45	2·96	·58	4·93	5·10	·81	2·99	3·06	6·57	YEAR'S TOTAL 37·59
Rain Days.	22	22	10	~~13~~ 14	10	8	21	21	10	13	12	27	189 196

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 1917

Kept at Welshpool County School

in the County of Montgomery

by D. B. John. Esq.

Lat. 52° 39' 20" Long. 3° 8' 28"

Time of Observation 9 a.m.

Nearest Railway Station Welshpool.

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground R ft. 12 in.

" " " " Sea Level 256. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20	·02	·19	–	·03	·05	·20	–	–	·05	·24	–	1
2	·53	·10	·42	–	–	·02	·18	–	·44	·68	·02	–	2
3	–	·34	–	·01	trace	·07	·37	–	·36	·29	·11	·03	3
4	·26	·25	–	·02	·44	·38	–	–	·03	·18	–	–	4
5	·03	·03	·02	–	·28	·03	trace	·01	–	·38	·09	–	5
6	·12	·29	·02	–	·32	·06	·39	–	·03	·07	·17	·02	6
7	·11	·01	·10	–	·09	–	·06	–	trace	·10	·11	·21	7
8	·03	·02	·20	–	·05	·01	·01	–	–	·14	·04	·06	8
9	–	·02	trace	–	·26	·22	·02	–	·03	trace	·08	·06	9
10	·03	·43	·07	·03	·03	·02	·01	–	·01	·12	–	·01	10
11	–	·03	·23	·09	·10	·02	X	–	–	–	–	·04	11
12	·05	·02	·06	·05	·32	–	·05	·07	–	·04	–	·01	12
13	–	·14	·22	·09	·02	–	–	·29	–	·12	·01	·02	13
14	–	·31	·04	·08	·04	–	–	·47	–	·02	–	·01	14
15	–	·68	·28	·19	trace	–	trace	·17	trace	·02	–	–	15
16	–	·14	trace	·17	·01	–	–	–	–	·02	–	–	16
17	·05	·13	–	·38	–	–	–	·02	·27	·24	–	–	17
18	·04	·12	·07	·05	–	–	–	·05	·23	·02	·37	·10	18
19	·00	·01	·43	·07	–	–	–	·02	·01	–	·33	·01	19
20	·10	–	·34	–	–	–	–	–	–	–	·03	·09	20
21	·09	trace	·33	–	–	·04	·42	–	–	–	·07	·03	21
22	–	–	–	·08	–	·01	–	–	–	·18	·01	·18	22
23	·02	trace	·04	–	–	·01	–	·13	–	·05	·08	·22	23
24	–	·35	·03	·02	1·08	·40	–	·09	–	·30	–	·18	24
25	trace	·06	·23	–	·14	·03	–	·08	–	trace	·30	·02	25
26	·01	·07	·02	–	·04	·26	trace	·03	–	·19	·12	–	26
27	·02	·14	·11	–	trace	trace	–	·19	·43	·80	·01	trace	27
28	–	·24	–	–	·05	·02	–	–	–	·12	·01	·38	28
29	–	·21	·01	–	–	·53	–	·07	trace	·11	–	·39	29
30	–	X	·01	–	–	·17	–	trace	–	·22	–	trace	30
31	–	X	–	X	–	X	trace	·02	X	·53	X	·02	31
Total	1·79	4·21	3·44	1·33	3·30	2·35	1·71	1·41	1·84	4·99	2·17	2·09	YEAR'S TOTAL 30·96 in
Rain Days.	17	25	23	14	17	19	10	15	10	25	19	21	215

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Welshpool (M.O.)

in the County of Montgomery.

by The Head Master

Lat. 52° 39' N Long. 3° 8' W

Time of Observation 9h

Nearest Railway Station

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	.35	.02	.03	0.02	-	-	0.10	-	-	0.09	0.03	0.38	1
2	.13		.07	0.01	-	-	0.19	-	-		0.05	0.04	2
3			.02	-	-	0.26	0.05	0.01	0.09	-	0.11	0.18	3
4			.35	-	-	0.02	0.02	-	-	-	-	0.14	4
5	.01	.30		-	0.06	-	0.25	0.03	0.01	0.01	0.02	0.38	5
6	.02	.11	.22	-	0.02	-	-	-	-	-	0.04	0.14	6
7	.05		.04	-	-	0.02	-	-	-	-	-	0.03	7
8	.10		.10	-	-	-	-	-	-	0.02	0.01	-	8
9	.45		.04	-	-	-	-	-	-	-	0.02	-	9
10	.07		.37	-	0.01	-	-	-	-	0.05	-	0.10	10
11	.03		1.15	-	0.08	-	-	-	-	0.03	-	0.03	11
12	.02		.57	-	-	0.51	0.23	-	-	-	0.07	-	12
13	.21			-	-	-	-	-	0.02	0.26	-	0.05	13
14	.28	.01		0.58	-	-	-	-	0.03	0.03	-	0.07	14
15	.27	.04		0.12	0.21	-	-	-	-	0.92	-	0.42	15
16	.08	.30		0.01	-	0.03	-	-	-	-	0.03	0.01	16
17	.18	.85		-	-	0.10	-	-	-	-	0.25	0.01	17
18	.06		.72	-	-	-	0.02	0.50	-	-	0.03	0.03	18
19	.04	.24	.42	0.03	-	-	0.07	0.51	0.02	-	0.31	-	19
20	.16	.06	.15	-	-	0.38	0.04	0.20	0.03	-	0.07	0.15	20
21	.04		.68	-	-	0.11	-	-	0.10	-	-	0.10	21
22		.03	.02	-	-	-	0.21	-	0.01	-	0.02	0.25	22
23				-	-	-	-	-	-	1.21	0.06	0.07	23
24				0.10	0.02	0.02	-	-	0.23	0.70	0.20	0.25	24
25	.04		.02	0.08	0.16	0.05	-	-	-	0.02	0.03	0.07	25
26	.08			-	-	0.03	-	0.41	-	-	0.06	0.10	26
27				0.39	-	0.07	-	0.21	0.02	-	0.02	0.34	27
28				0.04	-	-	-	0.38	-	-	-	0.50	28
29	.10			0.04	-	-	-	-	0.01	0.05	-	0.03	29
30				-	-	-	-	-	-	0.01	0.08	0.20	30
31	.02	X	.05	X	-	X	-	-	X	0.06	X	-	31
Total	2.79 ~~2.94~~	1.96	5.02	1.42	0.56	1.60	1.18	2.25	0.57	3.46	1.51	4.07	YEAR'S TOTAL 26.39 ~~26.06~~
Rain Days.	28	10	18	11	7	12	10	8	11	14	20	26	170

Copied from M.O. Form 3203.

26.5.54

W, 6,500, VII. 18. W W C

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Welshpool (M.O)

in the County of Montgomery

by The Head Master

Lat. 52° 39' N Long. 3° 8' W

Time of Observation 9h (GMT)?

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·05	0·04	0·06	0·30	—	0·25	0·03	0·09	0·11	—	0·33	1
2	—	—	—	0·25	—	—	0·40	—	0·02	0·30	0·01	0·21	2
3	—	—	—	0·42	0·03	0·04	0·66	—	0·04	0·18	—	0·07	3
4	—	0·02	—	—	—	—	0·05	0·47	0·01	0·41	—	—	4
5	—	—	0·05	—	0·18	—	0·22	0·02	0·02	0·02	0·02	—	5
6	—	—	—	0·07	0·04	—	0·10	—	0·02	0·37	—	0·03	6
7	0·05	—	0·31	0·08	—	—	0·03	—	—	—	—	0·01	7
8	0·36	0·03	—	0·63	—	—	0·29	0·18	—	—	—	—	8
9	0·43	0·11	—	0·62	—	—	—	—	—	—	—	—	9
10	0·62	0·39	—	0·05	—	0·09	0·37	—	—	—	0·03	—	10
11	0·13	0·42	0·05	0·19	0·46	0·06	0·07	—	—	—	0·02	—	11
12	0·28	0·03	0·06	0·11	—	0·55	0·05	—	—	—	0·14	—	12
13	0·09	0·02	0·12	0·23	—	—	—	—	—	—	0·17	—	13
14	0·06	0·04	0·56	0·20	—	0·15	0·06	—	0·60	0·41	0·47	0·10	14
15	—	0·04	0·11	0·25	0·03	0·93	—	—	0·02	0·11	0·23	—	15
16	—	—	0·02	0·06	0·36	0·05	0·59	—	0·33	0·32	0·02	—	16
17	0·07	—	—	—	0·21	0·48	—	0·07	0·46	0·29	—	—	17
18	0·22	—	—	0·05	0·41	—	—	0·09	0·07	—	—	—	18
19	0·07	1·32	—	0·03	0·05	0·03	—	0·02	0·02	—	—	—	19
20	0·02	0·11	—	0·16	—	0·03	—	—	0·02	—	—	0·09	20
21	—	0·01	—	0·07	—	—	0·12	0·05	—	—	—	0·21	21
22	0·07	—	—	0·05	—	—	0·45	0·40	—	—	—	0·02	22
23	—	—	0·05	—	—	—	—	—	—	—	—	0·01	23
24	0·04	—	0·43	0·05	—	—	—	0·01	—	—	0·01	—	24
25	—	—	0·13	0·10	—	0·08	0·77	—	—	—	—	—	25
26	—	0·11	0·46	0·04	—	—	0·03	—	—	—	0·07	—	26
27	—	—	0·41	0·06	0·18	0·49	0·05	—	—	—	—	—	27
28	—	—	0·14	0·04	0·19	0·20	—	—	—	—	—	0·02	28
29	0·37	—	0·22	0·10	0·07	—	0·30	—	—	—	0·23	0·60	29
30	—		0·40	0·31	—	0·15	0·04	—	0·32	—	0·17	0·37	30
31	0·11		—		0·03		—	—		0·25		0·13	31
TOTAL	2·99	2·70	3·56	4·28	2·54	3·33	4·90	1·34	2·04	2·77	1·59	2·20	YEAR'S TOTAL 34·24
Days with ·01 in. or more	16	14	17	26	14	14	20	10	14	11	13	14	183

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O 3203

12 18 6 7 10 7 9 145

WELSHPOOL

EDDERTON HALL

MONTGOMERY

1917 - 1920

3989

FORM A. BRITISH RAINFALL.

9 JAN 1918

REG

Kept at Edderton Ha

in the County of Mont

by Miss Hoo

Gauge 5"

ve Ground 1 ft. in.

Sea Level 500 ft.

IMPORTANT N … the result entered to the previous day. If an Observer prefers not to conform … versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.01		.13		.12		.26				.04	1
2		.03		.09		.05		.04				.02	2
3	.62									.35	.15	.03	3
4		.11	.3					.15		.3	.02		4
5	.67			.2				.01		.15	.02		5
6						.06				.23	.24	.03	6
7		.05						.15		.11	.24	.09	7
8	.12		.03?		.13			.34		.4	.09	.07	8
9			.48?	.21 2 dys	.13			.09		.16	.22		9
10	.2		.61 3 dys .10?	.29				.15	.02	.03	.24		10
11	.08			.12				.1		.31			11
12				.06	.95			.23	.09	.25	.06		12
13	.04			.05				.09	.11			.02	13
14	.03							.15		.04		.05	14
15	.05		.09	.04	.05	.2	.6	.02	.01	.1		.15	15
16	.04			.17		.28		.02	.05		.02	.22	16
17				.02	.28		.63	.42	.02	.1			17
18	.02		.05				.3	.13	.6		.02		18
19		.33	.13			.41		.03	.04		.01		19
20	.04	.07	.01		.33	.74			.04		.01		20
21		.02	.11		.01	.03		.01		.05			21
22					.05	.04		.2	.03	.03			22
23		.17		.06	.32	.05		.25					23
24						.02		.05		2 dys .5	.14		24
25					.01	.11	.57	.06		.15	.04		25
26			.08			.04	.03	.3		.05	.03		26
27					.9	.3	.14	.32	.13		.03		27
28					.21		.02	.34			.01	.01	28
29			.17		.42			.01		.35			29
30			.04				.09	.24		.14	.04	.32	30
31	.03				.05					.01			31
Total	76	79	1.59	1.44	3.84	~~2.10~~ 2.45	2.38	5.06	1.14	3.81	1.63	1.05	YEAR'S TOTAL ~~25.67~~ 25.94
Rain Days.	13	8	12	13	14	14	8	27	11	22	19	12	173

W. 8,000, VIII. 16

REG[illegible] IN 19[illegible]

3989

FORM A.
BRITISH RAINFALL.

Kept at Eldertree Hall Wetherspoon

in the County of Montgomery

by Miss Hoodwards.

Lat. ..... Long. .....

Time of Observation 10 a.m.

Nearest Railway Station Forden

Diameter of Funnel of Rain Gauge 5"

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 500 ft.

9 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.01		.13		.12		.26				.04	1
2		.03		.09		.05		.04				.02	2
3	.62									.35	.15	.03	3
4		.11	.3					.15		.3	.02		4
5	.67			.2				.01		.15	.02		5
6						.06				.23	.24	.03	6
7		.05						.15		.11	.24	.09	7
8	.12		.03?		.13			.34		.41	.09	.07	8
9			.48?	.21 3 days	.13			.09		.16	.22		9
10	.2		.61 3 days .10 ?	.29				.15	.02	.03	.24		10
11	.08			.12				.1		.31			11
12				.06	.95			.23	.09	.25	.06		12
13	.04			.05				.09	.11			.02	13
14	.03							.15		.04		.05	14
15	.05		.09	.04	.05	.2	.6	.02	.01	.1		.15	15
16	.04			.17		.28		.02	.05		.02	.22	16
17				.02	.28		.63	.42	.02	.1			17
18	.02		.05				.3	.13	.6		.02		18
19		.33	.13			.41		.03	.04		.01		19
20	.04	.07	.01		.33	.74			.04		.01		20
21		.02	.11		.01	.03		.01		.05			21
22					.05	.04		.2	.03	.03			22
23		.14		.06	.32	.05		.25					23
24						.02		.05		.5	.14		24
25					.01	.11	.57	.06		.15	.04		25
26			.08			.04	.03	.3		.05	.03		26
27					.9	.3	.14	.32	.13		.03		27
28					.21		.02	.34			.01	.01	28
29			.17		.42			.01		.35			29
30			.04				.09	.24		.14	.04	.32	30
31	.03				.05					.01			31
Total	76	79	1.59	1.44	3.84	~~2.10~~ 2.45	2.38	5.06	1.14	3.81	1.63	1.05	YEAR'S TOTAL ~~25.67~~ 25.94
Rain Days.	13	8	12	13	14	14	8	27	11	22	19	12	173

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 19 19

FORM A. BRITISH RAINFALL. 20.1.19

Kept at Edeleton Hall Welshpool

in the County of Montgomery

by Miss Haverfords

Lat. _____ Long. _____

Time of Observation 9 ~~5~~ 30

Nearest Railway Station Yockleton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

" " " " Sea Level 500 ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03		.05	.05			.13	.07	.04		.42	1
2		.04		.04				.19	~~.02~~	.13			2
3		.02						.01	.62	.28	.04	.26	3
4		.03			.42			.03	1.4~~0~~	.50			4
5		.03	.02	.19	.29	.07	.02	.09	.86	.48	.4-		5
6		.34	.01	.21		.05		.09	.81	.05			6
7		.1							.12	.10	.14		7
8	.11	.45			.22		.12		.35	.03	.04	.04	8
9	.15	.9		.17			.48		.44	.03	.02	.04	9
10		.12			.05	.24	.19		.23	~~.37~~		.18	10
11		.04					.31		.87	~~.79~~		.14	11
12					.17		.15		.08	.03		.03	12
13					.02				.21			.13	13
14	.48				.01		.25		.97	.08		.28	14
15	.38					.1	.83		.49			.35	15
16	.02			.37		.04	.04	.08	.31	.02		.48	16
17	.35	.01		.02	.1		.14	.06	.09	.03		.11	17
18	.36	.05	.05	.01			.06		.07	.16		.38	18
19		.09	.07		.01	.26	.19		.16	.09		.14	19
20	.06	.19		.22		.14			.25	.07		.12	20
21	.17			.77	.16	.04	.09		.10				21
22					~~.31~~		.22		.05			.42	22
23					.31		.12		.05		.06	.04	23
24	.13	.15			~~.13~~		.02	.27	.04		.1	.02	24
25	.02				.13	.09	.23	.36	.	.02	.05	.03	25
26								.04	.03		.08	.25	26
27		.19	.29					.31	.28		.06	.16	27
28			.31			.08			.05		.04	.38	28
29	.02		.17						.44		.04	.1	29
30		X	.11					.03		.03		.11	30
31		X	.24	X		X		.06	X		X	.04	31
Total	2.26	2.78	1.27	2.05	1.94	1.11	3.46	1.75	6.86	2.09	1.47	4.59	YEAR'S TOTAL 31.83
Rain Days.	12	17	9	10	13	10	17	14	27	18	13	25	185

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19 1c

Kept at Edderton Hall Welshpool

in the County of Montgomery

by Annie Howell Evans

Lat. _____ Long. _____

Time of Observation 9.30 a m

Nearest Railway Station Forden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. _____ in.

" " " " Sea Level 500 ft.

FORM A. BRITISH RAINFALL

8 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							.21	.02			.04	.29	
1	.3	.01	.02	.06			.13		.05	.06	.05	.08	1
2	.1		.07			.27	.05		.09	.02	.1	.17	2
3			.3		.19		.36	.08	.02	.02		.2	3
4		.03	.16		.04		.02		.01	.01	.05	.4	4
5		.2	.04		.02						.01		5
6	.07	.07	.66									.12	6
7	.04		.04	.10							.02	.07	7
8	.21		.08			.03					.04		8
9	.06		.03			.01				.07			9
10			.36						.01	.06	.03	.07	10
11	.01		rain missed 1.22 snow		.01	.01	.21			.04		.03	11
12	.1					.49			.03	.02	.05		12
13	.24						.01		.25	.13			13
14	.33		.02	.53 .13						2.60	.01	.06	14
15	.31	.06		.02	.20			.02		.12		.03	15
16	.07	- .57? .99				.02		.09			.04	.45	16
17	.05	-48?)	.01		.08	.12		.59			.27	.02	17
18	.05		.82		.07		.08	.28			.02	.03	18
19	.06	.22	.02			.05		.03	.02		.22	.01	19
20	.12	.04							.11		.09	.15	20
21	.02	.12				.03	.27					.1	21
22		.06				.01				.02	.01	.22	22
23						.03				1.28	.07	.06	23
24						.06				.73	.21	.22	24
25	.04			.2		.02		.04			.06	.03	25
26	.08		.19	.1			.03	.11			.03	.33	26
27	.04		.03	.26				.26			.63	.01	27
28	.08		.07	.3		.09		.5				.44	28
29	.05			.5		.03		.03		.09 2.20		.2	29
30	.01	X	.02			.09					.1	.05	30
31	.01	X	.04	X		X			X	.06	X	.01	31
Total	2.45	1.80	3.45	2.20	.63	1.36	1.37	2.01	.59	2.70	1.57	3.84	YEAR'S TOTAL 23.95
Rain Days.	24	11	19	10	7	16	10	11	9	15	22	27	184

W. 6,500, VII. 15. W W C

Rainfall .5 25

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Edderton Hall

in the County of Montgomery

by Miss Howell Evans

Lat. ..... Long. .....

Time of Observation 9.30 - 10 a.m.

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .53

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.19	.35		.17	.02	.12	.15		.18	1
2				.2	.2		.38	.01	.02	.31		.15	2
3	.02	.02		.18	.06	.05	.75	.02	.04	.59		.09	3
4				.02				.35	.02	.14			4
5			.05	.03	.17		.25	.02	.02	.1			5
6			.3	.07	.02		.19		.01	.24	.08	.02	6
7	.03		.02	.12	.02		.05			.01			7
8	.28	.11		.63	.1		.45	.19					8
9	.51	.4		.57			.05	.01			.02	.02	9
10	.53	.33		.05		.15	.44				.03		10
11	.1	.07	.1	.25	.23	.03	.06				.17		11
12	.26	.01	.05	.08		.6					.25	.15	12
13		.05	.15	.2					.02		.43		13
14	.09	.01	.47	.13		.22	.05	.02	.49	.35	.13	.01	14
15	.02	.12	.03	.32		.52				.2			15
16	.01	.01		.06	.41	.05	.46		.47	3d4p			16
17	.05			.01	.2	.04		.05	.37	.78		.06	17
18	.18			.02	.36	.02	.09	.07	.08	.-		.14	18
19	.04	1.28		.12		.05		.03	.02		.01		19
20	.02	.11		.1		.02	.01	.01					20
21				.05			.11	.03					21
22	.08			.11			.45	.28			.01		22
23	.01		.06				.13					.38	23
24			.31	.09								.13	24
25	.24	.11	.22	.10		.01	.69		.03				25
26	.17	.02	.59		.1		.02				.06	.05	26
27	.16		.36	.01	.35	.26	.12				.01	.23	27
28	.4		.29	.03	.12	.09						.08	28
29	.07		.21	.03	.05	.03	.01				.2	.62	29
30	.15		.2	.02		.25	.13		.37		.17	.17	30
31	.04		.03				.02			.38		.03	31
TOTAL	3.26	2.65	3.46	3.79	2.77	2.39	5.08	1.11	2.08	3.28	1.57	2.50	YEAR'S TOTAL 33.94
Days with .01 in. or more	23	14	18	28	15	16	23	14	14	13	13	17	209

(44,283). Wt.21,958—278. 7500. 10/19. Gp.132. A.&E.W.

WELSHPOOL
FRAN. LLWYD
1911

REC[illegible] N 1911

FORM A2. BRITISH RAINFALL.

26 JAN 1912

Kept at Fronllwyd

in the County of M[illegible]

by W. E. Whiteh[illegible]

[illegible]ern

[illegible]eter of top 5 in.

[illegible]ht of top above Ground 1 ft. [illegible] in.

" " Sea Level 540 ft.

[illegible]vation

[illegible]vay Station { Name / Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14				.01	.03			.15	.02	1
2				.02	.10			.12		.11	.07	.11	2
3			.03	.03	.50			.10	.05		.14	.10	3
4			.09					.58	.04		.48	.16	4
5	.04		.02					.14		.30	.09	.02	5
6	.07		.06							.11	.25	.13	6
7	.01										.37		7
8	.23		.09								.30	.16	8
9	.03		.02								.25	.05	9
10	.05	.15	.05		.06				.02			.56	10
11	.05		.02						.12		.48	.15	11
12		.02	.35		.10				1.20		.71	.01	12
13			.02					.10			.07	.22	13
14		.05	.02								.03	.14	14
15		.14	.02			.04				.02	.04	.25	15
16		.02	.02	.01		.20				.02	.27	.06	16
17		.04			.26	.87					.32	.20	17
18		.31		.09		.35				.02	.01	.30	18
19	.02	.01		.07		.77		.03	.30	.15	.07	.55	19
20		.06		.17		.03		.50	.08	.10	.02	.22	20
21		.47	.02	.01		.03		.01	.15	.31		.08	21
22		.09		.02		.13				.50	.02	.32	22
23	.02	.21	.07		.09	.35	.03		.41	.25		.27	23
24	.02	.10		.01		.40		.14		.65		.28	24
25	.02	.14	.01	.11			.17		.15	.24		.16	25
26		.25		.30	.04			.02	.04	.30	.09	.17	26
27		.21	.23	.15				.90	.27		.10	.06	27
28		.24						.10	.02		.05	.06	28
29						.13	.41	.03	.24	.72		.02	29
30			.01			.12	.04			.30		.01	30
31			.09		.46					.05		.01	31
Total	.56	2.51	1.38	.99	1.61	3.42	.66	2.80	3.09	4.15	4.38	4.85 4.85	TOTAL for year 30.40
No. of Rain Days	11	17	20	12	8	12	5	14	14	17	23	30	183

FORM A2.
BRITISH RAINFALL.

RECORD OF RAINFALL IN 1911

26 JAN 1912

Kept at Fronllwyd

in the County of Montgomery 5

by W. E. Whitehouse

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. ____ in. „ „ „ Sea Level 540 ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14				.01	.03			.15	.02	1
2				.02	.10			.12		.11	.07	.11	2
3			.03	.03	.50			.10	.05		.14	.10	3
4			.09					.58	.04		.48	.16	4
5	.04		.02					.14		.30	.09	.02	5
6	.07		.06							.11	.25	.13	6
7	.01										.37		7
8	.23		.09								.30	.16	8
9	.03		.02								.25	.05	9
10	.05	.15	.05		.06				.02			.56	10
11	.05		.02						.12		.48	.15	11
12		.02	.35		.10				1.20		.71	.01	12
13			.02					.10			.07	.22	13
14		.05	.02								.03	.14	14
15		.14	.02			.04				.02	.04	.25	15
16		.02	.02	.01		.20				.02	.27	.06	16
17		.04			.26	.87					.32	.20	17
18		.31		.09		.35				.02	.01	.30	18
19	.02	.01		.07		.77		.03	.30	.15	.07	.55	19
20		.06		.17		.03		.50	.08	.10	.02	.22	20
21		.47	.02	.01		.03		.01	.15	.31		.08	21
22		.09		.02		.13				.50	.02	.32	22
23	.02	.21	.07		.09	.35	.03		.41	.25		.27	23
24	.02	.10		.01		.40		.14		.65		.28	24
25	.02	.14	.01	.11			.17		.15	.24		.16	25
26		.25		.30	.04			.02	.04	.30	.09	.17	26
27		.21	.23	.15				.90	.27		.10	.06	27
28		.24						.10	.02		.05	.06	28
29						.13	.41	.03	.24	.72		.02	29
30			.01			.12	.04			.30		.01	30
31			.09		.46					.05		.01	31
Total	.56	2.51	1.38	.99	1.61	3.42	.66	2.80	3.09	4.15	4.38	4.85	TOTAL for year 30.40
No. of Rain Days	11	17	20	12	8	12	5	14	14	17	23	30	183

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

Kept at Fron Llwyd (Welshpool)

in the County of Montgomery 5

by Gardener per W.E.W.

RAIN GAUGE: Pattern B a - 6 ordinary; Diameter of top 5 in.; Height of top above Ground 1 ft. - 10; " " " Sea Level 540 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Welshpool; Distance me 3/4 Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.10		.01	.50	.05	.12	.03			.31	1
2		.05	.24	—		.70	.14					.03	2
3	.03		.06		.21	.30	.05	.75	.08			.05	3
4	.30		.62	.01	.25			.12	.03		.12		4
5	.19	.10	.21		.07	.20		.18	.02			.02	5
6	.30	.10	.06		.06	.04		.35			.02	.02	6
7	.04	.05	.03		.05	.21	.05	.02				.03	7
8	.45	.11	.22	.04	.07	.05		.06					8
9	.07	.02	.25	.15		.15	.02	.17			.03	.09	9
10	.34		.01	.05		.16	.06	.11			.40	.01	10
11	.03	.02			.03		.04	.01			.24	.44	11
12	.03	.34	.10	.04		.01	.07	.14			.01	.25	12
13	.02							.07	.04	.20		.50	13
14	.12	.05	.62			.06		.03				.17	14
15	.02	.12	.05			.30		.01				.30	15
16	.24	.01	.20		.14			.05		.15		.06	16
17	.50	.04	.02			.21	.03	.45			.16	.77	17
18	.43		.12			.02		.15		.05	.02	.18	18
19	.04	.08	.03			.07	.18	.54		.12	.01	.03	19
20	.04	.01	.14		.13	.01	.15	.05		.27	.02	.03	20
21		.03	.10		.47		.04	.24		.50	.01	.04	21
22	.20	.20			.55	.02	.27	.42		.01		.07	22
23	.06	.10	.37			.03	.12	.25			.25	.05	23
24	.11	.01	.09			.19	.04	.05			.05	.25	24
25			.10			.08		.21			.47	.46	25
26		.12	.07				.21	.76		1.23	.55	.10	26
27		.05	.09			.59	.74			.69	.03	.40	27
28	.01	.10				.02	.46	.36	.11	.23	.78	.01	28
29	.01	.03	.10			.16	.16	.07	.50	.11	.03	.19	29
30	.02		.07			.22	.04			.27	.01	.02	30
31	.01		.22		.20		.65	.03		.10		.04	31
Total	3.61	1.75	4.29	.29	2.24	4.30	3.57	5.77	.81	3.93	3.21	4.92	TOTAL for year 38.69
No. of Rain Days.	25	23	27	5	13	24	21	28	7	13	19	29	234

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 31 JAN 1914

Kept at Frondlwyd

in the County of Montgomery

by W. H. Brooks W. E. Whitehouse

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	.08	.13	.09	.01				.05	.01	.13		1
2	.01	.30	.14	.02	.06	.05			.02	.03	.30	.09	2
3	.02	.02	.26		.42				.05			.30	3
4	.75	.09	.05		.02					.19	.06	.50	4
5	.48	.12	.08		.18	.22	.05		.05	1.70	.05	.03	5
6	.10	.10	.26		.28	.15	.30			.07	.13	.40	6
7	.01	.34	.03		.24	.30	.03			.44	.24	.03	7
8		.16			.12	.10	.03			.14	.02	.05	8
9		.40	.13	.05	.12	.76	.02		.23		.13		9
10	.04	.01	.02	.03	.30	.02	.02			.06	.05		10
11	.33	.01		.43	.10	.01	.01		.05	.12	.35	.05	11
12	.02				.04	.05	.01		.07		.25		12
13			.24	.01			.10		.28	.02	.35		13
14	.07		.60	.16					.02	.12	.25		14
15	.08	.04	.53	.85					.18		.16		15
16	.01		.50	.13							.02		16
17	.10		.10	.26		.02	.07				.10		17
18	.02		.32	.23			.05				.07	.05	18
19	.06		.05	.26		.06	.05		.04	.23	.10		19
20	.14		.23	.16		.03	.02			.25	.62		20
21	.01		.23	.26	.14		.20				.05		21
22	.69		.81			.26			.46			.02	22
23	.01		.04			.17			.27		.20		23
24	.35			.04							.16	.05	24
25				.16						.10	.05	.06	25
26		.06		1.31	.36				.24			.36	26
27	.10		.02	.20					.06	.77		.08	27
28	.30		.17	.45	.01				.01	.06		.36	28
29			.43	.47	.25					.30			29
30	.40			.02						.15	.16		30
31	.27		.40		.66					.05			31
Total	4.44	1.73	5.77	5.59	3.31	2.20 2.20	.96		2.08	4.81	4.00	2.43 2.45	YEAR'S TOTAL
Rain Days.	25	13	20	21	17	14	14		16	19	24	15	

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

22 JAN 1915

Kept at From Llwyd

in the County of Montgomery

by [illegible] Montgomery Co Times

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.10	-		.08	.82	.89	-	-	.03	.30	1
2		.02	.01	-			1.08	.11	-	-	.21	.32	2
3	.03		.01	.10	.35		-	-	-	-	-	1.11	3
4	.26		.05	.15	.14		.15	.03	-	-	.58	.52	4
5	.07		.19	.36	.13		.17	-	-	-	.19	-	5
6	.08	.08		.43	.15	.03	.17	.05	-	-	.07	.34	6
7		.07	.47	.14	.17	.09	.20	.19	-	-	-	.35	7
8	.10			.02	.16	.37	-	.27	.07	-	-	.05	8
9	.15			.14	.05	.81	-	.38	.48	-	.04	-	9
10	.04	.04		.14	.02	.19	-	-	.14	-	.01	-	10
11		.24	.40	.02	.16	.10	.40	-	.06	-	.66	.37	11
12		.66	.17	-		.01	.19	-	.17	-	.26	.14	12
13		.20	.32	-			.04	-	.09	.33	.32	.18	13
14		.75	.11	-			-	-	.05	.21	.15	-	14
15			.55	-			-	.02	.06	.02	.03	-	15
16			.06	-			-	-	.15	-	-	-	16
17		.38	.25	-		1.66	.04	-	.16	-	-	.78	17
18			.08	-			.01	-	.05	-	-	.08	18
19			.07	-			.79	-	.03	-	.12	.27	19
20		.35	.15	-		.25	.09	-	-	-	-	.16	20
21		.13		-		.16	-	.07	-	.05	-	.10	21
22		.25	.03	-	.05	.17	-	.26	-	.07	-	-	22
23		.04	.10	-			.02	-	-	.05	-	-	23
24			.45	.01			.11	.24	-	.06	.08	-	24
25	.15	.02	.02	-			.12	.48	-	.71	-	.39	25
26			.05	-			-	.14	-	.14	.21	.30	26
27	.05	.02		-			-	-	-	.02	.23	1.12	27
28	.25	.09	.05	-	.15		-	-	-	.06	.02	.06	28
29	.15		.04	-	.05		-	-	-	.17	.25	-	29
30	.02		.07	-			-	.02	-	.12	.30	.30	30
31	.25			-			.27	-	-	.10		.04	31
Total	1.60	3.36	3.80 3.88	1.81	1.58	3.92	4.64	3.15	1.51	2.11	3.46	4.28	YEAR'S TOTAL 38.25
Rain Days.	13	17	24	10	12	12	17	14	12	14	19	21	185

W.7,000, XI. 13

4237

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL ORGANIZATION 2 MAY 1916

Kept at Welshpool ~~Llwynderw~~ Tan Llwyd

in the County of Montgomery. 5

by The County Times

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·54	·22			·62		·01	·09	·24	·24		·22	1
2	·07	·26	·22	·20		·04		2·25		·05		·09	2
3	·33	·27	·01	·13			·36	·45				·23	3
4	·04	·38	·02		·34	·02	·32	·05				·95	4
5	·05	·16				·02		·09				·32	5
6	·17	·09		·12			·69	·02				·31	6
7	·21	·46		·09			·04	·28			·02	·29	7
8	·14	·14		·17				·28			·26		8
9	·19	·15		·18							·11	·78	9
10	·55	·02	·01	·14				·02		·05	·06	·11	10
11	·04		·09		·03		·09	·30			·90		11
12	·05	·02		·03	·23			·05		·25	1·35		12
13		·46		·05	·39			·11	·03		·03	·15	13
14	·04				·02			·35	·13		·05	·34	14
15	·64				·11		·19	·25			·17	·10	15
16	·09	·25			·47		1·05	·17				·03	16
17		·87			·77			·05				·05	17
18	·02	·65	·02										18
19		·03		·09	·10		·22						19
20	·15						·02					·05	20
21	·17	·02					·21			·07			21
22	·04		·10	·11			·22			·10		·13	22
23		·12	·14			·07	·04		·02			·45	23
24			·03	·14			·28		·23	1·12		·38	24
25			·02			·22					·04	·14	25
26		·10					·37		·05			·65	26
27		·20					·43			·40		·87	27
28		·47				·31		·14	·04	·03		·03	28
29						·03	·12	·06	·06		·17	·05	29
30		X		·10		·13	·28		·03	·05	·05	·21	30
31	·03	X		X		X	·22	·05	X	·15	X	·40	31
Total	3·56	5·34	·66	1·55	3·08	·84	5·16	5·06	·83	2·51	3·21	7·33	YEAR'S TOTAL 39·13
Rain Days.	20	21	10	13	10	8	19	19	9	11	12	25	177

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 20 JAN 1917

Kept at Fron Llwyd

in the County of Montgomery

by

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.34	.04	.22		.02								1
2	.63	.17	.12										2
3		.43			.01								3
4	.24	.15		.03	.45								4
5	.05	.04			.31								5
6	.20	.34			.40								6
7	.15	.03			.12								7
8	.03		.27		.09								8
9					.20								9
10	.05	.47		.04	.03								10
11		.04	.21	.11	.10								11
12	.09	.03	.05	.06	.30								12
13		.16	.19	.13	.06								13
14		.20	.03	.08	.06								14
15		.90	.21	.18									15
16		.14		.21									16
17	.05	.15		.38									17
18	.04	.14	.04	.09									18
19	.20	.01	.47	.08									19
20	.19		.35										20
21	.21		.28	.05									21
22				.09									22
23	.06		.05	.04									23
24		(.50)	.04	.03	1.02								24
25	.01		.26		.18								25
26	.03		.04										26
27	.04	.15	.09										27
28		~~.25~~			.09								28
29		.30	.02										29
30		X											30
31		X		X	.02	X			X		X		31
Total	2.61	~~3.89~~ (4.39)	2.94	1.60	3.46								YEAR'S TOTAL
Rain Days.	18	19	18	15	17								

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1918

Kept at Fron Lloyd, Welshpool

in the County of Montgomery

by Mrs. Emily Harrison.

RAIN GAUGE.

Lat. ..... Lon. .....

Time of Observation 9 a.m.

Diameter 6 in.

Height of top above Ground 1 ft.

" " Sea Level 500 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		4	.	2	3	.	.	16	8	4	35	.	1
2		5	.	.	.	.	.	26	2	.	.	50	2
3		2	.	.	47	.	.	2	70	11	.	.	3
4		2	.	.	.	.	13	.	1·20	45	50	28	4
5		3	2	10	25	23	X8.	16	25	40	11	2	5
6		45.	1	32	.	.	.	.	2	45	.	.	6
7		14	.	1	25	2	.	.	20	12	10	4	7
8		30	.	.	.	.	23	.	53	6	.	4	8
9	24	85	.	13.	.	25	40	.	63	.	16	4	9
10	9	11	.	10	.	.	14 XX	.	28	10	21	20	10
11	3	5	.	.	5	.	43 X	.	16	4	5	13	11
12	.	9	1	.	12	.	6 XX	.	8	.	.	4	12
13	.	.	.	.	2	1	. X	.	28	5	.	16	13
14	56.	.	.	.	.	16	34	.	44	.	.	30	14
15		.	.	.	.	5	9 5 XX	.	45	4	.	50	15
16	Snow.	.	.	26	.	4	27 XX	14	26	.	.	45	16
17	56	.	.	.	2	4	18. XX	6	7	15	.	20	17
18	53	X	4	.	.	45	23 XX	.	44	.	.	46	18
19	14	5	8	2	.	.	2 X	.	14	.	.	15	19
20	16	15	.	25	.	9	24	.	45	9	.	3	20
21	4	22.	.	73	16	3	2 X	.	44	.	.	.	21
22	2	.	.	.	20	1	12 XX	.	7	.	.	57	22
23	18	.	.	.	38	.	.	.	5	.	.	2	23
24	.	18.	.	.	.	.	8	8	10	.	16	.	24
25	.	.	.	.	.	.	40	52	4	.	3	2	25
26	2	3	.	.	10	.	14	5	5	1	4	24	26
27	.	10	34	.	.	.	.	30	27	.	7	21	27
28	.	20.	37	.	.	14	.	.	3	.	4	41	28
29	.	X	18	.	.	.	.	.	56	1	.	7	29
30	.	X	12	.	.	.	.	3	X.	.	4	15	30
31	.	X	5	X	.	X	.	5	X	2	X	4	31
Totals	2·57	3·08 ~~2·38~~	1·22 ~~1·32~~	1·94 ~~1·73~~	2·05	1·52	4·76	1·83	8·34	2·14	1·86	5·27	36·58 ~~35·47~~
Total from Jan. 1	12.	19	10	10.	12	13	18	12	29	16.	13	26	190.

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

WELSHPOOL
LLWYNDERW

MONTGOMERY

1912 - 1916

RE

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Llwynder

in the County of Mont

by W E White

in.

ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.13								.10		1
2				.02	.08		.07	.01		.07	.08	.10	2
3				.01	.35			.26			.10	.06	3
4			.08					.10			.34	.13	4
5					.03			.29		.19	.17	.01	5
6	.03		.08					.12		.05	.24	.12	6
7	.01										.29		7
8	.19		.07								.22	.19	8
9	.04		.02								.17	.04	9
10	.05	.15	.04		.01						.01	.49	10
11	.08				.01				.11		.47	.08	11
12		.01	.31		.04				1.19	.01	.66	.01	12
13								.07			.05	.32	13
14		.06							.01		.02	.10	14
15		.10	.03			.04					.05	.22	15
16		.01				.15					.12	.04	16
17		.04			.11	.76					.22	.12	17
18		.32	.02	.09		.32				.02	.01	.27	18
19		.02		.02		.76		.01	.25	.15	.06	.49	19
20		.04	.03	.09		.04		.17	.09	.07		.21	20
21		.37		.02		.03	.06		.08	.27		.05	21
22	.01	.07				.03				.44		.26	22
23	.01	.23	.07		.12	.20	.01		.32	.27		.17	23
24	.04	.07	.02			.50		.16		.46		.22	24
25	.02	.04		.09			.35		.09	.11		.08	25
26		.30		.30	.04	.01		.01		.33	.11	.12	26
27		.18	.12	.13				.92	.25		.07	.07	27
28		.19		.06		.05		.08	.01		.07	.05	28
29			.01			.07	.78	.03	.23	.50	.02	.03	29
30			.01	.03		.27				.26	.01		30
31			.11		.34					.11		.01	31
Total	.48	2.20	1.15	.86 .86	1.13	3.23	1.27	2.23	2.63	3.31	3.66	4.06	TOTAL for year 26.21
No. of Rain Days	10	17	16	11	10	14	5	13	11	16	24	28	175

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A 2. BRITISH RAINFALL. 26 JAN 1912

Kept at Llwynderw

in the County of Montgomery 5

by W. E. Whitehouse

RAIN GAUGE — Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. „ „ „ Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station — Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.13								.10		1
2				.02	.08		.07	.01		.07	.08	.10	2
3				.01	.35			.26			.10	.06	3
4			.08					.10			.34	.13	4
5					.03			.29		.19	.17	.01	5
6	.03		.08					.12		.05	.24	.12	6
7	.01										.29		7
8	.19		.07								.22	.19	8
9	.04		.02								.17	.04	9
10	.05	.15	.04		.01						.01	.49	10
11	.08				.01				.11		.47	.08	11
12		.01	.31		.04				1.19	.01	.66	.01	12
13								.07			.05	.32	13
14		.06							.01		.02	.10	14
15		.10	.03			.04					.05	.22	15
16		.01				.15					.12	.04	16
17		.04			.11	.76					.22	.12	17
18		.32	.02	.09		.32				.02	.01	.27	18
19		.02		.02		.76		.01	.25	.15	.06	.49	19
20		.04	.03	.09		.04		.17	.09	.07		.21	20
21		.37		.02		.03	.06		.08	.27		.05	21
22	.01	.07				.03				.44		.26	22
23	.01	.23	.07		.12	.20	.01		.32	.27		.17	23
24	.04	.07	.02			.50		.16		.46		.22	24
25	.02	.04		.09			.35		.09	.11		.08	25
26		.30		.30	.04	.01		.01		.33	.11	.12	26
27		.18	.12	.13				.92	.25		.07	.07	27
28		.19		.06		.05		.08	.01		.07	.05	28
29			.01			.07	.78	.03	.23	.50	.02	.03	29
30			.01	.03		.27				.26	.01		30
31			.11		.34					.11		.01	31
Total	.48	2.20	1.15	.86	1.13	3.23	1.27	2.23	2.63	3.31	3.66	4.06	TOTAL for year 26.21
No. of Rain Days	10	17	16	11	10	14	5	13	11	16	24	28	175

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

19 FEB 1913

Kept at Llwyndew, Welshpool

in the County of Montgomery. 5

by "Observer" per "W.E.W"

RAIN GAUGE: Pattern Old Type Gauge - B.A.; Diameter of top 8 in.; Height of top above Ground 1 ft. - in.; " " " Sea Level 243 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Welshpool. Distance 2¼ mls. Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07		·02	·65	·05	·05				·28	1
2			·21			·23	·13					·02	2
3			·11		·27	·26	·02	·60				·02	3
4	·25		·56	·03	·14			·08	·01		·13		4
5	·23		·14	·01	·05	·19		·11	·07			·02	5
6	·23	·16	·04		·04	·07		·31			·01	·01	6
7	·03	·10	·04		·06	·25	·06	·06				·02	7
8	·48	·09	·13	·08	·04	·09		·03	·02				8
9	·02	·03	·16	·19		·15		·20	·01		·02	·06	9
10	·34					·24	·05	·10			·29	·01	10
11	·02				·02		·03				·23	·49	11
12	·03	·15	·11	·04			·05	·10				·08	12
13	·01					·02		·01	·01	·17		·41	13
14	·02	·04	·63			·05		·01				·12	14
15	·01	·22	·03		·10							·28	15
16	·19	·03	·13		·02	·35		·06	·01	·08		·03	16
17	·10	·04	·01			·21	·02	·39			·13	·80	17
18		·04	·14			·01		·08		·04	·01	·11	18
19	·28	·07	·05			·05	·18	·33		·18		·01	19
20	·05		·20		·12		·07	·02		·33			20
21	·01	·02	·09		·40		·02	·30		·31		·02	21
22	·06	·15	·01		·48	·03	·37	·38				·08	22
23	·08	·07	·44			·06	·19	·26			·22	·07	23
24	·04		·08			·10	·02	·04			·03	·20	24
25			·04			·07	·01	·25			·42	·40	25
26		·10	·12				·22	·69		1·10	·32	·10	26
27		·01	·10			·55	·70			·67		·35	27
28		·05				·04	·49	·33	·06	·20	·61		28
29		·02	·16			·07	·10	·04	·53	·10		·06	29
30			·03			·19	·05			·20		·01	30
31			·21		·05		·50	·03		·07		·03	31
Total	2·48	1·39	4·04	·35	1·81	3·93	3·33	4·86	·72	3·45	2·42	4·09	TOTAL for year 32·87
No. of Rain Days.	20	18	27	5	14	23	21	26	8	12	12	27	213

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 31 JAN 1914

Kept at Llwyndew

in the County of Montgomery

by W. H. Brooks W. E. Whitehouse

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.11	.10	.08		.50			.05	.01	.06		1
2	.01	.21	.10	.01	.04						.24	.02	2
3	.01	.02	.21		.35	.03				.03		.20	3
4	.63	.04	.03		.02		.03		.03	.16	.07	.48	4
5	.56	.09	.10		.11		.08		.01	1.80	.03		5
6	.05	.04	.19		.24		.21			.06	.02	.35	6
7		.23	.02		.21	.26	.01			.33	.17	.03	7
8	.01	.12			.17	.31	.05	.08		.11	.01		8
9		.38	.12	.04	.08	.12	.08	.27	.28	.01	.10	.03	9
10	.09	.02	.02	.02	.18	.70	.02	.17		.07	.04		10
11	.34	.01		.42	.04	.02				.10	.38	.03	11
12	.03				.03	.02		.02	.05		.30	.01	12
13		.01	.12				.07	.04	.35	.01	.31		13
14	.10		.60	.10			.02	.08	.01	.12	.15		14
15	.08	.03	.41	.58				.23	.15		.08		15
16	.01		.58	.07			.01				.02		16
17	.08		.06	.18			.09				.11		17
18	.03		.29	.17	.01		.06				.04	.02	18
19	.10		.10	.11		.07	.03		.06	.11	.06	.02	19
20	.19		.30	.18		.02	.02			.28	.60		20
21			.18	.17	.11		.26	.06			.07		21
22	.57		.85			.22		1.00	.47				22
23	.01		.04			.06		.06	.30		.15	.03	23
24											.08		24
25				.09					.21	.09	.06	.04	25
26		.18		(1.42) .92	.29			.02				.35	26
27	.10	.01	.03	.18						.74		.04	27
28	.23		.11	.31					.01	.13		.26	28
29			.33	.48	.15			.02		.27			29
30	.31									.17	.15		30
31	.24		.37							.02			31
Total	3.82	1.50	5.26	(4.61)	2.03	2.33 2.23	1.04	2.05	1.98	4.62	3.30 3.32	1.91	YEAR'S TOTAL 34.45
Rain Days.	23	15	24	18	15	12	15	12	13	20	24	15	206

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

22 JAN 1915

487

Kept at Llwyndew

in the County of Montgomery

by W. L. Brooks Montgom. Co. Times

La[illegible] Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09	-		.07	.91	.95	-	-	.02	.23	1
2		.02	.03	-	.27		1.15	.07	-	-	.15	.27	2
3		.01	.08	.06	.26		.01	.04	-	-	-	.44	3
4	.32	.01	.09	.08	.10		.14	.08	-	-	.41	.38	4
5	.21		.25	.33	.19		.09	-	-	-	.13	.20	5
6	.07	.05	.03	.15	.11		.05	.03	-	-	.05	.35	6
7	.01	.09	.45	.06	.07	.10	.26	.22	-	-	.02	.24	7
8	.12			.03	.19	.31	.31	.18	.05	-	.02	.10	8
9	.17	.02		.13	.05	.60	-	.41	.13	-	-	.10	9
10		.06	.04	.21		.16	-	.01	.05	-	.81	-	10
11		.21	.24	-		.07	.39	-	.13	-	.22	.43	11
12		.58	.18	-			.10	-	.04	-	.33	.15	12
13		.15	.24	-			.04	-	.33	.33	.17	.13	13
14		.62	.15	-			-	-	.08	.17	.05	-	14
15			.38	-			-	.03	-	-	-	.10	15
16		.03	.04	-			-	-	.08	-	-	.68	16
17	.01	.24	.17	-		.47	-	-	.15	-	-	.80	17
18	.01		.04	-		.01	-	-	.18	-	-	.19	18
19		.02	.04	-			1.15	-	.03	-	.09	.23	19
20		.23	.21	-		.23	.20	-	.03	-	-	-	20
21		.14		-		.27	-	.49	-	.05	-	-	21
22		.32	.03	.01	.05	.21	-	.21	-	.13	-	-	22
23		.02	.09	-			-	-	-	.07	-	-	23
24		.01	.43	-			.16	-	-	.04	.02	-	24
25	.08			-			.11	.41	-	.41	.09	.39	25
26	.01	.01		-			-	.08	-	.17	.20	.38	26
27	.01			-			-	-	-	.05	.22	1.48	27
28	.21	.05	.04	-	.13		-	-	-	.17	-	.63	28
29	.08		.03	-	.06		-	-	-	.13	.22	.50	29
30	.03		.05				-	-	-	.05	.24	.41	30
31	.17			-	.01		.23	-	-	.06		.18	31
						2.50							YEAR'S TOTAL
Total	1.51	2.89	3.42	1.06	1.49	2.50	5.30	3.51	1.28	2.13	3.49	9.32	37.90
Rain Days.	15	21	24	9	12	11	16	14	12	13	19	24	190

W.7,000, XI. 13

copy for auth. from 6 and Press cutting. 4335

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 18. MAY 1916

Kept at Llwynderw, Welshpool.

in the County of Montgomery

by Mrs. Huddleston.

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·29	·11	·02		·73			·09	·29			·20	1
2	·05	·22	·18	·14		·03		2·68	·07	·29		·11	2
3	·38	·13	·02	·11			·02	·08				·42	3
4	·05	·31			·28		·33	·15				·56	4
5	·03	·18					·45	·06				·23	5
6	·13	·11		·11				·02				·27	6
7	·18	·58	·01				·95	·13			·01	·28	7
8	·15	·13		·07			·04	·18			·25		8
9	·29	·08		·19			·10	·03			·05	·71	9
10	·58			·23				·02		·05	·07	·09	10
11	·03		·24	·19	·02			·31			·91	·05	11
12	·04	·05			·22			·05		·22	1·03	·06	12
13		·48		·03	·17			·73	·02		·03	·05	13
14				·05	·11			·31	·11			·23	14
15	·68		·05				·19	·18			·19	·05	15
16	·07	·21			·49			·10				·03	16
17	·10	·53			·51		·77	·02				·06	17
18		·50											18
19		·05		·05	·08							·02	19
20	·10						·20					·03	20
21	·08			·02			·11			·08			21
22		·02	·13	·07								·17	22
23		·08	·17			·03	·29			·09		·41	23
24			·02	·10		·03	·04		·22	·83		·33	24
25							·13			·61	·04	·14	25
26		·06				·23	·04		·08			·60	26
27		·22					·35					·13	27
28		·61				·07	·41	·08	·05	·38		·05	28
29					·03	·07	·02	·02	·04	·09		·05	29
30	·13			·07		·11	·08		·08		·03	·23	30
31							·35	·07				·25	31
	3·36	4·66		1·43									YEAR'S TOTAL
Total	3·38	4·67	·84	1·53	2·64	·57	4·87	5·31	·96	2·64	2·61	5·81	35·70
Rain Days.	18	20	9	14	10	7	19	20	9	9	10	28	173

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL 30 JAN 1917

Kept at Llwyndews

in the County of Montgomery

by

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	.01	.20										1
2	.50	.13			.02								2
3		.50	.20										3
4	.19	.18			.37								4
5	.03	.14			.27								5
6	.16	.17			.22								6
7	.17	.01			.13								7
8	.03		.14		.07								8
9		.03			.23								9
10	.05	.39		.04	.04								10
11		.05	.09	.10	.10								11
12	.06	.03	.03	.06	.28								12
13		.14	.14	.13	.02								13
14		.32	.04	.18	.03								14
15		.77	.18	.18	.02								15
16		.14		.26									16
17	.05	.16		.33									17
18	.05	.13	.05	.10									18
19	.09		.45										19
20	.14		.22										20
21	.11		.14	.10									21
22				.15									22
23			.05	.06									23
24			.02	.01									24
25	.02	.16	.21		.37								25
26	.03	.03	.05		.46								26
27	.01	.04	.11		.04								27
28		.18			.50								28
29		.16	.02										29
30		X											30
31		X		X		X			X		X		31
Total	1.90	3.87	2.34	1.70	3.17								YEAR'S TOTAL
Rain Days.	17	22	18	13	17								

W. 8,000. X. 15.

WELSHPOOL
THE COTTAGE
MONTGOMERY
1911 - 1912

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

R

Kept at The Col

in the County of Mo

by W. E. Wh

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NO[illegible] rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			·02									·05	2
3			·05	·07								·12	3
4			·10									·10	4
5			·04	·02								·05	5
6			·08									·04	6
7												·17	7
8			·09									·03	8
9			·02									·15	9
10		·15	·06									·07	10
11			·03									·57	11
12		·03	·34									·13	12
13												·03	13
14		·06	·03									·26	14
15		·14	·03										15
16		·04										·41	16
17		·06	·02										17
18		·35		·10								·17	18
19				·08								·30	19
20		·08		·17								·45	20
21		·54	·03									·24	21
22		·07		·03								·07	22
23		·24	·08									·31	23
24		·10		·05								·27	24
25		·15	·04	·10								·30	25
26												·14	26
27		·45	·23	·27									27
28		·37		·29								·08	28
29												·07	29
30				·04								·03	30
31			·10									·01	31
Total		2·83	1·39	1·22								4·62	TOTAL for year
No. of Rain Days													

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 26 JAN 1912

Kept at The Cottage Welshpool

in the County of Montgomery

by W. E. Whitehouse

RAIN GAUGE: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. " " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			.02									.05	2
3			.05	.07								.12	3
4			.10									.10	4
5			.04	.02								.05	5
6			.08									.04	6
7												.17	7
8			.09									.03	8
9			.02									.15	9
10		.15	.06									.07	10
11			.03									.57	11
12		.03	.34									.13	12
13												.03	13
14		.06	.03									.26	14
15		.14	.03										15
16		.04										.41	16
17		.06	.02										17
18		.35		.10								.17	18
19				.08								.30	19
20		.08		.17								.45	20
21		.54	.03									.24	21
22		.07		.03								.07	22
23		.24	.08									.31	23
24		.10		.05								.27	24
25		.15	.04	.10								.30	25
26												.14	26
27		.45	.23	.27									27
28		.37		.29								.08	28
29												.07	29
30				.04								.03	30
31			.10									.01	31
Total		2.83	1.39	1.22								4.62	TOTAL for year
No. of Rain Days													

9,000, IX. '10.

5504

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Coedy Maen

in the County of Montgomery 5

by K. E. Whitehouse

RAIN GAUGE { Pattern ; Diameter of top in. ; Height of top above Ground ft. in. ; " " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name ; Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.10		.01	.21	.05	.04	.03			.34	1
2			.21			.41	.11					.01	2
3	.03		.12			.27	.02	1.34	.09			.06	3
4	.24		.72		.21	.05		.08			.09		4
5	.47		.15		.04	.21		.14	.01		.01	.01	5
6	.40	.28	.05		.12	.05		.47			.01	.03	6
7		.16	.04		.01	.16	.07	.03	.01		.01	.02	7
8	.56	.13	.15		.07	.30		.06	.03			.03	8
9	.06	.09	.17			.55		.13	.01	.01	.01	.14	9
10	.20	.02	.01			.20	.04	.30			.36	.01	10
11	.02	.01			.03						.27	.37	11
12	.03	.23	.05			.01	.05	.01			.01	.16	12
13	.06	.01	.01					.04		.27	.03	.49	13
14	.08	.01	.43			.02		.01		.03		.19	14
15	.02	.11	.05		.10	.24				.01		.36	15
16	.21	.03	.16		.03			.08		.20		.06	16
17	.05	.08	.02		.03	.26		.25			.13	.59	17
18	.01	.05	.09			.01		.09		.07	.02	.06	18
19	1.04	.06	.02			.08	.05	.35		.14	.01	.01	19
20	.18		.31		.07	.01	.13	.08		.22	.02	.03	20
21	.01	.01	.06		.35		.04	.13		.35		.09	21
22	.12	.19	.03		.65		.26	.39			.01	.07	22
23	.17		.42			.03	.60	.28			.22	.12	23
24	.10	.03	.15			.15	.02	.07			.04	.28	24
25	.01		.03			.14		.19			.44	.60	25
26		.09	.11				.19	.61		1.50	.50	.16	26
27	.01	.06	.11			.37	.77			.65	.01	.34	27
28		.10				.07	.60	.28	.13	.17	.90		28
29		.04	.06			.07	.08	.06	.59	.06	.07	.15	29
30			.08			.02	.05			.24	.01	.05	30
31	.01		.14		.05		.53	.07		.07		.04	31
Total	4.09	1.79	4.05	.31	1.77	3.89	3.66	5.58	.90	3.99	3.18	4.77	TOTAL for year 37.98
No. of Rain Days.	24	21	29	8	14	24	18	26	8	15	22	29	238

W. 8,000, X. '11.